GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 108 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	672	100.0	125	7	ADK18776	Adk18776 Anti-huma
2	672	100.0	125	7	ADK18948	Adk18948 Anti-huma
3	672	100.0	125	7	ADK18624	Adk18624 Anti-huma
4	672	100.0	125	7	ADK18813	Adk18813 Anti-huma
5	672	100.0	125	8	ADL25392	Adl25392 Human mAb
6	638	94.9	125	7	ADK18614	Adk18614 Anti-huma
7	638	94.9	125	7	ADK18779	Adk18779 Anti-huma
8	638	94.9	125	7	ADK18919	Adk18919 Anti-huma
9	638	94.9	125	7	ADK18816	Adk18816 Anti-huma
10	638	94.9	125	8	ADL25444	Adl25444 Human mAb
11	593.5	88.3	126	7	ADK18864	Adk18864 Anti-huma
12	593.5	88.3	126	7	ADK18595	Adk18595 Anti-huma
13	593.5	88.3	126	7	ADK18777	Adk18777 Anti-huma
14	593.5	88.3	126	8	ADL25408	Adl25408 Human mAb
15	588	87.5	123	10	AEK98538	Aek98538 Human ant
16	579.5	86.2	125	7	ADK18814	Adk18814 Anti-huma
17	578	86.0	119	10	AEH94456	Aeh94456 Anti-ten-
18	575.5	85.6	126	7	ADK18925	Adk18925 Anti-huma
19	575.5	85.6	126	7	ADK18780	Adk18780 Anti-huma
20	575.5	85.6	126	7	ADK18616	Adk18616 Anti-huma
21	575.5	85.6	126	7	ADK18817	Adk18817 Anti-huma
22	575.5	85.6	126	8	ADL25448	Adl25448 Human mAb
23	572	85.1	127	7	ADK18620	Adk18620 Anti-huma
24	572	85.1	127	7	ADK18818	Adk18818 Anti-huma
25	572	85.1	127	7	ADK18781	Adk18781 Anti-huma
26	572	85.1	127	7	ADK18936	Adk18936 Anti-huma
27	572	85.1	127	8	ADL25456	Adl25456 Human mAb
28	571	85.0	123	10	AEK98534	Aek98534 Human ant
29	570	84.8	126	10	AEI64964	Aei64964 Anti-Ang-
30	570	84.8	126	10	AEI64968	Aei64968 Anti-Ang-
31	567.5	84.4	126	7	ADK18597	Adk18597 Anti-huma
32	567.5	84.4	126	7	ADK18870	Adk18870 Anti-huma
33	567.5	84.4	126	7	ADK18812	Adk18812 Anti-huma
34	567.5	84.4	126	7	ADK18775	Adk18775 Anti-huma
35	567.5	84.4	126	8	ADL25412	Adl25412 Human mAb
36	566	84.2	127	10	AEJ20382	Aej20382 Anti-IRTA
37	564.5	84.0	124	10	AEM14838	Aem14838 Human ant
38	563.5	83.9	124	10	AEM14842	Aem14842 Human ant
39	561.5	83.6	122	6	ABR55829	Abr55829 Heavy cha
40	561.5	83.6	122	10	AEG17553	Aeg17553 Human ang
41	561.5	83.6	126	7	ADK18778	Adk18778 Anti-huma
42	561.5	83.6	126	7	ADK18613	Adk18613 Anti-huma
43	561.5	83.6	126	7	ADK18815	Adk18815 Anti-huma
44	561.5	83.6	126	8	ADL25464	Adl25464 Human mAb
45	558.5	83.1	121	10	AEI65125	Aei65125 Anti-Ang-

ALIGNMENTS

RESULT 1
ADK18776
ID ADK18776 standard; protein; 125 AA.
XX
AC ADK18776;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #2.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 200; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 125 AA;

  Query Match             100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 3.4e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 2
ADK18948
ID   ADK18948 standard; protein; 125 AA.
XX
AC   ADK18948;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #174.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF;  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 372; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 3.4e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 3
ADK18624
ID   ADK18624 standard; protein; 125 AA.
XX
AC   ADK18624;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 48; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 3.4e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
```

```
                  |||||
Db        121 VTVSS 125


RESULT 4
ADK18813
ID   ADK18813 standard; protein; 125 AA.
XX
AC   ADK18813;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #39.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 237; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match           100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity  100.0%;  Pred. No. 3.4e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
                |||||
Db        121 VTVSS 125


RESULT 5
ADL25392
ID   ADL25392 standard; protein; 125 AA.
XX
AC   ADL25392;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 6.4 heavy chain variable region protein SEQ ID NO:2.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J,  Gazit-Bornstein G,  Keyt B,  Larochelle WJ,  Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25391.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 2; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 125 AA;

  Query Match           100.0%;  Score 672;  DB 8;  Length 125;
  Best Local Similarity  100.0%;  Pred. No. 3.4e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
                |||||
Db        121 VTVSS 125


RESULT 6
ADK18614
ID   ADK18614 standard; protein; 125 AA.
XX
```

```
AC   ADK18614;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 38; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-51;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||:|||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 7
ADK18779
ID   ADK18779 standard; protein; 125 AA.
XX
AC   ADK18779;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #5.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 203; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-51;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||:|||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 8
ADK18919
ID   ADK18919 standard; protein; 125 AA.
XX
AC   ADK18919;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #145.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
```

```
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 343; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-51;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 9
ADK18816
ID   ADK18816 standard; protein; 125 AA.
XX
AC   ADK18816;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #42.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 240; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 125 AA;

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-51;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 10
ADL25444
ID   ADL25444 standard; protein; 125 AA.
XX
AC   ADL25444;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 1.45 heavy chain variable region protein SEQ ID NO:54.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J,  Gazit-Bornstein G,  Keyt B,  Larochelle WJ,  Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25443.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
```

PT nephritis.
XX
PS Disclosure; SEQ ID NO 54; 115pp; English.
XX
CC The present invention describes an antibody or its binding fragment that
CC binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC useful in preparing a medicament for treating nephritis. Also described:
CC (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC of treating mesangial proliferative glomerulonephritis. The antibody has
CC nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC antidiabetic activities, and can be used in gene therapy. The antibody or
CC its binding fragment, that binds PDGF-DD, can be used in preparing a
CC medicament for treating nephritis and related disorders, e.g., mesangial
CC proliferative glomerulonephritis. The present sequence represents a human
CC monoclonal antibody (mAb) variable region sequence, which is used in the
CC exemplification of the present invention.
XX
SQ Sequence 125 AA;

Query Match 94.9%; Score 638; DB 8; Length 125;
Best Local Similarity 94.4%; Pred. No. 4.7e-51;
Matches 118; Conservative 3; Mismatches 4; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||:||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125
```

RESULT 11
ADK18864
ID ADK18864 standard; protein; 126 AA.
XX
AC ADK18864;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #90.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 288; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 126 AA;

Query Match 88.3%; Score 593.5; DB 7; Length 126;
Best Local Similarity 89.7%; Pred. No. 6.1e-47;
Matches 113; Conservative 4; Mismatches 8; Indels 1; Gaps 1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||:||||||||||||||||:||| | |   :  | ||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126
```

RESULT 12
ADK18595
ID ADK18595 standard; protein; 126 AA.
XX
AC ADK18595;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 19; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This

```
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match           88.3%;  Score 593.5;  DB 7;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.1e-47;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:|||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 13
ADK18777
ID   ADK18777 standard; protein; 126 AA.
XX
AC   ADK18777;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #3.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 201; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match           88.3%;  Score 593.5;  DB 7;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.1e-47;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:|||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 14
ADL25408
ID   ADL25408 standard; protein; 126 AA.
XX
AC   ADL25408;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 1.18 heavy chain variable region protein SEQ ID NO:18.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J,  Gazit-Bornstein G,  Keyt B,  Larochelle WJ,  Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25407.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 18; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 126 AA;

  Query Match           88.3%;  Score 593.5;  DB 8;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.1e-47;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:|||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126
```

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              |||||||||||:||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 15
AEK98538
ID   AEK98538 standard; protein; 123 AA.
XX
AC   AEK98538;
XX
DT   30-NOV-2006  (first entry)
XX
DE   Human anti-Ten-M2 antibody heavy chain variable region, SEQ ID:50.
XX
KW   monoclonal antibody; antibody therapy; Ten-M2; diagnosis; pharmaceutical;
KW   tumor; cytostatic; neoplasm; cancer; heavy chain variable region.
XX
OS   Homo sapiens.
XX
PN   WO2006104978-A2.
XX
PD   05-OCT-2006.
XX
PF   27-MAR-2006; 2006WO-US011031.
XX
PR   25-MAR-2005; 2005US-0665592P.
XX
PA   (CURA-) CURAGEN CORP.
PA   (ABGE-) ABGENIX INC.
XX
PI   Ettenberg S,  Masterman S,  Larochelle W,  Zhong H;
XX
DR   WPI; 2006-670467/69.
XX
PT   New fully human monoclonal antibody that binds to Ten-M2 and neutralizes
PT   Ten-M2 activity, useful for treating symptoms and conditions associated
PT   with Ten-M2 activity, e.g. cancer.
XX
PS   Claim 5; SEQ ID NO 50; 141pp; English.
XX
CC   The new invention relates to a fully human monoclonal antibody or its
CC   binding fragment that binds to Ten-M2 and neutralizes Ten-M2 activity.
CC   Also described are a method for assaying the level of Ten-M2 in a patient
CC   sample; a composition comprising the antibody or its binding fragment and
CC   a pharmaceutical carrier; and a method of treating malignant tumors. The
CC   antibody is a full-length antibody. Alternatively, the human monoclonal
CC   antibody that binds to Ten-M2 comprises a heavy chain having an amino
CC   acid sequence selected from any of fully defined 116-127 amino acid
CC   sequences (SEQ ID NO. 2, 6, 10, 14, 18, 22, 26, 30, 34, 38, 42, 46, or
CC   50) given in the specification. It also comprises a light chain having an
CC   amino acid sequence selected from any of fully defined 101-113 amino acid
CC   sequences (SEQ ID NO. 4, 8, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, or
CC   52) given in the specification. Alternatively, the antibody or its
CC   binding fragment binds to Ten-M2, where the antibody or binding fragment
CC   neutralizes a Ten-M2-induced activity, and where the antibody or binding
CC   fragment cross-reacts with a fully human anti-Ten-M2 antibody selected
CC   from Mab120, Mab140, and Mab171, Mab179, Mab199, Mab213, or an antibody
CC   in the same antigen-binding bin as fully human anti-Ten-M2 antibody
CC   Mab120, Mab140, and Mab171, Mab179, Mab199, or Mab213. Assaying the level
CC   of Ten-M2 in a patient sample comprises contacting the patient sample
CC   with the anti-Ten-M2 antibody, and determining the presence or amount of
CC   anti-Ten-M2 antibody bound to Ten-M2, thus detecting the level of Ten-M2
CC   in the patient sample. The antibodies can be used for treating symptoms
CC   and conditions associated with Ten-M2 activity, e.g. cancer. This
CC   sequence is a human anti-Ten-M2 antibody heavy chain variable region
CC   protein sequence.
XX
SQ   Sequence 123 AA;

  Query Match             87.5%;  Score 588;  DB 10;  Length 123;
  Best Local Similarity   89.6%;  Pred. No. 1.9e-46;
  Matches  112;  Conservative    5;  Mismatches    6;  Indels    2;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||:||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTNYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||:||| ||||||||||||||:||| || | |:   ||||||||||||
Db         61 AQKFQGRVTMTRNTSIRTAYMELSSLRSEDTAVYYCARGPGGSFY--YYYGMDVWGQGTT 118

Qy        121 VTVSS 125
              |||||
Db        119 VTVSS 123


Search completed: April 25, 2007, 04:05:20
Job time : 109.404 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 10 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	557	82.9	127	2	S34014	Ig heavy chain V r
2	537.5	80.0	136	2	S31600	Ig heavy chain V r
3	534	79.5	129	2	S46393	Ig heavy chain V r
4	516.5	76.9	118	2	S36265	Ig heavy chain V r
5	515	76.6	123	2	D33548	Ig heavy chain V-1
6	514	76.5	129	2	S36260	Ig heavy chain V r
7	511.5	76.1	135	2	S49530	anti-Sm antibody V
8	510.5	76.0	132	2	S31596	Ig heavy chain V r
9	500	74.4	131	2	S26792	Ig heavy chain V r
10	499	74.3	119	2	PH0961	Ig heavy chain V r
11	496.5	73.9	110	2	PH1670	Ig heavy chain V r
12	496	73.8	98	2	S26918	Ig heavy chain V r
13	495.5	73.7	132	2	PH0954	Ig heavy chain V r
14	495.5	73.7	171	2	S23623	Ig heavy chain V r
15	494.5	73.6	118	2	PH1666	Ig heavy chain V r
16	493.5	73.4	136	2	PH0960	Ig heavy chain V r
17	488.5	72.7	143	1	E1HUND	Ig heavy chain pre
18	488	72.6	127	2	PH0955	Ig heavy chain V r
19	487.5	72.5	124	2	S19665	Ig heavy chain V r
20	486	72.3	133	2	C33548	Ig heavy chain V-1
21	486	72.3	627	2	S14683	Ig mu chain precur
22	484	72.0	142	2	A32483	Ig heavy chain V r
23	480	71.4	122	2	S36271	Ig heavy chain V r
24	480	71.4	160	2	PL0105	anti-PR2 erythrocy
25	477.5	71.1	126	2	B33548	Ig heavy chain V-1
26	476.5	70.9	114	2	PH1667	Ig heavy chain V r
27	473.5	70.5	128	2	PH0952	Ig heavy chain V r
28	472.5	70.3	120	2	S31999	Ig heavy chain V r
29	468	69.6	109	2	PH1668	Ig heavy chain V r
30	465	69.2	98	2	S26938	Ig heavy chain V r
31	465	69.2	117	2	S31680	Ig heavy chain V r
32	465	69.2	117	2	S18551	Ig heavy chain V r
33	465	69.2	126	2	I44151	Ig heavy chain V r
34	463	68.9	104	2	S69899	Ig heavy chain V r
35	462	68.8	121	2	S20783	Ig heavy chain V r
36	460.5	68.5	122	2	PH0958	Ig heavy chain V r
37	457	68.0	98	2	S26912	Ig heavy chain V r
38	456	67.9	125	2	PH0957	Ig heavy chain V r
39	455.5	67.8	120	2	S26789	Ig heavy chain V r
40	454.5	67.6	132	2	S46394	Ig heavy chain V r
41	454	67.6	129	2	A33548	Ig heavy chain V-1
42	452.5	67.3	110	2	PH1669	Ig heavy chain V r
43	449	66.8	125	2	S68170	Ig heavy chain V r
44	448.5	66.7	116	2	PH0959	Ig heavy chain V r
45	446.5	66.4	135	2	B32274	Ig heavy chain pre

ALIGNMENTS

RESULT 1
S34014
Ig heavy chain V region - human
C;Species: Homo sapiens (man)
C;Date: 02-Dec-1993 #sequence_revision 10-Nov-1995 #text_change 16-Aug-1996
C;Accession: S34014; S30535
R;Mariette, X.; Tsapis, A.; Brouet, J.C.
Eur. J. Immunol. 23, 846-851, 1993
A;Title: Nucleotidic sequence analysis of the variable domains of four human monoclonal
A;Reference number: S34001; MUID:93209281; PMID:7681398
A;Accession: S34014
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-127 <MAR>
A;Cross-references: UNIPARC:UPI0000176D31; EMBL:Z18321
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match 82.9%; Score 557; DB 2; Length 127;
Best Local Similarity 82.7%; Pred. No. 1.4e-42;
Matches 105; Conservative 10; Mismatches 10; Indels 2; Gaps 1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||:|||||||||||||||||||||||||||||||||||||||||||:||:|||| |
Db          1 QVQMVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPSSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR--GFGYSYNYDYYYGMDVWGQG 118
              ||||:|||||||:|||||||||||||||||:|:| |    | :    ||| :||||||
Db         61 AQKFKGRVTMTRNTSISTAYMELSSLRSEDTAVYFCARALSIGVAVIRGYYYALDVWGQG 120

Qy        119 TTVTVSS 125
              |||:|||
Db        121 TTVSVSS 127
```

RESULT 2
S31600
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S31600
R;Cuisinier, A.M.; Gauthier, L.; Boubli, L.; Fougereau, M.; Tonnelle, C.
submitted to the EMBL Data Library, June 1992
A;Description: Mechanisms that generate human immunoglobulin diversity operate from the
A;Reference number: S31585
A;Accession: S31600
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-136 <CUI>
A;Cross-references: UNIPARC:UPI0000116453; EMBL:Z14165; NID:g30994; PIDN:CAA78534.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology

```
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match             80.0%;  Score 537.5;  DB 2;  Length 136;
  Best Local Similarity   82.4%;  Pred. No. 8.1e-41;
  Matches  103;  Conservative    6;  Mismatches    7;  Indels    9;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||:|||||||||||||||||||||||||||||:||||||| |
Db         20 QVQLVQSGAEVKKPGASVKVSCRASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||:||| |         :    |:|||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR---------WRDAFDIWGQGTM 130

Qy        121 VTVSS 125
              |||||
Db        131 VTVSS 135


RESULT 3
S46393
Ig heavy chain V region - human
C;Species: Homo sapiens (man)
C;Date: 27-Jan-1995 #sequence_revision 27-Jan-1995 #text_change 20-Jun-2000
C;Accession: S46393
R;Figini, M.; Marks, J.D.; Winter, G.; Griffiths, A.D.
J. Mol. Biol. 239, 68-78, 1994
A;Title: In vitro assembly of repertoires of antibody chains on the surface of phage by
A;Reference number: S46390; MUID:94254092; PMID:8196048
A;Accession: S46393
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-129 <FIG>
A;Cross-references: UNIPARC:UPI000011663A; EMBL:Z31680; NID:g509786; PIDN:CAA83485.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             79.5%;  Score 534;  DB 2;  Length 129;
  Best Local Similarity   79.8%;  Pred. No. 1.6e-40;
  Matches  103;  Conservative    7;  Mismatches   15;  Indels    4;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| | ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYG----MDVWG 116
              |||||| |||||||||||||||| |||:|||:||| |    | |:   ||     |||||
Db         61 AQKFQGWVTMTRDTSISTAYMELSRLRSDDTAVYYCARDSAYYYDSSGYYSANYYMDVWG 120

Qy        117 QGTTVTVSS 125
              :||||||||
Db        121 KGTTVTVSS 129


RESULT 4
S36265
Ig heavy chain V region (clone alpha-MUC1-1) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 23-Jul-1999
C;Accession: S36265
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36265
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-118 <GRI>
A;Cross-references: UNIPARC:UPI0000118DE8; EMBL:Z18846; NID:g33121; PIDN:CAA79298.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             76.9%;  Score 516.5;  DB 2;  Length 118;
  Best Local Similarity   80.0%;  Pred. No. 5.1e-39;
  Matches  100;  Conservative    6;  Mismatches   12;  Indels    7;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| | ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||:||||| |||||||||||||||:||| | |   |       :| |||||
Db         61 AQKFQGRVTITRDTSASTAYMELSSLRSEDTAVYYCARDFLSGY-------LDYWGQGTL 113

Qy        121 VTVSS 125
              |||||
Db        114 VTVSS 118


RESULT 5
D33548
Ig heavy chain V-1 region (WIL2) - human
C;Species: Homo sapiens (man)
C;Date: 17-Jan-1990 #sequence_revision 17-Jan-1990 #text_change 16-Aug-1996
C;Accession: D33548
R;Kipps, T.J.; Tomhave, E.; Pratt, L.F.; Duffy, S.; Chen, P.P.; Carson, D.A.
Proc. Natl. Acad. Sci. U.S.A. 86, 5913-5917, 1989
A;Title: Developmentally restricted immunoglobulin heavy chain variable region gene expre
A;Reference number: A33548; MUID:89345575; PMID:2503826
A;Accession: D33548
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tran
A;Molecule type: mRNA
A;Residues: 1-123 <KIP>
A;Cross-references: UNIPARC:UPI0000176909
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             76.6%;  Score 515;  DB 2;  Length 123;
  Best Local Similarity   78.6%;  Pred. No. 7.2e-39;
  Matches   99;  Conservative   10;  Mismatches   13;  Indels    4;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||:||||||| : ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCEASGYTFTGHYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSY-NYDYYYGMDVWGQGT 119
              |:||||||:||||||:||||||| |||:|||:||| |    ||  || ||  | |||||
Db         61 AEKFQGRVTITRDTSINTAYMELSRLRSDDTAVYYCARA---SYCGYDCYYFFDYWGQGT 117

Qy        120 TVTVSS 125
               |||||
Db        118 LVTVSS 123


RESULT 6
S36260
Ig heavy chain V region (clone alpha-CEA4-8A) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 23-Jul-1999
C;Accession: S36260
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.;
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36260
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-129 <GRI>
A;Cross-references: UNIPARC:UPI0000118DEB; EMBL:Z18851; NID:g33124; PIDN:CAA79303.1; PID:
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>
```

```
  Query Match           76.5%;  Score 514;  DB 2;  Length 129;
  Best Local Similarity  78.3%;  Pred. No. 9.3e-39;
  Matches  101;  Conservative    8;  Mismatches   16;  Indels    4;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||| |||||||||||||||||||||||||| |:||||| ||||||||||:  :|||:|
Db          1 QVQLQQSGAEVKKPGASVKVSCKASGYTFTSYGISWVRQAPGQGLEWMGWISAYNGNTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYD---YYYGMDVWG 116
              ||| ||||||| ||| ||||||| ||||:|||:||| |  |||  :     ||| |||||
Db         61 AQKLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCARDSFGYCSSTSCPYYYYYMDVWG 120

Qy        117 QGTTVTVSS 125
              :||||||||
Db        121 KGTTVTVSS 129


RESULT 7
S49530
anti-Sm antibody VH chain (VH1/DK1 or DM1/JH4b) - human
C;Species: Homo sapiens (man)
C;Date: 01-Feb-1995 #sequence_revision 12-May-1995 #text_change 23-Jul-1999
C;Accession: S49530
R;Mahmoudi, M.; Edwards, J.; Cairns, E.; Bell, D.
submitted to the EMBL Data Library, October 1994
A;Description: Molecular characterization of natural human anti-Sm autoantibodies.
A;Reference number: S48797
A;Accession: S49530
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-135 <MAH>
A;Cross-references: UNIPARC:UPI00001166FF; EMBL:Z46348; NID:g560839; PIDN:CAA86467.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match           76.1%;  Score 511.5;  DB 2;  Length 135;
  Best Local Similarity  79.4%;  Pred. No. 1.6e-38;
  Matches  100;  Conservative    6;  Mismatches    9;  Indels   11;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||| | ::||||| |||||||||||||| |:|
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRG-FGYSYNYDYYYGMDVWGQGT 119
              |||||||||||||||||||||||| |||:|||:||| |   ||:|          |||||
Db         80 AQKFQGRVTMTRDTSISTAYMELSRLRSDDTAVYYCARARTGYNY----------WGQGT 129

Qy        120 TVTVSS 125
                |||||
Db        130 LVTVSS 135


RESULT 8
S31596
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S31596
R;Cuisinier, A.M.; Gauthier, L.; Boubli, L.; Fougereau, M.; Tonnelle, C.
submitted to the EMBL Data Library, June 1992
A;Description: Mechanisms that generate human immunoglobulin diversity operate from the
A;Reference number: S31585
A;Accession: S31596
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-132 <CUI>
A;Cross-references: UNIPARC:UPI0000116454; EMBL:Z14166; NID:g30996; PIDN:CAA78535.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match           76.0%;  Score 510.5;  DB 2;  Length 132;
  Best Local Similarity  79.2%;  Pred. No. 1.9e-38;
  Matches   99;  Conservative    6;  Mismatches    7;  Indels   13;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||||:|||||||||||||||:|||||| |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDIDWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||:|||||||||||||:||||:||  :                |||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRAEDTAVYYLAKA------------PAWGQGTM 126

Qy        121 VTVSS 125
                |||||
Db        127 VTVSS 131


RESULT 9
S26792
Ig heavy chain V region - human
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Jun-2000
C;Accession: S26792
R;Mortari, F.; Newton, J.A.; Wang, J.Y.; Schroeder Jr., H.W.
Eur. J. Immunol. 22, 241-245, 1992
A;Title: The human cord blood antibody repertoire. Frequent usage of the V(H)7 gene famil
A;Reference number: S26786; MUID:92111632; PMID:1730251
A;Accession: S26792
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-131 <MOR>
A;Cross-references: UNIPARC:UPI0000115FC3; EMBL:X61012; NID:g32804; PIDN:CAA43346.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match           74.4%;  Score 500;  DB 2;  Length 131;
  Best Local Similarity  72.5%;  Pred. No. 1.6e-37;
  Matches   95;  Conservative   13;  Mismatches   17;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||:|:|||||||||||||||||||| :|||||| |||||||||| |:||  |
Db          1 QVQLVQSGSELKKPGASVKVSCKASGYTFTSYAMNWVRQAPGQGLEWMGWINTNTGNPTY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSY-----NYDYYYGMDV 114
              || | ||   : |||:||||:::|||::||||:||| |   ||||      | ||| |||
Db         61 AQGFTGRFVFSLDTSVSTAYLQISSLKAEDTAVYYCARDSRGYSYYDFWSGYFYYYYMDV 120

Qy        115 WGQGTTVTVSS 125
              ||:|||||||||
Db        121 WGKGTTVTVSS 131


RESULT 10
PH0961
Ig heavy chain V region (G6+ T-L33) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 16-Aug-1996
C;Accession: PH0961
R;Martin, T.; Duffy, S.F.; Carson, D.A.; Kipps, T.J.
J. Exp. Med. 175, 983-991, 1992
A;Title: Evidence for somatic selection of natural autoantibodies.
A;Reference number: PH0952; MUID:92202880; PMID:1552291
A;Accession: PH0961
A;Status: nucleic acid sequence not shown
A;Molecule type: DNA
A;Residues: 1-119 <MAR>
A;Cross-references: UNIPARC:UPI0000176CE5
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-30/Region: framework 1
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;36-50/Region: framework 2
```

```
F;51-67/Region: complementarity-determining 2
F;68-98/Region: framework 3
F;99-107/Region: complementarity-determining 3

  Query Match             74.3%;  Score 499;  DB 2;  Length 119;
  Best Local Similarity   79.2%;  Pred. No. 1.8e-37;
  Matches   99;  Conservative    6;  Mismatches   14;  Indels    6;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||:||||||||| ||:|| |:||||| |||||||| | |  |  :|
Db          1 QVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAISWVRQAPGQGLEWMGGIIPIFGTANY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||:| | | ||||||||||||||||:||| ||      | ||||||||||||||
Db         61 AQKFQGRVTITADESTSTAYMELSSLRSEDTAVYYCARG------YYYYYGMDVWGQGTT 114

Qy        121 VTVSS 125
              |||||
Db        115 VTVSS 119


RESULT 11
PH1670
Ig heavy chain V region (clone 2A12) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 24-Feb-1994 #sequence_revision 24-Feb-1994 #text_change 16-Aug-1996
C;Accession: PH1670
R;Hillson, J.L.; Karr, N.S.; Oppliger, I.R.; Mannik, M.; Sasso, E.H.
J. Exp. Med. 178, 331-336, 1993
A;Title: The structural basis of germline-encoded VH3 immunoglobulin binding to staphylc
A;Reference number: PH1642; MUID:93301610; PMID:8315388
A;Accession: PH1670
A;Molecule type: mRNA
A;Residues: 1-110 <HIL>
A;Cross-references: UNIPARC:UPI0000176BEB
A;Experimental source: B cell
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;7-90/Domain: immunoglobulin homology <IMM>

  Query Match             73.9%;  Score 496.5;  DB 2;  Length 110;
  Best Local Similarity   82.1%;  Pred. No. 2.8e-37;
  Matches   96;  Conservative    6;  Mismatches    8;  Indels    7;  Gaps    2;

Qy          9 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDYAQKFQGRV 68
              |||||||||||||||||||||||||||||||||||||||||:| |:||| ||||||||||
Db          1 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNANNGNTGYAQKFQGRV 60

Qy         69 TMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTTVTVSS 125
              ||||:|||||||||||||||||:||| || |    :      |:||||| |||||
Db         61 TMTRNTSISTAYMELSSLRSEDTAVYYCARG-GKGGEF------DIWGQGTLVTVSS 110


RESULT 12
S26918
Ig heavy chain V region (DP-15) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S26918
R;Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.
J. Mol. Biol. 227, 776-798, 1992
A;Title: The repertoire of human germline V(H) sequences reveals about fifty groups of V
A;Reference number: S26885; MUID:93021117; PMID:1404388
A;Accession: S26918
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-98 <TOM>
A;Cross-references: UNIPARC:UPI0000031F36; EMBL:Z12317; NID:g32857; PIDN:CAA78187.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             73.8%;  Score 496;  DB 2;  Length 98;
  Best Local Similarity   94.9%;  Pred. No. 2.8e-37;
  Matches   93;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR 98
              |||||||||||:|||||||||||||||||:||| |
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98


RESULT 13
PH0954
Ig heavy chain V region (G6+ CLL-HEN) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 16-Aug-1996
C;Accession: PH0954
R;Martin, T.; Duffy, S.F.; Carson, D.A.; Kipps, T.J.
J. Exp. Med. 175, 983-991, 1992
A;Title: Evidence for somatic selection of natural autoantibodies.
A;Reference number: PH0952; MUID:92202880; PMID:1552291
A;Accession: PH0954
A;Status: nucleic acid sequence not shown
A;Molecule type: DNA
A;Residues: 1-132 <MAR>
A;Cross-references: UNIPARC:UPI0000176CDE
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-30/Region: framework 1
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;36-50/Region: framework 2
F;51-67/Region: complementarity-determining 2
F;68-98/Region: framework 3
F;99-120/Region: complementarity-determining 3

  Query Match             73.7%;  Score 495.5;  DB 2;  Length 132;
  Best Local Similarity   75.9%;  Pred. No. 4.2e-37;
  Matches  101;  Conservative    6;  Mismatches   17;  Indels    9;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||:||||||||| ||:|| |:||||| |||||||| | |  |  :|
Db          1 QVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAISWVRQAPGQGLEWMGGIIPIFGTANY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGF--------GYSYNYDYYYGM 112
              |||||||||:| | | ||||||||||||||||:||| |          ||  || |||||
Db         61 AQKFQGRVTITADESTSTAYMELSSLRSEDTAVYYCARPHASIDDFWSGYYPNY-YYYGM 119

Qy        113 DVWGQGTTVTVSS 125
              |||||||||||||
Db        120 DVWGQGTTVTVSS 132


RESULT 14
S23623
Ig heavy chain V region precursor - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 23-Jul-1999
C;Accession: S23623
R;Olee, T.; Lu, E.W.; Huang, D.F.; Soto-Gil, R.W.; Deftos, M.; Kozin, F.; Carson, D.A.; C
J. Exp. Med. 175, 831-842, 1992
A;Title: Genetic analysis of self-associating immunoglobulin G rheumatoid factors from tv
A;Reference number: S23623; MUID:92156804; PMID:1740665
A;Accession: S23623
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-171 <OLE>
A;Cross-references: UNIPARC:UPI0000115F93; EMBL:X59702; NID:g32010; PIDN:CAA42223.1; PID:
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>
```

```
  Query Match           73.7%;  Score 495.5;  DB 2;  Length 171;
  Best Local Similarity   70.9%;  Pred. No. 5.5e-37;
  Matches   95;  Conservative    9;  Mismatches   13;  Indels   17;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||| ||||||:| ::||||| |||||||||||||| | |
Db         20 QVQLVQSGAEVKKPGASVKVSCKGSGYTFTAYQMHWVRQAPGQGLEWMGWINPNSGGTGY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYG--------- 111
              ||||||||:|||||||||||||| | |:|||:|||          :|:|
Db         80 GQKFQGRVTLTRDTSISTAYMELSRLTSDDTAVYYCA--------IEYFYDGSDLKPSDV 131

Qy        112 MDVWGQGTTVTVSS 125
              |:||||| |||||
Db        132 FDIWGQGTMVTVSS 145


RESULT 15
PH1666
Ig heavy chain V region (clone 6C9) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 24-Feb-1994 #sequence_revision 24-Feb-1994 #text_change 16-Aug-1996
C;Accession: PH1666
R;Hillson, J.L.; Karr, N.S.; Oppliger, I.R.; Mannik, M.; Sasso, E.H.
J. Exp. Med. 178, 331-336, 1993
A;Title: The structural basis of germline-encoded VH3 immunoglobulin binding to staphylo
A;Reference number: PH1642; MUID:93301610; PMID:8315388
A;Accession: PH1666
A;Molecule type: mRNA
A;Residues: 1-118 <HIL>
A;Cross-references: UNIPARC:UPI0000176BE7
A;Experimental source: B cell
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;7-90/Domain: immunoglobulin homology <IMM>

  Query Match           73.6%;  Score 494.5;  DB 2;  Length 118;
  Best Local Similarity   80.5%;  Pred. No. 4.5e-37;
  Matches   95;  Conservative    6;  Mismatches   16;  Indels    1;  Gaps    1;

Qy          9 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDYAQKFQGRV 68
              |||||||||||||||||||||||| ::||||| || |||||||| :||| |||||||||
Db          1 AEVKKPGASVKVSCKASGYTFTSYAMHWVRQAPGQRLEWMGWINAGNGNTKYAQKFQGRV 60

Qy         69 TMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGTTVTVSS 125
              |:||||| ||||||||||||||:||| |        : ||||||||||||||||||
Db         61 TITRDTSASTAYMELSSLRSEDTAVYYCARVTLDGGIKFYYYYGMDVWGQGTTVTVSS 118


Search completed: April 25, 2007, 04:06:39
Job time : 9.5339 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 85 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	497.5	74.0	159	2	Q96QS0_HUMAN	Q96qs0 homo sapien
2	494	73.5	119	2	Q9UL94_HUMAN	Q9ul94 homo sapien
3	494	73.5	125	2	Q9UL95_HUMAN	Q9ul95 homo sapien
4	491	73.1	244	2	Q65ZC8_HUMAN	Q65zc8 homo sapien
5	488.5	72.7	147	1	HV1C_HUMAN	P01744 homo sapien
6	481.5	71.7	124	2	Q9UL92_HUMAN	Q9ul92 homo sapien
7	478.5	71.2	498	2	Q6N041_HUMAN	Q6n041 homo sapien
8	474	70.5	497	2	Q8WY24_HUMAN	Q8wy24 homo sapien
9	470.5	70.0	500	2	Q9BRV0_HUMAN	Q9brv0 homo sapien
10	457.5	68.1	518	2	Q6N030_HUMAN	Q6n030 homo sapien
11	455	67.7	119	2	Q9GYZ2_MOUSE	Q9gyz2 mus musculu
12	446	66.4	500	2	Q6N091_HUMAN	Q6n091 homo sapien
13	441	65.6	117	1	HV1G_HUMAN	P23083 homo sapien
14	440	65.5	117	1	HV1B_HUMAN	P01743 homo sapien
15	438	65.2	480	2	Q6P089_HUMAN	Q6p089 homo sapien
16	436	64.9	458	2	Q5BJZ2_RAT	Q5bjz2 rattus norv
17	433.5	64.5	469	2	Q7Z7P5_HUMAN	Q7z7p5 homo sapien
18	430	64.0	481	2	Q91WT1_MOUSE	Q91wt1 mus musculu
19	429.5	63.9	116	2	Q9UL89_HUMAN	Q9ul89 homo sapien
20	425.5	63.3	145	2	Q924R4_MOUSE	Q924r4 mus musculu
21	425	63.2	519	2	Q5EBM2_HUMAN	Q5ebm2 homo sapien
22	424.5	63.2	617	2	Q4KML5_MOUSE	Q4kml5 mus musculu
23	422	62.8	147	2	Q925S3_MOUSE	Q925s3 mus musculu
24	420	62.5	157	2	O95978_HUMAN	O95978 homo sapien
25	419.5	62.4	475	2	Q6N095_HUMAN	Q6n095 homo sapien
26	419	62.4	470	2	Q7TMK1_MOUSE	Q7tmk1 mus musculu
27	418.5	62.3	118	1	HV51_MOUSE	P06330 mus musculu
28	418	62.2	117	2	Q9QXE9_MOUSE	Q9qxe9 mus musculu
29	417	62.1	472	2	Q6PJA7_MOUSE	Q6pja7 mus musculu
30	417	62.1	473	2	Q9D8L4_MOUSE	Q9d8l4 mus musculu
31	416.5	62.0	463	2	Q99LC4_MOUSE	Q99lc4 mus musculu
32	415.5	61.8	145	2	Q924Q6_MOUSE	Q924q6 mus musculu
33	414	61.6	117	1	HV12_MOUSE	P01756 mus musculu
34	414	61.6	146	2	Q924Q3_MOUSE	Q924q3 mus musculu
35	413.5	61.5	145	2	Q924R1_MOUSE	Q924r1 mus musculu
36	413	61.5	120	1	HV03_MOUSE	P01747 mus musculu
37	413	61.5	468	2	Q569W9_MOUSE	Q569w9 mus musculu
38	412.5	61.4	143	2	Q924Q5_MOUSE	Q924q5 mus musculu
39	412.5	61.4	145	2	Q924R3_MOUSE	Q924r3 mus musculu
40	412.5	61.4	613	2	Q8VCX7_MOUSE	Q8vcx7 mus musculu
41	412	61.3	134	2	Q65ZR6_MOUSE	Q65zr6 mus musculu
42	410.5	61.1	145	2	Q924Q9_MOUSE	Q924q9 mus musculu
43	410	61.0	598	2	Q568Y0_RAT	Q568y0 rattus norv
44	409.5	60.9	143	2	Q924R0_MOUSE	Q924r0 mus musculu
45	409.5	60.9	465	2	Q6PJB2_MOUSE	Q6pjb2 mus musculu

ALIGNMENTS

RESULT 1
Q96QS0_HUMAN
ID Q96QS0_HUMAN PRELIMINARY; PRT; 159 AA.
AC Q96QS0;
DT 01-DEC-2001, integrated into UniProtKB/TrEMBL.
DT 01-DEC-2001, sequence version 1.
DT 18-APR-2006, entry version 21.
DE Putative matrix cell adhesion molecule-3.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RA Tilson M.D.;
RL Submitted (JUN-2001) to the EMBL/GenBank/DDBJ databases.
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; AY039025; AAK82649.1; -; mRNA.
DR HSSP; P01869; 1AE6.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 1.
KW Immunoglobulin domain.
SQ SEQUENCE 159 AA; 17497 MW; 5D29537E881FAF02 CRC64;

Query Match 74.0%; Score 497.5; DB 2; Length 159;
Best Local Similarity 74.0%; Pred. No. 1e-41;
Matches 97; Conservative 12; Mismatches 15; Indels 7; Gaps 2;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||::| :|||||| ||| |||| |||: |:  |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFSNYYMNWVRQAPGQGPEWMGVINPSGGSARY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR------GFGYSYNYDYYYGMDV 114
              :||||||:|||||||  || ||:||||||:|||:|:| |       |    |  : |||||||
Db         80 SQKFQGRLTMTRDTSTSTVYMDLSSLRSDDTAVYFCAREMEITFGGAVSKGF-YYYGMDV 138

Qy        115 WGQGTTVTVSS 125
              ||||||||||
Db        139 WGQGTTVTVSS 149
```

RESULT 2
Q9UL94_HUMAN
ID Q9UL94_HUMAN PRELIMINARY; PRT; 119 AA.

```
AC   Q9UL94;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035020; AAD56256.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   SMR; Q9UL94; 1-116.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     119    119
SQ   SEQUENCE   119 AA;  13205 MW;  13E64F5345F4A16E CRC64;

  Query Match             73.5%;  Score 494;  DB 2;  Length 119;
  Best Local Similarity   76.0%;  Pred. No. 1.7e-41;
  Matches   95;  Conservative   10;  Mismatches   14;  Indels    6;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              :||||:||||||||||||||||||||| | ::||||| |||||||||||||  |:|
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSWTTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||:||||:||||||||||| |||:|||:||| || |    :      | |||||
Db         61 AQKFQGKVTMTKDTSISTAYMELSRLRSDDTAVYYCARGGGRGLWF------DPWGQGTL 114

Qy        121 VTVSS 125
              |||||
Db        115 VTVSS 119


RESULT 3
Q9UL95_HUMAN
ID   Q9UL95_HUMAN   PRELIMINARY;   PRT;   125 AA.
AC   Q9UL95;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035019; AAD56255.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   SMR; Q9UL95; 1-122.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     125    125
SQ   SEQUENCE   125 AA;  13516 MW;  0D3CD5C232488EAC CRC64;

  Query Match             73.5%;  Score 494;  DB 2;  Length 125;
  Best Local Similarity   76.0%;  Pred. No. 1.8e-41;
  Matches   95;  Conservative    9;  Mismatches   21;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              :||||:||||||||||||||||||||| | ::||||| |||||||||||||  |:|
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||| |||||||||:|||||||| |||:|||:||| |  |           |:|||||
Db         61 AQKVQGRVTMTRDTTISTAYMELSRLRSDDTAVYYCARSQGGGRIAAAGDAFDIWGQGTM 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 4
Q65ZC8_HUMAN
ID   Q65ZC8_HUMAN   PRELIMINARY;   PRT;   244 AA.
AC   Q65ZC8;
DT   11-OCT-2004, integrated into UniProtKB/TrEMBL.
DT   11-OCT-2004, sequence version 1.
DT   18-APR-2006, entry version 10.
DE   Single-chain Fv (Fragment).
GN   Name=scFv;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=97362799; PubMed=9219263; DOI=10.1038/nbt0797-629;
RA   Kontermann R.E., Wing M.G., Winter G.;
RT   "Complement recruitment using bispecific diabodies.";
RL   Nat. Biotechnol. 15:629-631(1997).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; Y13057; CAA73500.1; -; mRNA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 2.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00406; IGv; 2.
DR   PROSITE; PS50835; IG_LIKE; 2.
```

```
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     244    244
SQ   SEQUENCE   244 AA;  26127 MW;  4B1F17868338F2BF CRC64;

  Query Match           73.1%;  Score 491;  DB 2;  Length 244;
  Best Local Similarity   75.4%;  Pred. No. 7.5e-41;
  Matches   95;  Conservative   13;  Mismatches   12;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||| |||||||||||||: : ::||||| ||||||||||:||:|:| :
Db          1 QVQLVQSGAEVKKPGDSVKVSCKASGYTFSDHYMHWVRQAPGQGLEWMGWIDPNNGDTRF 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||:|||||||||||||| |||||:| |||:|||:||| | | | :      ||||||||||
Db         61 AQRFQGRVTMTRDTSISAAYMEVSRLRSDDTAVYYCAREGTGSA-----IYGMDVWGQGT 115

Qy        120 TVTVSS 125
              |||||
Db        116 LVTVSS 121


RESULT 5
HV1C_HUMAN
ID   HV1C_HUMAN     STANDARD;      PRT;   147 AA.
AC   P01744;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   01-DEC-2000, sequence version 2.
DT   30-MAY-2006, entry version 47.
DE   Ig heavy chain V-I region ND precursor (Fragments).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=83065234; PubMed=6815656;
RA   Kenten J.H., Molgaard H.V., Houghton M., Derbyshire R.B., Viney J.,
RA   Bell L.O., Gould H.J.;
RT   "Cloning and sequence determination of the gene for the human
RT   immunoglobulin epsilon chain expressed in a myeloma cell line.";
RL   Proc. Natl. Acad. Sci. U.S.A. 79:6661-6665(1982).
RN   [2]
RP   PROTEIN SEQUENCE OF 20-147.
RA   Bennich H.H., Johansson S.G.O., von Bahr-Lindstrom H.;
RL   (In) Bach M.K. (eds.);
RL   Immediate hypersensitivity: modern concepts and developments, pp.1-36,
RL   Marcel Dekker, New York (1978).
CC   -!- MISCELLANEOUS: This epsilon chain was isolated from a myeloma
CC       protein.
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   HSSP; P01751; 1NQB.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region; Pyrrolidone carboxylic acid; Signal.
FT   SIGNAL        1     19
FT   CHAIN        20    147       Ig heavy chain V-I region ND.
FT                                 /FTId=PRO_0000015246.
FT   DOMAIN       20    131       Ig-like.
FT   MOD_RES      20     20       Pyrrolidone carboxylic acid.
FT   DISULFID     41    115
FT   CONFLICT     21     21       T -> V (in Ref. 2).
FT   CONFLICT     53     54       IH -> HI (in Ref. 2).
FT   CONFLICT     67     68       VG -> GV (in Ref. 2).
FT   CONFLICT    125    125       Missing (in Ref. 2).
FT   NON_TER     147    147
SQ   SEQUENCE   147 AA;  16496 MW;  948P9F72A5366C20 CRC64;

  Query Match           72.7%;  Score 488.5;  DB 1;  Length 147;
  Best Local Similarity   70.3%;  Pred. No. 7.6e-41;
  Matches   90;  Conservative   16;  Mismatches   19;  Indels    3;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              | |||||||||:||||||:||||||||||     |:|:||| | ||||:|||||||| |:|
Db         20 QTQLVQSGAEVRKPGASVRVSCKASGYTFIDSYIHWIRQAPGHGLEWVGWINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRG---FGYSYNYDYYYGMDVWGQ 117
              | :||||||||| | |||||:| ||||:|:|::|| :    :    ||:|| | :|||||
Db         80 APRFQGRVTMTRDASFSTAYMDLRSLRSDDSAVFYCAKSDPFWSDYYNFDYSYTLDVWGQ 139

Qy        118 GTTVTVSS 125
              ||||||||
Db        140 GTTVTVSS 147


RESULT 6
Q9UL92_HUMAN
ID   Q9UL92_HUMAN   PRELIMINARY;   PRT;   124 AA.
AC   Q9UL92;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035022; AAD56258.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   LinkHub; Q9UL92; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     124    124
SQ   SEQUENCE   124 AA;  13580 MW;  1BAAACBD96ACD2A2 CRC64;

  Query Match           71.7%;  Score 481.5;  DB 2;  Length 124;
  Best Local Similarity   76.0%;  Pred. No. 3.1e-40;
  Matches   95;  Conservative    9;  Mismatches   20;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              :||||:|||||||||||||||||||||:|| :|:||||| |||||||| |||: |:| |
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFSSYYMHWVRQAPGQGLEWMGIINPSGGSTSY 60
```

```
Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||| || |||||||||||||:||| ||  |      :   | |||||
Db         61 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARGL-YVVVPAAFSRFDYWGQGTL 119

Qy        121 VTVSS 125
              |||||
Db        120 VTVSS 124
```

RESULT 7
Q6N041_HUMAN
ID Q6N041_HUMAN PRELIMINARY; PRT; 498 AA.
AC Q6N041;
DT 05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT 05-JUL-2004, sequence version 1.
DT 18-APR-2006, entry version 13.
DE Hypothetical protein DKFZp686O16217 (Fragment).
GN Name=DKFZp686O16217;
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RC TISSUE=Human rectum tumor;
RG The German Human cDNA Consortium;
RA Poustka A., Albert R., Moosmayer P., Schupp I., Wellenreuther R.,
RA Mewes H.W., Weil B., Amid C., Osanger A., Fobo G., Han M., Wiemann S.;
RL Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; BX640710; CAE45829.1; -; mRNA.
DR HSSP; P01751; 1A6W.
DR SMR; Q6N041; 268-476.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_C1-set.
DR InterPro; IPR003006; Ig_MHC.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07654; C1-set; 2.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00407; IGc1; 2.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW Hypothetical protein; Immunoglobulin domain; Repeat.
FT NON_TER 1 1
SQ SEQUENCE 498 AA; 54125 MW; 40B3208A84E03B46 CRC64;

```
  Query Match             71.2%;  Score 478.5;  DB 2;  Length 498;
  Best Local Similarity   74.6%;  Pred. No. 3.1e-39;
  Matches   94;  Conservative   11;  Mismatches   18;  Indels    3;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||:|||||||||||||||||||||:|  :|||| ||| |||| |||  |:| |
Db         35 QVQLVQSGADVKKPGASVKVSCKASGYTFTNYFFHWVRQAPGQGPEWMGMINPRDGSTKY 94

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||:|||||:|||||| || |||||||||||||:::| | | ||  :  ||:  | |||||
Db         95 AQRFQGRVSMTRDTSTSTIYMELSSLRSEDTAMFFCARAGPGYGTSASYYF--DYWGQGT 152

Qy        120 TVTVSS 125
                 |||||
Db        153 LVTVSS 158
```

RESULT 8
Q8WY24_HUMAN
ID Q8WY24_HUMAN PRELIMINARY; PRT; 497 AA.
AC Q8WY24;
DT 01-MAR-2002, integrated into UniProtKB/TrEMBL.
DT 01-MAR-2002, sequence version 1.
DT 27-JUN-2006, entry version 25.
DE SNC66 protein.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RA Zheng S., Shao X., Cao J., Geng L., Fang Y., Dong Q.;
RL Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC histocompatibility complex class I molecules (By similarity).
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; AF283666; AAL36987.1; -; mRNA.
DR HSSP; P01876; 1OW0.
DR SMR; Q8WY24; 267-475.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0016020; C:membrane; IEA.
DR GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_C1-set.
DR InterPro; IPR003006; Ig_MHC.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07654; C1-set; 2.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00407; IGc1; 2.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ SEQUENCE 497 AA; 53666 MW; F24D08DFA5A663E5 CRC64;

```
  Query Match             70.5%;  Score 474;  DB 2;  Length 497;
  Best Local Similarity   70.0%;  Pred. No. 8.6e-39;
  Matches   91;  Conservative   13;  Mismatches   16;  Indels   10;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              | || |||||| |||||||||||||||||| :|||||||||| ||||||||:|| :|||::
Db         20 QEQLEQSGAEVTKPGASVKVSCKASGYTFIAYDINWVRQAPGQGLEWMGWMNPQTGNTEF 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-----GFGYSYNYDYYYGMDVW 115
              |||||||:| :|||||:|||| |||| :||:|||:| |     | |: ||:      | |
Db         80 AQKFQGRLTFSRDTSINTAYMVLSSLSTEDSAIYFCARGNLRGGRGFGYNW-----FDPW 134

Qy        116 GQGTTVTVSS 125
              | || |||||
Db        135 GHGTLVTVSS 144
```

RESULT 9
Q9BRV0_HUMAN
ID Q9BRV0_HUMAN PRELIMINARY; PRT; 500 AA.
AC Q9BRV0;
DT 01-JUN-2001, integrated into UniProtKB/TrEMBL.
DT 01-JUN-2001, sequence version 1.
DT 25-JUL-2006, entry version 36.
DE IGHA1 protein.
GN Name=IGHA1;
OS Homo sapiens (Human).

```
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RX   PubMed=12477932; DOI=10.1073/pnas.242603899;
RG   Mammalian Gene Collection Program Team;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RG   NIH MGC Project;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC005951; AAH05951.1; -; mRNA.
DR   HSSP; P01876; 1OW0.
DR   SMR; Q9BRV0; 25-300, 270-478.
DR   Ensembl; ENSG00000130076; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR013151; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF00047; ig; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
SQ   SEQUENCE   500 AA;  54154 MW;  0A9BF43F2A3CC6D9 CRC64;

  Query Match           70.0%;  Score 470.5;  DB 2;  Length 500;
  Best Local Similarity   71.9%;  Pred. No. 2e-38;
  Matches   92;  Conservative   11;  Mismatches   22;  Indels    3;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              || |||||||  |||||:|||| ||| | :| | ||||| ||||||||||:|:| || :
Db         20 QVHLVQSGAEVMSPGASVRVSCKTSGYAFHTYSIIWVRQAPGQGLEWMGWISPSSDNTRF 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGF-GYS--YNYDYYYGMDVWGQ 117
```

```
              |:|||||||:| ||| || |||| ||||:|||:||| | :  ||   |  ||| |||||:
Db         80 AKKFQGRVTLTTDTSTSTVYMELRSLRSDDTAVYYCARRYCSYSSCQNDYYYYYMDVWGK 139

Qy        118 GTTVTVSS 125
              ||||||||
Db        140 GTTVTVSS 147


RESULT 10
Q6N030_HUMAN
ID   Q6N030_HUMAN   PRELIMINARY;   PRT;   518 AA.
AC   Q6N030;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 19.
DE   Hypothetical protein DKFZp686I15212.
GN   Name=DKFZp686I15212;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Rectum tumor;
RG   The German cDNA Consortium;
RA   Poustka A., Albert R., Moosmayer P., Schupp I., Wellenreuther R.,
RA   Mewes H.W., Weil B., Amid C., Osanger A., Fobo G., Han M., Wiemann S.;
RL   Submitted (JAN-2005) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BX640724; CAE45841.1; -; mRNA.
DR   HSSP; P01861; 1ADQ.
DR   LinkHub; Q6N030; -.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR000005; HTHAraC.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS00041; HTH_ARAC_FAMILY_1; UNKNOWN_1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   518 AA;  57020 MW;  93B5F98613BF6382 CRC64;

  Query Match           68.1%;  Score 457.5;  DB 2;  Length 518;
  Best Local Similarity   71.2%;  Pred. No. 4.1e-37;
  Matches   89;  Conservative   10;  Mismatches   23;  Indels    3;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              || |||||||||||||||||| |||| ||:: ||||||| || ||||||||  :||| |
Db         20 QVHLVQSGAEVKKPGASVKVSCTASGYPFTNHFINWVRQAPGQSLEWMGWINTGNGNTKY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              :||||||||:||||  :||||:||||||||||:|:| |          |:   | |||||
Db         80 SQKFQGRVTITRDTWTTTAYMDLSSLRSEDTAVYWCARDAPQGVTTTYF---DYWGQGTL 136
```

```
Qy       121 VTVSS 125
             |||||
Db       137 VTVSS 141


RESULT 11
Q9GYZ2_MOUSE
ID   Q9GYZ2_MOUSE   PRELIMINARY;   PRT;   119 AA.
AC   Q9GYZ2;
DT   01-MAR-2001, integrated into UniProtKB/TrEMBL.
DT   01-MAR-2001, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Monoclonal anti-idiotypic Schistosoma japonicum antibody NP30 heavy
DE   chain variable region (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RA   Song X.T., Feng Z.Q., Guan X.H.;
RT   "Amplification, cloning and sequence analysis of the heavy chain
RT   variable region gene of monoclonal anti-idiotypic antibody NP30 of
RT   Schistosoma japonicum.";
RL   Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF282622; AAG01452.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q9GYZ2; 1-119.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     119    119
SQ   SEQUENCE   119 AA;  13567 MW;  BA893873FD5FA6AB CRC64;

  Query Match             67.7%;  Score 455;  DB 2;  Length 119;
  Best Local Similarity   69.6%;  Pred. No. 1.4e-37;
  Matches   87;  Conservative   14;  Mismatches   18;  Indels    6;  Gaps    1;

Qy         1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
             |||||:|||||:||||||:|||||||||||  | :|||||  | ||||:|:|||:  | |:|
Db         1 QVQLVESGAEVRKPGASVRVSCKASGYTFTGYYMNWVRQAPGHGLEWIGYINPSRGYTNY 60

Qy        61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
               |||: ||||| | | |||||:| |||| |:|:||| |       || :| :| ||||||
Db        61 NQKFKDRVTMTTDKSFSTAYMDLRSLRSADSAVYYCAR------YYDDHYCLDYWGQGTT 114

Qy       121 VTVSS 125
             |||||
Db       115 VTVSS 119


RESULT 12
Q6N091_HUMAN
ID   Q6N091_HUMAN   PRELIMINARY;   PRT;   500 AA.
AC   Q6N091;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   18-APR-2006, entry version 13.
DE   Hypothetical protein DKFZp686C02220 (Fragment).
GN   Name=DKFZp686C02220;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Human rectum tumor;
RG   The German Human cDNA Consortium;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BX640625; CAE45779.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q6N091; 270-478.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Repeat.
FT   NON_TER       1      1
SQ   SEQUENCE   500 AA;  54160 MW;  3C423A17D65A41E4 CRC64;

  Query Match             66.4%;  Score 446;  DB 2;  Length 500;
  Best Local Similarity   69.8%;  Pred. No. 5.7e-36;
  Matches   88;  Conservative   12;  Mismatches   22;  Indels    4;  Gaps    2;

Qy         1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
             |||||||||||||||||||||||||||||: : | |:||| ||||||:|||:  || | |
Db        38 QVQLVQSGAEVKKPGASVKVSCKASGYTFSDHSITWLRQAPGQGLEWIGWISAYSGQTYY 97

Qy        61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGY-SYNYDYYYGMDVWGQGT 119
             ||  ||||||| ||| ||||||| ||||:|||:||| :   | :   | ::   :|||||
Db        98 AQNLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCAKDQSYTTIPNDAFH---IWGQGT 154

Qy       120 TVTVSS 125
               |||||
Db       155 MVTVSS 160


RESULT 13
HV1G_HUMAN
ID   HV1G_HUMAN     STANDARD;      PRT;   117 AA.
AC   P23083;
DT   01-NOV-1991, integrated into UniProtKB/Swiss-Prot.
DT   01-NOV-1991, sequence version 1.
DT   30-MAY-2006, entry version 38.
DE   Ig heavy chain V-I region V35 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=88296408; PubMed=2841108;
RA   Matsuda F., Lee K.H., Nakai S., Sato T., Kodaira M., Zong S.Q.,
RA   Ohno H., Fukuhara S., Honjo T.;
RT   "Dispersed localization of D segments in the human immunoglobulin
RT   heavy-chain locus.";
```

```
RL   EMBO J. 7:1047-1051(1988).
RN   [2]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA] OF 20-116.
RX   MEDLINE=93209281; PubMed=7681398;
RA   Mariette X., Tsapis A., Brouet J.C.;
RT   "Nucleotidic sequence analysis of the variable domains of four human
RT   monoclonal IgM with an antibody activity to myelin-associated
RT   glycoprotein.";
RL   Eur. J. Immunol. 23:846-851(1993).
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; X07448; -; NOT_ANNOTATED_CDS; Genomic_DNA.
DR   PIR; S00476; HVHU35.
DR   HSSP; P01751; 1NQB.
DR   SMR; P23083; 20-117.
DR   Ensembl; ENSG00000130076; Homo sapiens.
DR   LinkHub; P23083; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     19
FT   CHAIN        20    117       Ig heavy chain V-I region V35.
FT                                 /FTId=PRO_0000015245.
FT   DOMAIN       20   >117       Ig-like.
FT   NON_TER     117    117
SQ   SEQUENCE   117 AA;  13009 MW;  BE61CE63F8CE97BD CRC64;

  Query Match             65.6%;  Score 441;  DB 1;  Length 117;
  Best Local Similarity   85.7%;  Pred. No. 3.5e-36;
  Matches   84;  Conservative    5;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| | ::||||| |||||||| |||||| |:|
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGRINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR 98
              ||||||||| ||||||||||||| |||:|| :||| |
Db         80 AQKFQGRVTSTRDTSISTAYMELSRLRSDDTVVYYCAR 117


RESULT 14
HV1B_HUMAN
ID   HV1B_HUMAN     STANDARD;      PRT;   117 AA.
AC   P01743;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig heavy chain V-I region HG3 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=83144028; PubMed=6298778;
RA   Rechavi G., Ram D., Glazer L., Zakut R., Givol D.;
RT   "Evolutionary aspects of immunoglobulin heavy chain variable region
RT   (VH) gene subgroups.";
RL   Proc. Natl. Acad. Sci. U.S.A. 80:855-859(1983).
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; J00240; AAA52988.1; -; Genomic_DNA.
DR   PIR; A02024; HVHUHG.
DR   HSSP; P01751; 1NQB.
DR   SMR; P01743; 20-117.
DR   LinkHub; P01743; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     19
FT   CHAIN        20    117       Ig heavy chain V-I region HG3.
FT                                 /FTId=PRO_0000015244.
FT   DOMAIN       20   >117       Ig-like.
FT   NON_TER     117    117
SQ   SEQUENCE   117 AA;  12946 MW;  2D3F92FC60CD1FE7 CRC64;

  Query Match             65.5%;  Score 440;  DB 1;  Length 117;
  Best Local Similarity   85.7%;  Pred. No. 4.4e-36;
  Matches   84;  Conservative    5;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| || ::||||| |||||||| |||: |:| |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFNSYYMHWVRQAPGQGLEWMGIINPSGGSTSY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR 98
              |||||||||||||| || |||||||||||||:||| |
Db         80 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCAR 117


RESULT 15
Q6P089_HUMAN
ID   Q6P089_HUMAN   PRELIMINARY;   PRT;   480 AA.
AC   Q6P089;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 21.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Glandular pool- thyroid;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
```

```
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Glandular pool- thyroid;
RA   Strausberg R.;
RL   Submitted (JAN-2004) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC065733; AAH65733.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q6P089; 250-458.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   480 AA;  51998 MW;  2E286C57E4F0ED65 CRC64;

  Query Match             65.2%;  Score 438;  DB 2;  Length 480;
  Best Local Similarity   68.5%;  Pred. No. 3.4e-35;
  Matches   87;  Conservative   13;  Mismatches   19;  Indels    8;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||| |||||||||||||: :   |:||||| ||||||| || | :| |
Db         20 QVQLVQSGAEVKKTGASVKVSCKASGYSISDNYIHWVRQAPGQGLEWMAWIRPQNGGTVS 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFG--YSYNYDYYYGMDVWGQG 118
              |:|||||||:| |||::||||||:||:|:|||:||| ||     || :||      ||||
Db         80 AEKFQGRVTITIDTSLNTAYMELTSLKSDDTALYYCARGHSDWSSYYFDY------WGQG 133

Qy        119 TTVTVSS 125
              | |||||
Db        134 TLVTVSS 140


Search completed: April 25, 2007, 04:06:35
Job time : 85.0989 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 16 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	541.5	80.6	120	2	US-09-025-769B-36	Sequence 36, Appl
2	541.5	80.6	120	2	US-09-025-769B-59	Sequence 59, Appl
3	541.5	80.6	120	2	US-09-490-070A-36	Sequence 36, Appl
4	541.5	80.6	120	2	US-09-490-070A-59	Sequence 59, Appl
5	541.5	80.6	120	2	US-09-490-153-36	Sequence 36, Appl
6	541.5	80.6	120	2	US-09-490-153-59	Sequence 59, Appl
7	541.5	80.6	120	2	US-09-490-324-36	Sequence 36, Appl
8	541.5	80.6	120	2	US-09-490-324-59	Sequence 59, Appl
9	528	78.6	117	2	US-09-025-769B-22	Sequence 22, Appl
10	528	78.6	117	2	US-09-490-070A-22	Sequence 22, Appl
11	528	78.6	117	2	US-09-490-153-22	Sequence 22, Appl
12	528	78.6	117	2	US-09-490-324-22	Sequence 22, Appl
13	526	78.3	470	2	US-09-859-053-28	Sequence 28, Appl
14	513	76.3	125	2	US-09-199-149-3	Sequence 3, Appli
15	510.5	76.0	128	1	US-08-202-047-22	Sequence 22, Appl
16	510.5	76.0	128	2	US-08-964-690-22	Sequence 22, Appl
17	510	75.9	129	1	US-08-561-521-45	Sequence 45, Appl
18	510	75.9	129	2	US-08-525-539A-77	Sequence 77, Appl
19	510	75.9	129	5	PCT-US95-01219-45	Sequence 45, Appl
20	504	75.0	123	2	US-10-330-613A-21	Sequence 21, Appl
21	502	74.7	123	1	US-08-477-877B-94	Sequence 94, Appl
22	502	74.7	123	1	US-08-472-281A-94	Sequence 94, Appl
23	502	74.7	123	1	US-08-477-989B-94	Sequence 94, Appl
24	502	74.7	123	2	US-09-462-140D-102	Sequence 102, App
25	502	74.7	123	2	US-09-462-140D-105	Sequence 105, App
26	501	74.6	119	1	US-08-561-521-10	Sequence 10, Appl
27	501	74.6	119	5	PCT-US95-01219-10	Sequence 10, Appl
28	498	74.1	119	2	US-09-438-954-41	Sequence 41, Appl
29	496	73.8	117	2	US-08-545-809A-96	Sequence 96, Appl
30	496	73.8	117	2	US-09-515-697-96	Sequence 96, Appl
31	493.5	73.4	139	1	US-08-253-877C-19	Sequence 19, Appl
32	493.5	73.4	139	1	US-08-452-164A-19	Sequence 19, Appl
33	493.5	73.4	139	2	US-08-603-024-18	Sequence 18, Appl
34	493.5	73.4	139	2	US-08-450-809-14	Sequence 14, Appl
35	487.5	72.5	118	3	US-09-875-221B-13	Sequence 13, Appl
36	487	72.5	96	2	US-10-194-975-3	Sequence 3, Appli
37	487	72.5	121	1	US-08-202-047-23	Sequence 23, Appl
38	487	72.5	121	2	US-08-964-690-23	Sequence 23, Appl
39	482	71.7	119	1	US-08-561-521-12	Sequence 12, Appl
40	482	71.7	119	5	PCT-US95-01219-12	Sequence 12, Appl
41	481	71.6	123	1	US-08-482-882-86	Sequence 86, Appl
42	481	71.6	123	1	US-08-483-389-86	Sequence 86, Appl
43	481	71.6	123	1	US-08-487-113D-86	Sequence 86, Appl
44	481	71.6	123	1	US-08-473-503-86	Sequence 86, Appl
45	481	71.6	123	1	US-08-483-932-86	Sequence 86, Appl

ALIGNMENTS

RESULT 1
US-09-025-769B-36
; Sequence 36, Application US/09025769B
; Patent No. 6300064
; GENERAL INFORMATION:
; APPLICANT: Knappik, Achim
; APPLICANT: Pack, Peter
; APPLICANT: Ilag, Vic
; APPLICANT: Ge, Liming
; APPLICANT: Moroney, Simon
; APPLICANT: Plueckthun, Andreas
; TITLE OF INVENTION: Protein/(Poly)peptide libraries
; NUMBER OF SEQUENCES: 373
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10021
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/025,769B
; FILING DATE: 18-FEB-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95 11 3021.0
; FILING DATE: 18-AUG-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: James F. Haley, Jr., Esq.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: MORPHO/5
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)596-9000
; TELEFAX: (212)596-9090
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-025-769B-36

Query Match 80.6%; Score 541.5; DB 2; Length 120;
Best Local Similarity 84.0%; Pred. No. 1.9e-44;

```
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 2
US-09-025-769B-59
; Sequence 59, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  59:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  120 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-59

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 3
US-09-490-070A-36
; Sequence 36, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;  INFORMATION FOR SEQ ID NO: 36:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-070A-36

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 4
US-09-490-070A-59
```

```
; Sequence 59, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 59:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-070A-59

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 5
US-09-490-153-36
; Sequence 36, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 36:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-153-36

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 6
US-09-490-153-59
; Sequence 59, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
```

```
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,153
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769B
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;    INFORMATION FOR SEQ ID NO: 59:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-153-59

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| ::||||| ||||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 7
US-09-490-324-36
; Sequence 36, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;    INFORMATION FOR SEQ ID NO: 36:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-324-36

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| ::||||| ||||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 8
US-09-490-324-59
; Sequence 59, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
```

```
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 59:
;       SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-324-59

  Query Match             80.6%;  Score 541.5;  DB 2;  Length 120;
  Best Local Similarity   84.0%;  Pred. No. 1.9e-44;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||| ::||||| |||||||||||||||| |:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||||||||||||||||||||:||| |  |     | :| || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCARWGG-----DGFYAMDYWGQGTL 115

Qy        121 VTVSS 125
              |||||
Db        116 VTVSS 120


RESULT 9
US-09-025-769B-22
; Sequence 22, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  22:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  117 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-22

  Query Match             78.6%;  Score 528;  DB 2;  Length 117;
  Best Local Similarity   82.5%;  Pred. No. 3.5e-43;
  Matches  104;  Conservative    5;  Mismatches    7;  Indels   10;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||||| ::||||| |||||||||||||||:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              |||||||||||||||||||||||||||:|||:||| | | |          | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARDGDG---------GFDYWGQGT 111

Qy        120 TVTVSS 125
              |||||
Db        112 LVTVSS 117


RESULT 10
US-09-490-070A-22
; Sequence 22, Application US/09490070A
; Patent No. 6696248
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
```

```
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-070A-22

  Query Match             78.6%;  Score 528;  DB 2;  Length 117;
  Best Local Similarity   82.5%;  Pred. No. 3.5e-43;
  Matches  104;  Conservative    5;  Mismatches    7;  Indels   10;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||||||:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              |||||||||||||||||||||||||||:|||:||| | | |          | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARDGDG---------GFDYWGQGT 111

Qy        120 TVTVSS 125
              ||||||
Db        112 LVTVSS 117


RESULT 11
US-09-490-153-22
; Sequence 22, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-153-22

  Query Match             78.6%;  Score 528;  DB 2;  Length 117;
  Best Local Similarity   82.5%;  Pred. No. 3.5e-43;
  Matches  104;  Conservative    5;  Mismatches    7;  Indels   10;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||||||:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              |||||||||||||||||||||||||||:|||:||| | | |          | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARDGDG---------GFDYWGQGT 111

Qy        120 TVTVSS 125
              ||||||
Db        112 LVTVSS 117


RESULT 12
US-09-490-324-22
; Sequence 22, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-324-22

  Query Match             78.6%;  Score 528;  DB 2;  Length 117;
  Best Local Similarity   82.5%;  Pred. No. 3.5e-43;
  Matches  104;  Conservative    5;  Mismatches    7;  Indels   10;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||||||||||:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60
```

```
Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||||||||||||||||||:|||:||| | | |         | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARDGDG---------GFDYWGQGT 111

Qy        120 TVTVSS 125
              |||||
Db        112 LVTVSS 117


RESULT 13
US-09-859-053-28
; Sequence 28, Application US/09859053
; Patent No. 6803039
; GENERAL INFORMATION:
;  APPLICANT: Tsuji, Takashi
;  APPLICANT:  Tezuka, Katsunari
;  APPLICANT:  Hori, No. 6803039uaki
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODY AGAINST A
;  TITLE OF INVENTION:  COSTIMULATORY SIGNAL TRANSDUCTION MOLECULE AILIM AND
;  TITLE OF INVENTION:  PHARMACEUTICAL USE THEREOF
;  FILE REFERENCE: 06501-079001
;  CURRENT APPLICATION NUMBER: US/09/859,053
;  CURRENT FILING DATE:  2001-05-16
;  PRIOR APPLICATION NUMBER: JP 2001-99508
;  PRIOR FILING DATE: 2001-03-30
;  PRIOR APPLICATION NUMBER: JP 2000-147116
;  PRIOR FILING DATE: 2000-05-18
;  NUMBER OF SEQ ID NOS: 43
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 28
;   LENGTH: 470
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-859-053-28

  Query Match             78.3%;  Score 526;  DB 2;  Length 470;
  Best Local Similarity   79.2%;  Pred. No. 2.6e-42;
  Matches   99;  Conservative   10;  Mismatches   16;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| | ::||||| ||||||||||||:|| |:|
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPHSGGTNY 79

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||| |||:|||:||| | : |  :  |:   |:|||||
Db         80 AQKFQGRVTMTRDTSISTAYMELSRLRSDDTAVYYCARTYYYDSSGYYHDAFDIWGQGTM 139

Qy        121 VTVSS 125
              |||||
Db        140 VTVSS 144


RESULT 14
US-09-199-149-3
; Sequence 3, Application US/09199149
; Patent No. 6160099
; GENERAL INFORMATION:
;  APPLICANT: Jonak, Zdenka L.
;  APPLICANT: Taylor, Alexander H.
;  APPLICANT: Trulli Jr., Stephen H.
;  APPLICANT: Johanson, Kyung O.
;  TITLE OF INVENTION: Humanized Monoclonal Antibodies
;  FILE REFERENCE: P50860
;  CURRENT APPLICATION NUMBER: US/09/199,149
;  CURRENT FILING DATE: 1998-11-24
;  NUMBER OF SEQ ID NOS: 37
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 3
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: Kabat VH subgroup I
US-09-199-149-3

  Query Match             76.3%;  Score 513;  DB 2;  Length 125;
  Best Local Similarity   80.6%;  Pred. No. 1e-41;
  Matches  104;  Conservative    8;  Mismatches    9;  Indels    8;  Gaps    5;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              |||||||||||||||||||||||||||||| |:||||| ||||||||||||  |:|:|
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYAISWVRQAPGQGLEWMGWINP-GGDTNY 59

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYS---YNYDYYYGMDVWG 116
              |||||||||:| ||| |||||||||||||:||| | |:||    | | :|:|  |||
Db         60 AQKFQGRVTITADTSTSTAYMELSSLRSEDTAVYYCARPGYGYGGGCYGY-WYWG--VWG 116

Qy        117 QGTTVTVSS 125
              ||| |||||
Db        117 QGTLVTVSS 125


RESULT 15
US-08-202-047-22
; Sequence 22, Application US/08202047
; Patent No. 5800815
;  GENERAL INFORMATION:
;    APPLICANT:  CHESNUT, Robert W.
;    APPLICANT:  POLLEY, Margaret J.
;    APPLICANT:  PAULSON, James C.
;    APPLICANT:  JONES, S. Tarran
;    APPLICANT:  SALDANHA, Jose W.
;    APPLICANT:  BENDIG, Mary M.
;    TITLE OF INVENTION:  Antibodies to P-Selectin and Their Uses
;    NUMBER OF SEQUENCES:  45
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend Khourie and Crew
;      STREET:  One Market Plaza, Steuart Tower, Suite 2000
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94105
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/202,047
;      FILING DATE:  25-FEB-1994
;      CLASSIFICATION:  424
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Smith, William M.
;      REGISTRATION NUMBER:  30,223
;      REFERENCE/DOCKET NUMBER:  14137-77
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  415-326-2400
;      TELEFAX:  415-326-2422
;  INFORMATION FOR SEQ ID NO:  22:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  128 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  single
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
;    FEATURE:
;      NAME/KEY:  Protein
;      LOCATION:  1..128
;      OTHER INFORMATION:  /label= HUMAN_I
US-08-202-047-22

  Query Match             76.0%;  Score 510.5;  DB 1;  Length 128;
  Best Local Similarity   77.9%;  Pred. No. 1.8e-41;
  Matches  102;  Conservative    7;  Mismatches   13;  Indels    9;  Gaps    3;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINP-NSGNTD 59
              |||||||||||||||||||||||||||||| |:||||| ||||||||||||  :|:|:
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYAISWVRQAPGQGLEWMGWINPYGNGDTN 60
```

```
Qy         60 YAQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYS-----YNYDYYYGMDV 114
              ||||||||||:| ||| ||||||||||||||||||:||| |  ||      |  ||:   |
Db         61 YAQKFQGRVTITADTSTSTAYMELSSLRSEDTAVYYCARAPGYGSGGGCYRGDYF---DY 117

Qy        115 WGQGTTVTVSS 125
              ||||| |||||
Db        118 WGQGTLVTVSS 128
```

Search completed: April 25, 2007, 04:08:31
Job time : 16.7133 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 46 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	672	100.0	125	4	US-10-041-860-48	Sequence 48, Appl
2	672	100.0	125	4	US-10-041-860-200	Sequence 200, App
3	672	100.0	125	4	US-10-041-860-237	Sequence 237, App
4	672	100.0	125	4	US-10-041-860-372	Sequence 372, App
5	672	100.0	125	4	US-10-665-383-2	Sequence 2, Appli
6	638	94.9	125	4	US-10-041-860-38	Sequence 38, Appl
7	638	94.9	125	4	US-10-041-860-203	Sequence 203, App
8	638	94.9	125	4	US-10-041-860-240	Sequence 240, App
9	638	94.9	125	4	US-10-041-860-343	Sequence 343, App
10	638	94.9	125	4	US-10-665-383-54	Sequence 54, Appl
11	593.5	88.3	126	4	US-10-041-860-19	Sequence 19, Appl
12	593.5	88.3	126	4	US-10-041-860-201	Sequence 201, App
13	593.5	88.3	126	4	US-10-041-860-288	Sequence 288, App
14	593.5	88.3	126	4	US-10-665-383-18	Sequence 18, Appl
15	579.5	86.2	125	4	US-10-041-860-238	Sequence 238, App
16	575.5	85.6	126	4	US-10-041-860-40	Sequence 40, Appl
17	575.5	85.6	126	4	US-10-041-860-204	Sequence 204, App
18	575.5	85.6	126	4	US-10-041-860-241	Sequence 241, App
19	575.5	85.6	126	4	US-10-041-860-349	Sequence 349, App
20	575.5	85.6	126	4	US-10-665-383-58	Sequence 58, Appl
21	572	85.1	127	4	US-10-041-860-44	Sequence 44, Appl
22	572	85.1	127	4	US-10-041-860-205	Sequence 205, App
23	572	85.1	127	4	US-10-041-860-242	Sequence 242, App
24	572	85.1	127	4	US-10-041-860-360	Sequence 360, App
25	572	85.1	127	4	US-10-665-383-66	Sequence 66, Appl
26	567.5	84.4	126	4	US-10-041-860-21	Sequence 21, Appl
27	567.5	84.4	126	4	US-10-041-860-199	Sequence 199, App
28	567.5	84.4	126	4	US-10-041-860-236	Sequence 236, App
29	567.5	84.4	126	4	US-10-041-860-294	Sequence 294, App
30	567.5	84.4	126	4	US-10-665-383-22	Sequence 22, Appl
31	562.5	83.7	124	4	US-10-309-762-125	Sequence 125, App
32	561.5	83.6	122	4	US-10-269-805-61	Sequence 61, Appl
33	561.5	83.6	122	5	US-10-982-440-61	Sequence 61, Appl
34	561.5	83.6	126	4	US-10-041-860-37	Sequence 37, Appl
35	561.5	83.6	126	4	US-10-041-860-202	Sequence 202, App
36	561.5	83.6	126	4	US-10-041-860-239	Sequence 239, App
37	561.5	83.6	126	4	US-10-665-383-74	Sequence 74, Appl
38	558.5	83.1	145	4	US-10-478-056-29	Sequence 29, Appl
39	558.5	83.1	145	5	US-10-721-763-29	Sequence 29, Appl
40	554	82.4	125	5	US-10-727-155-162	Sequence 162, App
41	553.5	82.4	126	5	US-10-734-661A-101	Sequence 101, App
42	551.5	82.1	118	4	US-10-309-762-124	Sequence 124, App
43	551	82.0	127	5	US-10-734-661A-103	Sequence 103, App
44	548.5	81.6	255	6	US-11-090-847-79	Sequence 79, Appl
45	547.5	81.5	128	4	US-10-371-942-46	Sequence 46, Appl

ALIGNMENTS

RESULT 1
US-10-041-860-48
; Sequence 48, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 48
; LENGTH: 125
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-48

Query Match 100.0%; Score 672; DB 4; Length 125;
Best Local Similarity 100.0%; Pred. No. 9.5e-54;
Matches 125; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125
```

RESULT 2
US-10-041-860-200
; Sequence 200, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 200
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-200

  Query Match             100.0%;  Score 672;  DB 4;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 9.5e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 3
US-10-041-860-237
; Sequence 237, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 237
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-237

  Query Match             100.0%;  Score 672;  DB 4;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 9.5e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 4
US-10-041-860-372
; Sequence 372, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 372
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-372

  Query Match             100.0%;  Score 672;  DB 4;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 9.5e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 5
US-10-665-383-2
; Sequence 2, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-2
```

```
  Query Match           100.0%;  Score 672;  DB 4;  Length 125;
  Best Local Similarity  100.0%;  Pred. No. 9.5e-54;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 6
US-10-041-860-38
; Sequence 38, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 38
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-38

  Query Match           94.9%;  Score 638;  DB 4;  Length 125;
  Best Local Similarity  94.4%;  Pred. No. 1.2e-50;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 7
US-10-041-860-203
; Sequence 203, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 203
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-203

  Query Match           94.9%;  Score 638;  DB 4;  Length 125;
  Best Local Similarity  94.4%;  Pred. No. 1.2e-50;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 8
US-10-041-860-240
; Sequence 240, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 240
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-240

  Query Match           94.9%;  Score 638;  DB 4;  Length 125;
  Best Local Similarity  94.4%;  Pred. No. 1.2e-50;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:|||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125
```

```
RESULT 9
US-10-041-860-343
; Sequence 343, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 343
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-343

  Query Match             94.9%;  Score 638;  DB 4;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.2e-50;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||||  |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||||:|||||||||||||||||||:||| || |||| ||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 10
US-10-665-383-54
; Sequence 54, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 54
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-54

  Query Match             94.9%;  Score 638;  DB 4;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.2e-50;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||||  |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              |||||||||||||:|||||||||||||||||||:||| || |||| ||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 11
US-10-041-860-19
; Sequence 19, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 19
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-19

  Query Match             88.3%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.5e-46;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||||  |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              |||||||||||||:|||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 12
US-10-041-860-201
; Sequence 201, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
```

```
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 201
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-201

  Query Match             88.3%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.5e-46;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 13
US-10-041-860-288
; Sequence 288, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 288
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-288

  Query Match             88.3%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.5e-46;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 14
US-10-665-383-18
; Sequence 18, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-18

  Query Match             88.3%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.5e-46;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 15
US-10-041-860-238
; Sequence 238, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 238
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-238

  Query Match             86.2%;  Score 579.5;  DB 4;  Length 125;
  Best Local Similarity   89.4%;  Pred. No. 2.7e-45;
  Matches  110;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          4 LVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDYAQK 63
              ||||||||||||||||||||||||||||||||||||||||||||||||:||||||| ||||
Db          3 LVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGYAQK 62

Qy         64 FQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGTTVT 122
```

```
                ||||||||||:||||||||||||||||||:||| | |    :  | ||||||||||||||||
Db          63 FQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGTTVT 122

Qy         123 VSS 125
               |||
Db         123 VSS 125
```

Search completed: April 25, 2007, 04:22:50
Job time : 47.2571 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 48 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-2
Perfect score: 672
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....YDYYYGMDVWGQGTTVTVSS 125

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	672	100.0	125	7	US-11-109-181-48	Sequence 48, Appl
2	672	100.0	125	7	US-11-109-181-200	Sequence 200, App
3	672	100.0	125	7	US-11-109-181-237	Sequence 237, App
4	672	100.0	125	7	US-11-109-181-372	Sequence 372, App
5	638	94.9	125	7	US-11-109-181-38	Sequence 38, Appl
6	638	94.9	125	7	US-11-109-181-203	Sequence 203, App
7	638	94.9	125	7	US-11-109-181-240	Sequence 240, App
8	638	94.9	125	7	US-11-109-181-343	Sequence 343, App
9	599	89.1	126	7	US-11-433-924-94	Sequence 94, Appl
10	593.5	88.3	126	7	US-11-109-181-19	Sequence 19, Appl
11	593.5	88.3	126	7	US-11-109-181-201	Sequence 201, App
12	593.5	88.3	126	7	US-11-109-181-288	Sequence 288, App
13	579.5	86.2	125	7	US-11-109-181-238	Sequence 238, App
14	576.5	85.8	122	7	US-11-433-924-254	Sequence 254, App
15	575.5	85.6	126	7	US-11-109-181-40	Sequence 40, Appl
16	575.5	85.6	126	7	US-11-109-181-204	Sequence 204, App
17	575.5	85.6	126	7	US-11-109-181-241	Sequence 241, App
18	575.5	85.6	126	7	US-11-109-181-349	Sequence 349, App
19	572	85.1	127	7	US-11-109-181-44	Sequence 44, Appl
20	572	85.1	127	7	US-11-109-181-205	Sequence 205, App
21	572	85.1	127	7	US-11-109-181-242	Sequence 242, App
22	572	85.1	127	7	US-11-109-181-360	Sequence 360, App
23	570	84.8	126	7	US-11-311-939-425	Sequence 425, App
24	570	84.8	126	7	US-11-311-939-429	Sequence 429, App
25	567.5	84.4	126	7	US-11-109-181-21	Sequence 21, Appl
26	567.5	84.4	126	7	US-11-109-181-199	Sequence 199, App
27	567.5	84.4	126	7	US-11-109-181-236	Sequence 236, App
28	567.5	84.4	126	7	US-11-109-181-294	Sequence 294, App
29	561.5	83.6	126	7	US-11-109-181-37	Sequence 37, Appl
30	561.5	83.6	126	7	US-11-109-181-202	Sequence 202, App
31	561.5	83.6	126	7	US-11-109-181-239	Sequence 239, App
32	558.5	83.1	121	7	US-11-311-939-586	Sequence 586, App
33	556	82.7	123	7	US-11-410-886-69	Sequence 69, Appl
34	556	82.7	449	7	US-11-410-886-22	Sequence 22, Appl
35	551	82.0	123	7	US-11-410-886-49	Sequence 49, Appl
36	551	82.0	449	7	US-11-410-886-6	Sequence 6, Appli
37	546.5	81.3	116	7	US-11-433-924-14	Sequence 14, Appl
38	541.5	80.6	120	7	US-11-304-986-22	Sequence 22, Appl
39	541.5	80.6	120	7	US-11-303-478-46	Sequence 46, Appl
40	541.5	80.6	120	7	US-11-305-899-81	Sequence 81, Appl
41	541.5	80.6	469	7	US-11-484-456A-28	Sequence 28, Appl
42	540.5	80.4	469	7	US-11-484-456A-26	Sequence 26, Appl
43	538.5	80.1	124	7	US-11-433-924-154	Sequence 154, App
44	537	79.9	203	5	US-09-784-950-27	Sequence 27, Appl
45	537	79.9	203	7	US-11-366-003-27	Sequence 27, Appl

ALIGNMENTS

RESULT 1
US-11-109-181-48
; Sequence 48, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 48
; LENGTH: 125
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-48

Query Match 100.0%; Score 672; DB 7; Length 125;
Best Local Similarity 100.0%; Pred. No. 7.9e-56;
Matches 125; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
                |||||
Db        121 VTVSS 125
```

RESULT 2
US-11-109-181-200
; Sequence 200, Application US/11109181

```
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 200
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-200

  Query Match            100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 7.9e-56;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 3
US-11-109-181-237
; Sequence 237, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 237
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-237

  Query Match            100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 7.9e-56;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 4
US-11-109-181-372
; Sequence 372, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 372
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-372

  Query Match            100.0%;  Score 672;  DB 7;  Length 125;
  Best Local Similarity   100.0%;  Pred. No. 7.9e-56;
  Matches  125;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 5
US-11-109-181-38
; Sequence 38, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
```

```
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 38
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-38

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.3e-52;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 6
US-11-109-181-203
; Sequence 203, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 203
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-203

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.3e-52;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 7
US-11-109-181-240
; Sequence 240, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 240
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-240

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.3e-52;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:|||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 8
US-11-109-181-343
; Sequence 343, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 343
;   LENGTH: 125
;   TYPE: PRT
```

```
;   ORGANISM: homo sapiens
US-11-109-181-343

  Query Match             94.9%;  Score 638;  DB 7;  Length 125;
  Best Local Similarity   94.4%;  Pred. No. 1.3e-52;
  Matches  118;  Conservative    3;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYYGMDVWGQGTT 120
              ||||||||||||:||||||||||||||||||:||| || |||| ||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSYGYDYYYGMDVWGQGTT 120

Qy        121 VTVSS 125
              |||||
Db        121 VTVSS 125


RESULT 9
US-11-433-924-94
; Sequence 94, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Bélouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 94
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-94

  Query Match             89.1%;  Score 599;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 5.9e-49;
  Matches  113;  Conservative    5;  Mismatches    6;  Indels    2;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSY--NYDYYYGMDVWGQG 118
              ||||||||||||:||||||||||||||||||:||| ||:  |:   | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGYSSSWYRGYYYYYGMDVWGQG 120

Qy        119 TTVTVS 124
              ||||||
Db        121 TTVTVS 126


RESULT 10
US-11-109-181-19
; Sequence 19, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 19
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-19

  Query Match             88.3%;  Score 593.5;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 2e-48;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 11
US-11-109-181-201
; Sequence 201, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 201
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-201

  Query Match             88.3%;  Score 593.5;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 2e-48;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:||||||||||||||||||:||| | |   :  | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120
```

```
Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 12
US-11-109-181-288
; Sequence 288, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 288
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-288

  Query Match             88.3%;  Score 593.5;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 2e-48;
  Matches  113;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGT 119
              ||||||||||||:|||||||||||||||||:||| | |    :   | ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


RESULT 13
US-11-109-181-238
; Sequence 238, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 238
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-238

  Query Match             86.2%;  Score 579.5;  DB 7;  Length 125;
  Best Local Similarity   89.4%;  Pred. No. 4e-47;
  Matches  110;  Conservative    4;  Mismatches    8;  Indels    1;  Gaps    1;

Qy          4 LVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDYAQK 63
              |||||||||||||||||||||||||||||||||||||||||||||||:||||||| ||||
Db          3 LVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGYAQK 62

Qy         64 FQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVR-GFGYSYNYDYYYGMDVWGQGTTVT 122
              |||||||||:|||||||||||||||||||:||| | |    :   | ||||||||||||||
Db         63 FQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGTTVT 122

Qy        123 VSS 125
              |||
Db        123 VSS 125


RESULT 14
US-11-433-924-254
; Sequence 254, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Belouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 254
;   LENGTH: 122
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-254

  Query Match             85.8%;  Score 576.5;  DB 7;  Length 122;
  Best Local Similarity   87.4%;  Pred. No. 7.6e-47;
  Matches  111;  Conservative    5;  Mismatches    4;  Indels    7;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:|||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYNYDYYY--GMDVWGQG 118
              ||||||||||||:|||||||||||||||||:||| | :      |:||  ||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARNWN-----DFYYDFGMDVWGQG 115

Qy        119 TTVTVSS 125
              |||||||
Db        116 TTVTVSS 122


RESULT 15
US-11-109-181-40
; Sequence 40, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
```

```
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 40
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-40

  Query Match             85.6%;  Score 575.5;  DB 7;  Length 126;
  Best Local Similarity   87.3%;  Pred. No. 9.7e-47;
  Matches  110;  Conservative    5;  Mismatches   10;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWINPNSGNTDY 60
              ||||||||||||||||||||||||||:||||||||||||||||||:|||:||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAIYYCVRGFGYSYN-YDYYYGMDVWGQGT 119
              ||||||||||:|||||||||||||||||:||| |          ||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        120 TVTVSS 125
              ||||||
Db        121 TVTVSS 126


Search completed: April 25, 2007, 04:27:43
Job time : 48.1992 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 94 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	108	7	ADK18625	Adk18625 Anti-huma
2	558	100.0	108	7	ADK18951	Adk18951 Anti-huma
3	558	100.0	108	7	ADK18835	Adk18835 Anti-huma
4	558	100.0	108	7	ADK18801	Adk18801 Anti-huma
5	558	100.0	108	8	ADL25394	Adl25394 Human mAb
6	543	97.3	109	10	AEF73695	Aef73695 Human IL-
7	543	97.3	236	10	AEF73710	Aef73710 Human IL-
8	535	95.9	108	9	ADY26769	Ady26769 Anti-NGF-
9	535	95.9	108	9	ADY26816	Ady26816 Human ant
10	535	95.9	128	9	ADZ57709	Adz57709 Germline
11	535	95.9	129	2	AAR38672	Aar38672 vk325-Jk2
12	533	95.5	108	7	ADP03986	Adp03986 Murine-ex
13	533	95.5	120	10	AEH89253	Aeh89253 Anti-VEGF
14	533	95.5	130	6	ABJ36930	Abj36930 Anti-CD40
15	533	95.5	130	10	AEG95253	Aeg95253 Human imm
16	533	95.5	140	10	AEH89279	Aeh89279 Anti-VEGF
17	533	95.5	384	4	AAM24101	Aam24101 Human EST
18	532	95.3	108	8	ADQ16703	Adq16703 Modified
19	532	95.3	108	9	ADV44439	Adv44439 pAX116 va
20	532	95.3	108	9	AEB12911	Aeb12911 Antibody
21	532	95.3	108	9	AEC81271	Aec81271 Human mon
22	532	95.3	108	9	AEC81269	Aec81269 Human mon
23	532	95.3	108	9	AEC81267	Aec81267 Human mon
24	532	95.3	108	10	AEF81808	Aef81808 Human ant
25	532	95.3	108	10	AEF81806	Aef81806 Human ant
26	532	95.3	108	10	AEF81804	Aef81804 Human ant
27	532	95.3	109	8	ADP46971	Adp46971 Murine li
28	532	95.3	109	10	AEI65167	Aei65167 Anti-Ang-
29	532	95.3	112	9	ADV44477	Adv44477 Anti-teta
30	532	95.3	115	10	AEE03759	Aee03759 Antibody
31	532	95.3	120	7	ADD40551	Add40551 3E1/4G11
32	532	95.3	130	9	AEB12948	Aeb12948 Antibody
33	532	95.3	215	8	ADQ16702	Adq16702 Modified
34	532	95.3	215	9	ADV44438	Adv44438 pAX116 va
35	532	95.3	215	9	AEB12910	Aeb12910 Antibody
36	532	95.3	239	9	ADV44458	Adv44458 Anti-teta
37	532	95.3	239	9	AEB12929	Aeb12929 Antibody
38	531	95.2	108	9	ADZ42030	Adz42030 Ig L chai
39	531	95.2	108	9	ADZ42032	Adz42032 Ig L chai
40	531	95.2	108	9	ADZ42034	Adz42034 Ig L chai
41	531	95.2	108	9	AEA89845	Aea89845 Anti-IFN
42	530	95.0	384	4	AAU14462	Aau14462 Human nov
43	530	95.0	384	4	AAU14463	Aau14463 Human nov
44	530	95.0	384	4	AAU14461	Aau14461 Human nov
45	530	95.0	384	4	AAU14464	Aau14464 Human nov

ALIGNMENTS

RESULT 1
ADK18625
ID ADK18625 standard; protein; 108 AA.
XX
AC ADK18625;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody light chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 49; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 108 AA;

  Query Match            100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 4.6e-35;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 2
ADK18951
ID   ADK18951 standard; protein; 108 AA.
XX
AC   ADK18951;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #177.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 375; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 108 AA;

  Query Match            100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 4.6e-35;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 3
ADK18835
ID   ADK18835 standard; protein; 108 AA.
XX
AC   ADK18835;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #61.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 259; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 108 AA;

  Query Match            100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 4.6e-35;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 4
ADK18801
ID   ADK18801 standard; protein; 108 AA.
XX
AC   ADK18801;
XX
DT   06-MAY-2004  (first entry)
XX
```

```
DE   Anti-human PDGF-D antibody protein related sequence #27.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 225; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 108 AA;

  Query Match             100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 4.6e-35;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 5
ADL25394
ID   ADL25394 standard; protein; 108 AA.
XX
AC   ADL25394;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 6.4 light chain variable region protein SEQ ID NO:4.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Ploege J,  Gazit-Bornstein G,  Keyt B,  Larochelle WJ,  Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25393.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 4; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 108 AA;

  Query Match             100.0%;  Score 558;  DB 8;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 4.6e-35;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 6
AEF73695
ID   AEF73695 standard; protein; 109 AA.
XX
AC   AEF73695;
XX
DT   06-APR-2006  (first entry)
XX
DE   Human IL-17 antibody AIN457 light chain variable region.
XX
KW   Interleukin-17 antagonist; antibody production; antibody therapy;
KW   osteoarthritis; rheumatoid arthritis; osteoporosis; inflammation;
KW   antiarthritic; antirheumatic; osteopathic; antiinflammatory;
KW   musculoskeletal disease; immune disorder; inflammation; degeneration;
KW   endocrine disease; light chain variable region.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          24. .35
FT                   /label= L-CDR1
FT   Region          51. .57
FT                   /label= L-CDR2
FT   Region          90. .98
```

```
FT                  /label= L-CDR3
XX
PN   WO2006013107-A1.
XX
PD   09-FEB-2006.
XX
PF   04-AUG-2005; 2005WO-EP008470.
XX
PR   05-AUG-2004; 2004GB-00017487.
XX
PA   (NOVS ) NOVARTIS AG.
PA   (NOVS ) NOVARTIS PHARMA GMBH.
XX
PI   Di Padova FE,  Gram H,  Hofstetter H,  Jeschke M,  Rondeau J;
PI   Van Den Berg W;
XX
DR   WPI; 2006-145760/15.
DR   N-PSDB; AEF73694.
XX
PT   Novel interleukin-17 binding molecule capable of inhibiting human IL-17
PT   activity and IL-6 production induced by human-IL-17 in human dermal
PT   fibroblasts, useful for treating IL-mediated diseases e.g.
PT   osteoarthritis.
XX
PS   Claim 5; SEQ ID NO 10; 76pp; English.
XX
CC   The present invention relates to interleukin-17 (IL-17) antagonistic
CC   antibodies suitable for use in the treatment of IL-17 mediated diseases
CC   and disorders. A claimed IL-17 binding molecule is capable of inhibiting
CC   the activity of 1 nM human IL-17 at a concentration of less than 5 nM by
CC   50%, the activity being measured on interleukin-6 production induced by
CC   human IL-17 in human dermal fibroblasts. The IL-17 binding molecule
CC   comprises: a heavy chain variable region (VH) comprising complementarity
CC   determining regions CDR1, CDR2 and CDR3 AEF73686-AEF73688 or CDR1-x, CDR2
CC   -x and CDR3-x AEF73696-AEF73698 from anti-human IL-17 antibody AIN457;
CC   and a light chain variable region (LH) comprising CDR1', CDR2' and CDR3'
CC   AEF73689-AEF73691 from AIN457. The IL-17 binding molecule is preferably a
CC   human antibody. It preferably comprises at least one antigen binding site
CC   comprising a first domain having amino acid sequence homology to the
CC   AIN457 VH region AEF73693 and a second domain having amino acid sequence
CC   homology to the AIN457 VL region AEF73695. Also provided are a DNA
CC   construct encoding the IL-17 binding molecules of the invention, an
CC   expression vector comprising the DNA construct, and a method of producing
CC   an IL-17 binding molecule by culturing a transformed host cell line. The
CC   IL-17 binding molecule is used to manufacture a medicament for the
CC   treatment of an IL-17 mediated disease or disorder, especially
CC   osteoarthritis, rheumatoid arthritis, osteoporosis and other inflammatory
CC   arthritides. In an example from the invention, transgenic mouse 27340,
CC   which is engineered to express the human IgG/kappa repertoire instead of
CC   the murine immunoglobulin repertoire, was used to generate antibodies to
CC   human IL-17. B-cells from these mice were immortalized by standard
CC   hybridoma technology and murine hybridoma cells were obtained which
CC   secreted the human IgG1/kappa antibody AIN457. The present sequence is
CC   the amino acid sequence of AIN457 VL.
XX
SQ   Sequence 109 AA;

  Query Match             97.3%;  Score 543;  DB 10;  Length 109;
  Best Local Similarity   96.3%;  Pred. No. 6.4e-34;
  Matches  104;  Conservative    2;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||:|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCTFGQGTRLEIK 108


RESULT 7
AEF73710
ID   AEF73710 standard; protein; 236 AA.
XX
AC   AEF73710;
XX
DT   06-APR-2006  (first entry)
XX
DE   Human IL-17 antibody AIN457 light chain.
XX
KW   Interleukin-17 antagonist; antibody production; antibody therapy;
KW   osteoarthritis; rheumatoid arthritis; osteoporosis; inflammation;
KW   antiarthritic; antirheumatic; osteopathic; antiinflammatory;
KW   musculoskeletal disease; immune disorder; inflammation; degeneration;
KW   endocrine disease; light chain.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          45. .56
FT                   /label= L-CDR1
FT   Region          72. .76
FT                   /label= L-CDR2
FT   Region          111. .119
FT                   /label= L-CDR3
XX
PN   WO2006013107-A1.
XX
PD   09-FEB-2006.
XX
PF   04-AUG-2005; 2005WO-EP008470.
XX
PR   05-AUG-2004; 2004GB-00017487.
XX
PA   (NOVS ) NOVARTIS AG.
PA   (NOVS ) NOVARTIS PHARMA GMBH.
XX
PI   Di Padova FE,  Gram H,  Hofstetter H,  Jeschke M,  Rondeau J;
PI   Van Den Berg W;
XX
DR   WPI; 2006-145760/15.
XX
PT   Novel interleukin-17 binding molecule capable of inhibiting human IL-17
PT   activity and IL-6 production induced by human-IL-17 in human dermal
PT   fibroblasts, useful for treating IL-mediated diseases e.g.
PT   osteoarthritis.
XX
PS   Example 3; Page 43-44; 76pp; English.
XX
CC   The present invention relates to interleukin-17 (IL-17) antagonistic
CC   antibodies suitable for use in the treatment of IL-17 mediated diseases
CC   and disorders. A claimed IL-17 binding molecule is capable of inhibiting
CC   the activity of 1 nM human IL-17 at a concentration of less than 5 nM by
CC   50%, the activity being measured on interleukin-6 production induced by
CC   human IL-17 in human dermal fibroblasts. The IL-17 binding molecule
CC   comprises: a heavy chain variable region (VH) comprising complementarity
CC   determining regions CDR1, CDR2 and CDR3 AEF73686-AEF73688 or CDR1-x, CDR2
CC   -x and CDR3-x AEF73696-AEF73698 from anti-human IL-17 antibody AIN457;
CC   and a light chain variable region (LH) comprising CDR1', CDR2' and CDR3'
CC   AEF73689-AEF73691 from AIN457. The IL-17 binding molecule is preferably a
CC   human antibody. It preferably comprises at least one antigen binding site
CC   comprising a first domain having amino acid sequence homology to the
CC   AIN457 VH region AEF73693 and a second domain having amino acid sequence
CC   homology to the AIN457 VL region AEF73695. Also provided are a DNA
CC   construct encoding the IL-17 binding molecules of the invention, an
CC   expression vector comprising the DNA construct, and a method of producing
CC   an IL-17 binding molecule by culturing a transformed host cell line. The
CC   IL-17 binding molecule is used to manufacture a medicament for the
CC   treatment of an IL-17 mediated disease or disorder, especially
CC   osteoarthritis, rheumatoid arthritis, osteoporosis and other inflammatory
CC   arthritides. In an example from the invention, transgenic mouse 27340,
CC   which is engineered to express the human IgG/kappa repertoire instead of
CC   the murine immunoglobulin repertoire, was used to generate antibodies to
CC   human IL-17. B-cells from these mice were immortalized by standard
CC   hybridoma technology and murine hybridoma cells were obtained which
CC   secreted the human IgG1/kappa antibody AIN457. The present sequence is
```

CC the amino acid sequence of AIN457 light chain.
XX
SQ Sequence 236 AA;

Query Match 97.3%; Score 543; DB 10; Length 236;
Best Local Similarity 96.3%; Pred. No. 1.3e-33;
Matches 104; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
Db 22 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 81

Qy 61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
Db 82 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCTFGQGTRLEIK 129

RESULT 8
ADY26769
ID ADY26769 standard; protein; 108 AA.
XX
AC ADY26769;
XX
DT 19-MAY-2005 (first entry)
XX
DE Anti-NGF-antibody light chain variable region SEQ ID NO 84.
XX
KW analgesic; gene therapy; antibody engineering; pharmaceutical; pain;
KW neurological disease; NGF; nerve growth factor;
KW light chain variable region.
XX
OS Homo sapiens.
XX
PN WO2005019266-A2.
XX
PD 03-MAR-2005.
XX
PF 15-JUL-2004; 2004WO-US022876.
XX
PR 15-JUL-2003; 2003US-0487431P.
XX
PA (AMGE-) AMGEN INC.
XX
PI Wild KD, Treanor JJS, Huang H, Inoue H, Zhang TJ, Martin F;
XX
DR WPI; 2005-202606/21.
XX
PT New human anti-nerve growth factor (NGF) neutralizing antibodies useful
PT for manufacturing a medicament for treating painful disorders (e.g. acute
PT pain) or conditions associated with increased expression or sensitivity
PT to NGF.
XX
PS Claim 33; SEQ ID NO 84; 190pp; English.
XX
CC The invention describes an isolated human antibody that interacts with or
CC binds specifically to human nerve growth factor (NGF) and neutralize the
CC function of NGF. Also described are: methods of treating a condition
CC caused by increased expression of NGF or increased sensitivity to NGF in
CC a patient; methods for detecting NGF in a biological sample; an NGF
CC specific binding agent comprising any of the 59 amino acid sequences
CC comprising, for e.g. 123, 107 or 14 amino acids, as mentioned in the
CC specification, and where the binding agent can bind to NGF; a
CC pharmaceutical composition comprising a pharmaceutical carrier and a
CC therapeutic amount of the antibody or binding agent cited above; or a
CC medicament for treating a painful disorder or condition associated with
CC increased expression of NGF or increased sensitivity to NGF, the
CC medicament comprising a pharmaceutical amount of a monoclonal antibody or
CC its immunologically functional immunoglobulin fragment, or pharmaceutical
CC salts of the monoclonal antibody or the fragment, where the monoclonal
CC antibody is at least one of the monoclonal antibody cited above, and a
CC pharmaceutical carrier, diluent or excipient; a nucleic acid molecule or
CC polynucleotide that encodes the above antibody or binding agent; an
CC isolated cell line that produces the above antibody or binding agent; an
CC expression vector comprising the above polynucleotide; and a host cell
CC comprising the nucleic acid or expression vector. The composition
CC (including the antibody) and methods are useful for manufacturing a
CC medicament for treating a painful disorder (e.g. acute pain, dental pain,
CC or pain from trauma or cancer), or a condition associated with increased
CC expression of NGF or increased sensitivity to NGF. This is the amino acid
CC sequence of a human NGF antibody light chain variable region.
XX
SQ Sequence 108 AA;

Query Match 95.9%; Score 535; DB 9; Length 108;
Best Local Similarity 96.3%; Pred. No. 2.6e-33;
Matches 104; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
Db 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYVASSRATGIP 60

Qy 61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
Db 61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108

RESULT 9
ADY26816
ID ADY26816 standard; protein; 108 AA.
XX
AC ADY26816;
XX
DT 19-MAY-2005 (first entry)
XX
DE Human anti-NGF-antibody light chain SEQ ID NO 131.
XX
KW analgesic; gene therapy; antibody engineering; pharmaceutical; pain;
KW neurological disease; NGF; nerve growth factor; light chain.
XX
OS Homo sapiens.
XX
PN WO2005019266-A2.
XX
PD 03-MAR-2005.
XX
PF 15-JUL-2004; 2004WO-US022876.
XX
PR 15-JUL-2003; 2003US-0487431P.
XX
PA (AMGE-) AMGEN INC.
XX
PI Wild KD, Treanor JJS, Huang H, Inoue H, Zhang TJ, Martin F;
XX
DR WPI; 2005-202606/21.
XX
PT New human anti-nerve growth factor (NGF) neutralizing antibodies useful
PT for manufacturing a medicament for treating painful disorders (e.g. acute
PT pain) or conditions associated with increased expression or sensitivity
PT to NGF.
XX
PS Claim 33; SEQ ID NO 131; 190pp; English.
XX
CC The invention describes an isolated human antibody that interacts with or
CC binds specifically to human nerve growth factor (NGF) and neutralize the
CC function of NGF. Also described are: methods of treating a condition
CC caused by increased expression of NGF or increased sensitivity to NGF in
CC a patient; methods for detecting NGF in a biological sample; an NGF
CC specific binding agent comprising any of the 59 amino acid sequences
CC comprising, for e.g. 123, 107 or 14 amino acids, as mentioned in the
CC specification, and where the binding agent can bind to NGF; a
CC pharmaceutical composition comprising a pharmaceutical carrier and a
CC therapeutic amount of the antibody or binding agent cited above; or a
CC medicament for treating a painful disorder or condition associated with
CC increased expression of NGF or increased sensitivity to NGF, the
CC medicament comprising a pharmaceutical amount of a monoclonal antibody or
CC its immunologically functional immunoglobulin fragment, or pharmaceutical

```
CC   salts of the monoclonal antibody or the fragment, where the monoclonal
CC   antibody is at least one of the monoclonal antibody cited above, and a
CC   pharmaceutical carrier, diluent or excipient; a nucleic acid molecule or
CC   polynucleotide that encodes the above antibody or binding agent; an
CC   isolated cell line that produces the above antibody or binding agent; an
CC   expression vector comprising the above polynucleotide; and a host cell
CC   comprising the nucleic acid or expression vector. The composition
CC   (including the antibody) and methods are useful for manufacturing a
CC   medicament for treating a painful disorder (e.g. acute pain, dental pain,
CC   or pain from trauma or cancer), or a condition associated with increased
CC   expression of NGF or increased sensitivity to NGF. This is the amino acid
CC   sequence of a human NGF antibody light chain.
XX
SQ   Sequence 108 AA;

  Query Match             95.9%;  Score 535;  DB 9;  Length 108;
  Best Local Similarity   96.3%;  Pred. No. 2.6e-33;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||||| :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108


RESULT 10
ADZ57709
ID   ADZ57709 standard; protein; 128 AA.
XX
AC   ADZ57709;
XX
DT   30-JUN-2005  (first entry)
XX
DE   Germline antibody A27Vk3,Jk2 light chain protein.
XX
KW   antibody engineering; cytostatic; vulnerary; vasotropic; cardiant;
KW   monoclonal antibody; heavy chain; light chain; wound healing; skin ulcer;
KW   gastrointestinal ulcer; ischemia; transplant rejection;
KW   myocardial infarction; reperfusion injury; restenosis; angioplasty;
KW   vascular disease; cancer; retinopathy; endometriosis; arthritis;
KW   Alzheimers disease; tumor; glioblastoma; sarcoma; carcinoma; diagnosis;
KW   antibody.
XX
OS   Homo sapiens.
XX
PN   GB2404660-A.
XX
PD   09-FEB-2005.
XX
PF   04-AUG-2004; 2004GB-00017384.
XX
PR   04-AUG-2003; 2003US-0492432P.
XX
PA   (PFIZ ) PFIZER PROD INC.
PA   (ABGE-) ABGENIX INC.
XX
PI   Michaud NR,  Kajiji S,  Borzillo G,  Bedian V,  Coleman K,  Green LL;
PI   Jia X;
XX
DR   WPI; 2005-145169/16.
XX
PT   Human monoclonal antibody or antigen-binding portion that specifically
PT   binds to c-Met, useful for treating cancer by inhibiting c-Met or for
PT   promoting tissue regeneration and wound healing by activating c-Met.
XX
PS   Example 2; SEQ ID NO 18; 128pp; English.
XX
CC   The invention relates to a human monoclonal antibody (I) or its antigen-
CC   binding portion that specifically binds to c-Met, comprises a heavy chain
CC   having a fully defined sequence (S1) of 13.3.2 heavy chain, where X2 is
CC   lysine and X4 is threonine, and a light chain having a fully defined
CC   sequence (S2) of 13.3.2 light chain, where X8 is threonine, where both
CC   chains are without a signal sequence. All the sequences are fully defined
CC   in the specification. (I) is useful for the manufacture of a medicament
CC   for treating a hyperproliferative disorder in a subject, where the
CC   antibody or its portion is a c-Met antagonist. (I) is useful for
CC   manufacture of a medicament for promoting wound healing or tissue
CC   regeneration in a subject, where the antibody, antigen-binding portion or
CC   the composition activates c-Met. (I) which has a c-Met agonist activity
CC   is useful in tissue regeneration or wound healing (skin ulcers or gastric
CC   ulcers), or treating ischemia associated with kidney transplant
CC   rejection, for attenuating toxicity associated with cyclosporin treatment
CC   after transplant surgery, for treating myocardial infarction, cardiac
CC   ischemia due to reperfusion injury, restenosis after angioplasty or
CC   vascular diseases. (I) which has a c-Met antagonist activity is useful
CC   for treating cancers of brain, lung, squamous cell, bladder, neck, liver,
CC   prostate, etc., proliferative vitreoretinopathy, proliferative diabetic
CC   retinopathy, endometriosis, and arthritis, for inhibiting plaque
CC   formation in Alzheimer's disease, inhibiting cellular mitogenic
CC   responses, or for treating tumor, glioblastoma, sarcomas, or carcinomas.
CC   (I) is useful for detecting c-Met in a biological sample in vitro or in
CC   vivo, thus useful for diagnosing c-Met-expressing tumor. (I) has
CC   selectivity for c-Met that is at least 100 times greater than their
CC   selectivity for insulin like growth factor I receptor. This sequence
CC   corresponds to the amino acid sequence for a germline antibody light
CC   chain used in the invention.
XX
SQ   Sequence 128 AA;

  Query Match             95.9%;  Score 535;  DB 9;  Length 128;
  Best Local Similarity   96.3%;  Pred. No. 3e-33;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||||| :||||||||||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 128


RESULT 11
AAR38672
ID   AAR38672 standard; protein; 129 AA.
XX
AC   AAR38672;
XX
DT   25-MAR-2003  (revised)
DT   01-NOV-1993  (first entry)
XX
DE   vk325-Jk2.
XX
KW   Monoclonal antibody; MAb; envelope; glycoprotein; gp120; HIV; AIDS; CD4;
KW   receptor; hybridoma; polymerase chain reaction; PCR; heavy; light; chain;
KW   epitope; immune deficiency.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          1. .116
FT                   /label= vk325
FT   Peptide         1. .20
FT                   /label= sig_peptide
FT   Misc-difference 1
FT                   /note= "Met encoded by ATC (sic)"
FT   Protein         21. .129
FT                   /label= mat_protein
FT   Misc-difference 35
FT                   /note= "Pro encoded by GCA (sic)"
FT   Region          44. .55
FT                   /label= CDR1
FT   Region          71. .77
```

```
FT                  /label= CDR2
FT   Misc-difference 99
FT                  /note= "Leu encoded by GTG (sic)"
FT   Region          110. .117
FT                  /label= CDR3
FT   Misc-difference 113
FT                  /note= "Gly encoded by GAT (sic)"
FT   Misc-difference 114
FT                  /note= "Ser encoded by AAC (sic)"
FT   Misc-difference 116
FT                  /note= "Pro encoded by GTT (sic)"
FT   Region          117. .129
FT                  /label= Jk2
XX
PN   WO9312232-A1.
XX
PD   24-JUN-1993.
XX
PF   10-DEC-1992;   92WO-US010928.
XX
PR   10-DEC-1991;   91US-00804652.
XX
PA   (DAND ) DANA FARBER CANCER INST INC.
PA   (NEWE-) NEW ENGLAND DEACONNESS HOSPITAL CORP.
XX
PI   Marasco WA,  Sodroski JG,  Posner MR,  Haseltine WA;
XX
DR   WPI; 1993-214174/26.
DR   N-PSDB; AAQ42706.
XX
PT   DNA segments encoding monoclonal antibody - which binds to gp120 and
PT   neutralises HIV, for treating AIDS, and for diagnosing and monitoring HIV
PT   infection.
XX
PS   Disclosure; Page 74-75; 109pp; English.
XX
CC   The nucleotide sequence of F105 Vk (AAQ42707 - sequence differs from
CC   other F105 Vk sequences given elsewhere in the specification) was
CC   compared with germline gene Humvk325 (AAQ42706), showing 97.7%
CC   similarity. By nucleotide sequence analysis, F105 appears to be derived
CC   from a member of the Vk III subgroup gene family. (Updated on 25-MAR-2003
CC   to correct PN field.)
XX
SQ   Sequence 129 AA;

  Query Match            95.9%;  Score 535;  DB 2;  Length 129;
  Best Local Similarity  96.3%;  Pred. No. 3e-33;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||||||||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 128


RESULT 12
ADP03986
ID   ADP03986 standard; protein; 108 AA.
XX
AC   ADP03986;
XX
DT   29-JUL-2004  (first entry)
XX
DE   Murine-expressed anti-human CA IX monoclonal antibody VL protein SEQ 156.
XX
KW   monoclonal antibody; carbonic anhydrase IX; CA IX tumour antigen;
KW   cytostatic; colorectal neoplasm; renal cell carcinoma;
KW   cervical intraepithelial squamous neoplasia;
KW   cervical intraepithelial glandular neoplasia; oesophageal; breast cancer;
KW   gene therapy; murine; mouse; human; light chain variable domain.
XX
OS   Unidentified.
XX
PN   WO2003048328-A2.
XX
PD   12-JUN-2003.
XX
PF   02-DEC-2002; 2002WO-US038550.
XX
PR   03-DEC-2001; 2001US-0337275P.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Gudas J,  Foltz I,  Handa M,  Gallo M;
XX
DR   WPI; 2003-523295/49.
XX
PT   New anti-CA IX monoclonal antibody, useful for treating a tumor e.g.,
PT   colorectal neoplasms, colorectal tumors, cervical carcinoma, cervical
PT   intraepithelial squamous and glandular neoplasia or esophageal tumors.
XX
PS   Example 2; SEQ ID NO 156; 89pp; English.
XX
CC   The invention relates to a novel isolated monoclonal antibody (mAb)
CC   comprising a heavy chain polypeptide and light chain polypeptide having a
CC   sequence chosen from one of 53 fully defined amino acid sequences given
CC   in the specification, where the antibody specifically binds carbonic
CC   anhydrase IX (CA IX) tumour antigen. The antibody of the invention
CC   demonstrates cytostatic activity and may be useful for treating a tumour,
CC   such as colorectal neoplasm, renal cell carcinoma, cervical carcinoma,
CC   cervical intraepithelial squamous and glandular neoplasia, oesophageal
CC   tumour or breast cancer, possibly via gene therapy. The current sequence
CC   is that of a murine-expressed anti-human CA IX monoclonal antibody VL
CC   (light chain variable domain) protein of the invention. The protein was
CC   generated via the introduction of the human CA IX protein into a
CC   transgenic mouse strain.
XX
SQ   Sequence 108 AA;

  Query Match            95.5%;  Score 533;  DB 7;  Length 108;
  Best Local Similarity  95.4%;  Pred. No. 3.6e-33;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108


RESULT 13
AEH89253
ID   AEH89253 standard; protein; 120 AA.
XX
AC   AEH89253;
XX
DT   27-JUL-2006  (first entry)
XX
DE   Anti-VEGFR-1 antibody light chain variable region SEQ ID NO:15.
XX
KW   antibody production; monoclonal antibody;
KW   vascular endothelial growth factor receptor-1; VEGFR-1;
KW   light chain variable region; tumor; cytostatic; neoplasm;
KW   angiogenesis disorder; antiangiogenic; cardiovascular disease;
KW   atherosclerosis; antiarteriosclerotic; metabolic disorder;
KW   rheumatoid arthritis; antiarthritic; antirheumatic; immune disorder;
KW   inflammation; musculoskeletal disease; neovascular glaucoma; retinopathy;
KW   macular degeneration; ophthalmological; ocular disease; psoriasis;
KW   antipsoriatic; dermatological disease; graft rejection;
KW   immunosuppressive; insulin-dependent diabetes mellitus; antidiabetic;
KW   endocrine disease; gastrointestinal disease; metabolic disorder;
```

KW multiple sclerosis; neuroprotective; neurological disease;
KW myasthenia gravis; muscular-gen.; neuroprotective; Crohns disease;
KW antiinflammatory; gastrointestinal-gen.; nephritis; nephrotropic;
KW genitourinary disease; primary biliary cirrhosis; hepatotropic;
KW pancreatitis; allergy; antiallergic; contact dermatitis; dermatological;
KW delayed hypersensitivity; inflammatory bowel disease; septic shock;
KW antibacterial; infection; osteoporosis; osteopathic; degeneration;
KW endocrine disease; musculoskeletal disease; osteoarthritis;
KW antiarthritic; osteopathic; musculoskeletal disease; cognitive disorder;
KW nootropic; hereditary hemorrhagic telangiectasia; vasotropic; restenosis;
KW fungal infection; fungicide; parasitic infection; antiparasitic;
KW viral infection; cytomegalovirus infection; virucide.
XX
OS Homo sapiens.
XX
PN WO2006055809-A2.
XX
PD 26-MAY-2006.
XX
PF 18-NOV-2005; 2005WO-US041904.
XX
PR 18-NOV-2004; 2004US-0628815P.
XX
PA (IMCL-) IMCLONE SYSTEMS INC.
XX
PI Wu Y, Hicklin DJ, Bohlen P;
XX
DR WPI; 2006-373517/38.
DR N-PSDB; AEH89260.
XX
PT New isolated human monoclonal antibody that binds specifically to
PT vascular endothelial growth factor receptor-1 for treating cancers and
PT angiogenic-related disorders, e.g. atherosclerosis.
XX
PS Claim 6; SEQ ID NO 15; 82pp; English.
XX
CC The invention relates to an isolated human monoclonal antibody or
CC fragment that binds specifically to vascular endothelial growth factor
CC receptor-1 (VEGFR-1) and comprises a light chain complementarity
CC determining region-2 (CDR2) of 7 amino acids (SEQ ID NO: 2; see AEH89240)
CC and a light chain CDR3 of 9 amino acids (SEQ D NO: 3; see AEH89241). Also
CC included are: an isolated polynucleotide comprising a nucleotide sequence
CC encoding the antibody or its fragment; an isolated polynucleotide
CC comprising a nucleotide sequence selected from (AEH89259 to AEH89265),
CC the nucleotide sequence encoding an antibody or its fragment that
CC specifically binds to VEGFR-1; an expression vector comprising the
CC polynucleotide sequence linked to an expression sequence; a recombinant
CC host cell comprising the expression vector; a method of producing an
CC antibody or its fragment; a method of modulating activity of VEGFR-1 in a
CC mammal; a method of inhibiting angiogenesis in a mammal; and a method of
CC reducing tumor growth in a mammal. The antibody is used to inhibit
CC angiogenesis and reduce tumor growth in a mammal. The monoclonal
CC antibodies, polynucleotides, and methods are useful for treating
CC angiogenic-related disorders (e.g. atherosclerosis, rheumatoid arthritis,
CC neovascular glaucoma, proliferative retinopathy including proliferative
CC diabetic retinopathy, macular degeneration, hemangiomas, angiofibromas,
CC psoriasis, retinopathy of prematurity (retrolental fibroplastic), corneal
CC graft rejection, insulin-dependent diabetes mellitus, multiple sclerosis,
CC myasthenia gravis, Crohn's disease, autoimmune nephritis, primary biliary
CC cirrhosis, acute pancreatitis, allograph rejection, allergic inflammation
CC (allergic reaction), contact dermatitis and delayed hypersensitivity
CC reactions, inflammatory bowel disease, septic shock, osteoporosis,
CC osteoarthritis, cognition defects induced by neuronal inflammation, Osler
CC -Weber syndrome (hereditary hemorrhagic telangiectasia), restenosis, and
CC fungal, parasitic and viral infections, including cytomegaloviral
CC infections). The present sequence represents anti-VEGFR-1 antibody light
CC chain variable region SEQ ID NO:15.
XX
SQ Sequence 120 AA;

Query Match 95.5%; Score 533; DB 10; Length 120;
Best Local Similarity 95.4%; Pred. No. 4e-33;
Matches 103; Conservative 2; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
Db 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy 61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
Db 61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPLTFGQGTRLEIK 108

RESULT 14
ABJ36930
ID ABJ36930 standard; protein; 130 AA.
XX
AC ABJ36930;
XX
DT 01-MAY-2003 (first entry)
XX
DE Anti-CD40 monoclonal antibody related protein SEQ ID No 46.
XX
KW Antiallergic; haemostatic; immunomodulator; cytostatic; antibody;
KW human CD40; IL-12; LPS; lipopolysaccharide; IFNgamma; interferon gamma;
KW dendritic cell; high G28-5; CD95 expression; high G28-5; B cell line;
KW immunoactivator; anti-tumour agent; immunosuppressant; allergy;
KW autoimmune disease; coagulation factor VIII inhibitor; anti-CD40.
XX
OS Unidentified.
XX
PN WO200288186-A1.
XX
PD 07-NOV-2002.
XX
PF 26-APR-2002; 2002WO-JP004292.
XX
PR 27-APR-2001; 2001WO-US013672.
PR 11-MAY-2001; 2001JP-00142482.
PR 05-OCT-2001; 2001JP-00310535.
PR 26-OCT-2001; 2001US-00040244.
XX
PA (KIRI) KIRIN BEER KK.
XX
PI Mikayama T, Yoshida H, Force WR, Chen X, Takahashi N;
XX
DR WPI; 2003-120463/11.
DR N-PSDB; ABT31872.
XX
PT Anti-CD40 monoclonal antibody with antagonist/agonist activity to CD40,
PT or functional fragment, is useful in the treatment of e.g. autoimmune
PT diseases or cancer.
XX
PS Claim 25; Page 51; 94pp; Japanese.
XX
CC The invention relates to an antibody to human CD40, or its functional
CC fragment, has at least one of the following properties: acting on
CC dendritic cells to produce IL-12 in the presence of LPS
CC (lipopolysaccharide) and IFNgamma (interferon gamma); acting on dendritic
CC cells to activate maturity of the dendritic cells with high G28-5
CC antibody; and activating CD95 expression with high G28-5 antibody against
CC B cell line. Such antibodies or functional fragments can be used as
CC immunoactivators, anti-tumour agents, immunosuppressants, and as remedies
CC for autoimmune diseases, allergy or coagulation factor VIII inhibitors
CC syndrome. This sequence represents a protein relating to the anti-CD40
CC monoclonal antibody of the invention
XX
SQ Sequence 130 AA;

Query Match 95.5%; Score 533; DB 6; Length 130;
Best Local Similarity 95.4%; Pred. No. 4.3e-33;
Matches 103; Conservative 2; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
Db 21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

```
Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||| :|||||:||||
Db          81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 128


RESULT 15
AEG95253
ID   AEG95253 standard; protein; 130 AA.
XX
AC   AEG95253;
XX
DT   01-JUN-2006  (first entry)
XX
DE   Human immunoglobulin G4 (IgG4) antibody related protein SEQ ID NO 8.
XX
KW   immunosuppressive; antiinflammatory; gastrointestinal-gen.; antiulcer;
KW   dermatological; hemostatic; neuroprotective; antipsoriatic;
KW   antirheumatic; cytostatic; antiarteriosclerotic; nephrotropic;
KW   immunostimulator; immunoglobulin; IgG4; transplant rejection;
KW   immune disorder; systemic lupus erythematosus; dermatological disease;
KW   metabolic disorder; musculoskeletal disease;
KW   idiopathic thrombocytopenic purpura; genetic disorder;
KW   hematological disease; neurological disease; multiple sclerosis;
KW   psoriasis; dermatological disease; rheumatism; inflammation; cancer;
KW   neoplasm; arteriosclerosis; cardiovascular disease; nephritis;
KW   genitourinary disease; Alzheimers disease; degeneration; amyloidosis.
XX
OS   Homo sapiens.
XX
PN   WO2006033386-A1.
XX
PD   30-MAR-2006.
XX
PF   22-SEP-2005; 2005WO-JP017463.
XX
PR   22-SEP-2004; 2004JP-00275908.
XX
PA   (KIRI ) KIRIN BEER KK.
XX
PI   Takahashi N,  Yoshida H;
XX
DR   WPI; 2006-316320/33.
DR   N-PSDB; AEG95252.
XX
PT   Novel anti-CD40 antibody having heavy chain constant region of human
PT   immunoglobulin G4 including substitution of arginine at specific position
PT   by lysine, threonine, methonine or leucine, useful in treating autoimmune
PT   disease and cancer.
XX
PS   Example 1; SEQ ID NO 8; 47pp; Japanese.
XX
CC   The invention relates to an antibody comprising heavy chain constant
CC   region of human immunoglobulin G4 (IgG4). The antibody being anti-CD40
CC   antibody is useful as therapeutic agent of transplant rejection,
CC   autoimmune disease, cancer, arteriosclerosis, nephritis, Alzheimer's
CC   disease or amyloidosis. The antibody is useful for treating transplant
CC   rejection, autoimmune disease (e.g. inflammatory bowel disease, Crohn's
CC   disease and ulcerative colitis), systemic lupus erythematosus (SLS),
CC   idiopathic thrombocytopenic purpura (ITP) multiple sclerosis, psoriasis,
CC   rheumatism, cancer (e.g. lung cancer, colon cancer, rectal cancer,
CC   pancreatic cancer, liver cancer, prostatic cancer, bladder cancer, breast
CC   cancer and stomach cancer), arteriosclerosis, nephritis, Alzheimer's
CC   disease and amyloidosis. The antibody exhibits suppressed aggregation
CC   formation, and is highly stable mutant of IgG4 antibody. The antibody
CC   exhibits decreased aggregate formation in low pH, and maintains binding
CC   property with respect to the antigen, thus the side effects caused by
CC   aggregate of the antibody can be avoided. The antibody has improved or
CC   controlled antibody dependent cell-mediated cytotoxicity and/or
CC   complement dependent cytotoxicity. The present sequence represents a
CC   human immunoglobulin G4 (IgG4) antibody related protein. Note: The
CC   sequence data for this patent was obtained in electronic format directly
CC   from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ   Sequence 130 AA;

  Query Match             95.5%;  Score 533;  DB 10;  Length 130;
  Best Local Similarity   95.4%;  Pred. No. 4.3e-33;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||| :|||||:||||
Db          81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 128


Search completed: April 25, 2007, 04:05:22
Job time : 94.661 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 8 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	535	95.9	108	2	C30608	Ig kappa chain V-I
2	535	95.9	109	2	H30601	Ig kappa chain V-I
3	534	95.7	109	2	F30601	Ig kappa chain V-I
4	533	95.5	109	2	B30601	Ig kappa chain V-I
5	531	95.2	109	2	PH0963	Ig kappa chain V r
6	531	95.2	109	2	D30601	Ig kappa chain V-I
7	530	95.0	109	2	C30601	Ig kappa chain V-I
8	530	95.0	129	2	S46369	IG light chain var
9	530	95.0	134	2	S38643	Ig kappa chain V r
10	529	94.8	109	2	G30601	Ig kappa chain V-I
11	529	94.8	129	2	S49532	anti-Sm antibody V
12	528	94.6	129	1	K3HUHA	Ig kappa chain pre
13	527	94.4	128	2	S20636	Ig kappa chain V r
14	526	94.3	129	1	K3HUHI	Ig kappa chain pre
15	524	93.9	109	1	K3HUTI	Ig kappa chain V-I
16	524	93.9	109	2	F30607	Ig kappa chain V-I
17	523.5	93.8	114	2	S46375	Ig kappa chain V-J
18	521	93.4	109	1	K3HUSI	Ig kappa chain V-I
19	520	93.2	109	2	A30608	Ig kappa chain V-I
20	515	92.3	109	2	G30607	Ig kappa chain V-I
21	514	92.1	107	2	PH0965	Ig kappa chain V r
22	514	92.1	108	2	B30608	Ig kappa chain V-I
23	513	91.9	124	2	S20633	Ig kappa chain - h
24	511	91.6	121	2	S40327	Ig kappa chain - h
25	508	91.0	109	1	K3HUWL	Ig kappa chain V-I
26	507	90.9	110	2	S20635	Ig kappa chain V r
27	504.5	90.4	108	2	E30609	Ig kappa chain V-I
28	503.5	90.2	110	2	E30607	Ig kappa chain V-I
29	503	90.1	108	1	K3HUB6	Ig kappa chain V-I
30	502	90.0	109	2	F44151	Ig kappa chain V r
31	501.5	89.9	108	2	H44151	Ig kappa chain V r
32	500	89.6	109	1	K3HUGO	Ig kappa chain V-I
33	500	89.6	130	2	S20637	Ig kappa chain V r
34	499	89.4	129	2	A32274	Ig kappa chain pre
35	497.5	89.2	110	2	S44120	Ig kappa chain V-J
36	495	88.7	109	2	S47181	Ig kappa chain - h
37	488.5	87.5	104	2	PH0964	Ig kappa chain V r
38	488	87.5	215	2	JE0242	Ig kappa chain NIG
39	486.5	87.2	129	2	S40325	Ig kappa chain - h
40	485	86.9	96	2	A30601	Ig kappa chain V-I
41	485	86.9	116	2	B27594	Ig kappa chain pre
42	484	86.7	215	2	A23746	Ig kappa chain V-I
43	479	85.8	118	2	T03036	Ig light chain - h
44	477	85.5	108	2	S33988	Ig kappa chain V r
45	475	85.1	116	2	C27594	Ig kappa chain pre

ALIGNMENTS

RESULT 1
C30608
Ig kappa chain V-III region (Pie) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 09-Jul-2004
C;Accession: C30608
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solo
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoantil
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: C30608
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-108 <GON>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176AE3
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

Query Match 95.9%; Score 535; DB 2; Length 108;
Best Local Similarity 96.3%; Pred. No. 3.8e-38;
Matches 104; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

```
Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKLEIK 108
```

RESULT 2
H30601
Ig kappa chain V-III region (Gar and Flo) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 21-Jan-2000
C;Accession: H30601; E30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solo
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoantil
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: H30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON1>
A;Cross-references: UNIPARC:UPI000011B930
A;Accession: E30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON2>
A;Cross-references: UNIPARC:UPI000011B930

```
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             95.9%;  Score 535;  DB 2;  Length 109;
  Best Local Similarity   96.3%;  Pred. No. 3.8e-38;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||| :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108


RESULT 3
F30601
Ig kappa chain V-III region (Neu) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 21-Jan-2000
C;Accession: F30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solo
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoanti
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: F30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON>
A;Cross-references: UNIPARC:UPI0000176AEE
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             95.7%;  Score 534;  DB 2;  Length 109;
  Best Local Similarity   93.5%;  Pred. No. 4.6e-38;
  Matches  101;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||| |||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSRYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||:|||||||||||:||||||||||||||:|||:||||||||||
Db         61 DRFTGSGSGTDFTLTVSRLEPEDFAVYYCQQYGASPCTFGQGTKLEIK 108


RESULT 4
B30601
Ig kappa chain V-III region (Glo) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 09-Jul-2004
C;Accession: B30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solo
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoanti
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: B30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176AE7
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             95.5%;  Score 533;  DB 2;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 5.6e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPLTFGQGTKVEIK 108


RESULT 5
PH0963
Ig kappa chain V region (G6+ CLL-SMI) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 09-Jul-2004
C;Accession: PH0963
R;Martin, T.; Duffy, S.F.; Carson, D.A.; Kipps, T.J.
J. Exp. Med. 175, 983-991, 1992
A;Title: Evidence for somatic selection of natural autoantibodies.
A;Reference number: PH0952; MUID:92202880; PMID:1552291
A;Accession: PH0963
A;Status: nucleic acid sequence not shown
A;Molecule type: DNA
A;Residues: 1-109 <MAR>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176A29
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-23/Region: framework 1
F;16-91/Domain: immunoglobulin homology <IMM>
F;24-34/Region: complementarity-determining 1
F;35-50/Region: framework 2
F;51-56/Region: complementarity-determining 2
F;57-89/Region: framework 3
F;90-97/Region: complementarity-determining 3

  Query Match             95.2%;  Score 531;  DB 2;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 8.2e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPPAFGQGTKVEIK 108


RESULT 6
D30601
Ig kappa chain V-III region (Cur) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 09-Jul-2004
C;Accession: D30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solon
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoantib
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: D30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176AE9
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             95.2%;  Score 531;  DB 2;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 8.2e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60
```

```
Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||| :||||||:|||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPRTFGQGTKVEIK 108


RESULT 7
C30601
Ig kappa chain V-III region (Pay) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 09-Jul-2004
C;Accession: C30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solc
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoanti
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: C30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176AEB
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             95.0%;  Score 530;  DB 2;  Length 109;
  Best Local Similarity   94.4%;  Pred. No. 9.9e-38;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               ||||||||||||||||||||||||||||||||||||||:||||||||||  ||||||||
Db           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQRPGQAPRLLIYGASSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||| :||||||:|||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPLTFGQGTKVEIK 108


RESULT 8
S46369
IG light chain variable region (VJ) - human
C;Species: Homo sapiens (man)
C;Date: 07-May-1995 #sequence_revision 21-Jul-1995 #text_change 21-Jan-2000
C;Accession: S46369
R;Bensimon, C.; Chastagner, P.; Zouali, M.
EMBO J. 13, 2951-2962, 1994
A;Title: Human lupus anti-DNA autoantibodies undergo essentially primary V(chi) gene rea
A;Reference number: S46369; MUID:94313975; PMID:8039491
A;Accession: S46369
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-129 <BEN>
A;Cross-references: UNIPARC:UPI0000176CA5; EMBL:Z27170
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;36-111/Domain: immunoglobulin homology <IMM>

  Query Match             95.0%;  Score 530;  DB 2;  Length 129;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-37;
  Matches  103;  Conservative    1;  Mismatches    4;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||  |||||:||||
Db          81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPFPFGQGTRLEIK 128


RESULT 9
S38643
Ig kappa chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 21-Jan-2000
C;Accession: S38643
R;Bensimon, C.; Chastagner, P.; Zouali, M.
submitted to the EMBL Data Library, November 1993
A;Description: Low rate of receptor-editing in human lupus anti-DNA autoantibodies.
A;Reference number: S38643
A;Accession: S38643
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-134 <BEN>
A;Cross-references: UNIPARC:UPI00001165A2; EMBL:Z27170; NID:g415955; PIDN:CAA81694.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;41-116/Domain: immunoglobulin homology <IMM>

  Query Match             95.0%;  Score 530;  DB 2;  Length 134;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-37;
  Matches  103;  Conservative    1;  Mismatches    4;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          26 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 85

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||  |||||:||||
Db          86 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPFPFGQGTRLEIK 133


RESULT 10
G30601
Ig kappa chain V-III region (Got) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 29-Jun-1989 #sequence_revision 29-Jun-1989 #text_change 09-Jul-2004
C;Accession: G30601
R;Goni, F.R.; Chen, P.P.; McGinnis, D.; Arjonilla, M.L.; Fernandez, J.; Carson, D.; Solo
J. Immunol. 142, 3158-3163, 1989
A;Title: Structural and idiotypic characterization of the L chains of human IgM autoanti
A;Reference number: A30601; MUID:89215279; PMID:2496160
A;Accession: G30601
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-109 <GON>
A;Cross-references: UNIPROT:Q9UL78; UNIPARC:UPI0000176AE6
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-91/Domain: immunoglobulin homology <IMM>

  Query Match             94.8%;  Score 529;  DB 2;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-37;
  Matches  103;  Conservative    1;  Mismatches    4;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               |||||||||||||||||||||||||||||| ||||||||||||||||||  ||||||||
Db           1 EIVLTQSPGTLSLSPGERATLSCRASQSVRSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               |||||||||||||||||||||||||||||||||| :||||||||||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPRTFGQGTKLEIK 108


RESULT 11
S49532
anti-Sm antibody VL chain (V kappa 3/J kappa 2) - human
C;Species: Homo sapiens (man)
C;Date: 01-Feb-1995 #sequence_revision 12-May-1995 #text_change 21-Jan-2000
C;Accession: S49532
R;Mahmoudi, M.; Edwards, J.; Cairns, E.; Bell, D.
submitted to the EMBL Data Library, October 1994
A;Description: Molecular characterization of natural human anti-Sm autoantibodies.
A;Reference number: S48797
A;Accession: S49532
A;Status: preliminary
A;Molecule type: mRNA
```

```
A;Residues: 1-129 <MAH>
A;Cross-references: UNIPARC:UPI00001166FC; EMBL:Z46345; NID:g560843; PIDN:CAA86464.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;36-111/Domain: immunoglobulin homology <IMM>

  Query Match             94.8%;  Score 529;  DB 2;  Length 129;
  Best Local Similarity   95.4%;  Pred. No. 1.4e-37;
  Matches  103;  Conservative    1;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||| |||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSFSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :||||||||||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPQTFGQGTKLEIK 128


RESULT 12
K3HUHA
Ig kappa chain precursor V-III region (Hah) - human
C;Species: Homo sapiens (man)
C;Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 09-Jul-2004
C;Accession: PL0022
R;Kipps, T.J.; Tomhave, E.; Chen, P.P.; Carson, D.A.
J. Exp. Med. 167, 840-852, 1988
A;Title: Autoantibody-associated kappa light chain variable region gene expressed in chr
A;Reference number: PL0021; MUID:88171307; PMID:3127527
A;Accession: PL0022
A;Molecule type: mRNA
A;Residues: 1-129 <KIP>
A;Cross-references: UNIPROT:P18135; UNIPARC:UPI000012E163
C;Comment: The protein is one of the surface immunoglobulin M autoantibodies expressed i
C;Genetics:
A;Gene: GDB:IGKV3
A;Cross-references: GDB:136266
A;Map position: 2p12-2p11
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: autoantibody; chronic lymphocytic leukemia; heterotetramer; immunoglobulin
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-129/Product: Ig kappa chain V-III region (Hah) #status predicted <MAT>
F;21-117/Region: V segment
F;36-111/Domain: immunoglobulin homology <IMM>
F;44-55/Region: complementarity-determining 1
F;71-77/Region: complementarity-determining 2
F;110-117/Region: complementarity-determining 3
F;118-129/Region: J segment (JK1)
F;43-109/Disulfide bonds: #status predicted

  Query Match             94.6%;  Score 528;  DB 1;  Length 129;
  Best Local Similarity   94.4%;  Pred. No. 1.7e-37;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||:|| :|||||:|||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGTSPRTFGQGTKVEIK 128


RESULT 13
S20636
Ig kappa chain V region - human
C;Species: Homo sapiens (man)
C;Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 21-Jan-2000
C;Accession: S20636
R;Lee, S.K.; Bridges, L.S.; Koopman, W.J.; Schroeder, H.W.
submitted to the EMBL Data Library, April 1992
A;Reference number: S20631
A;Accession: S20636
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-128 <LEE>
A;Cross-references: UNIPARC:UPI00001163DC; EMBL:Z11894; NID:g33200; PIDN:CAA77948.1; PID:
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-111/Domain: immunoglobulin homology <IMM>

  Query Match             94.4%;  Score 527;  DB 2;  Length 128;
  Best Local Similarity   94.4%;  Pred. No. 2.1e-37;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||| |||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSGYLAWYQQKPGQAPRLLIYAASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||| || :||||||:|||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGDSPRTFGQGTKVEIK 128


RESULT 14
K3HUHI
Ig kappa chain precursor V-III region (Hic) - human
C;Species: Homo sapiens (man)
C;Date: 30-Jun-1990 #sequence_revision 30-Jun-1990 #text_change 09-Jul-2004
C;Accession: PL0021
R;Kipps, T.J.; Tomhave, E.; Chen, P.P.; Carson, D.A.
J. Exp. Med. 167, 840-852, 1988
A;Title: Autoantibody-associated kappa light chain variable region gene expressed in chr
A;Reference number: PL0021; MUID:88171307; PMID:3127527
A;Accession: PL0021
A;Molecule type: mRNA
A;Residues: 1-129 <KIP>
A;Cross-references: UNIPROT:P18136; UNIPARC:UPI000012E164
C;Comment: The protein is one of the surface immunoglobulin M autoantibodies expressed in
C;Genetics:
A;Gene: GDB:IGKV3
A;Cross-references: GDB:136266
A;Map position: 2p12-2p11
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kapp
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: autoantibody; chronic lymphocytic leukemia; heterotetramer; immunoglobulin
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-129/Product: Ig kappa chain V-III region (Hic) #status predicted <MAT>
F;21-117/Region: V segment
F;36-111/Domain: immunoglobulin homology <IMM>
F;44-55/Region: complementarity-determining 1
F;71-77/Region: complementarity-determining 2
F;110-117/Region: complementarity-determining 3
F;118-129/Region: J segment (JK1)
F;43-109/Disulfide bonds: #status predicted

  Query Match             94.3%;  Score 526;  DB 1;  Length 129;
  Best Local Similarity   94.4%;  Pred. No. 2.5e-37;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||| ||||||||||||| :|||||:|||
Db         81 DRFSGSGSGTDFTLTISRLEPXDFAVYYCQQYGSSPWTFGQGTKVEIK 128


RESULT 15
K3HUTI
Ig kappa chain V-III region (Ti) - human
C;Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
```

C;Accession: A01895
R;Suter, L.; Barnikol, H.U.; Watanabe, S.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 353, 189-208, 1972
A;Title: Die Primaerstruktur einer monoklonalen Immunglobulin-L-Kette vom kappa-Typ, Sub
A;Reference number: A91651; MUID:72188439; PMID:5027703
A;Accession: A01895
A;Molecule type: protein
A;Residues: 1-109 <SUT>
A;Cross-references: UNIPROT:P01622; UNIPARC:UPI000012E15D
A;Note: the sequence of the C region, which has the Inv (3) marker, is also given
C;Comment: This is a Bence Jones protein.
C;Genetics:
A;Gene: GDB:IGKV3
A;Cross-references: GDB:136266
A;Map position: 2p12-2p11
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
F;16-91/Domain: immunoglobulin homology <IMM>
F;23-89/Disulfide bonds: #status predicted

Query Match 93.9%; Score 524; DB 1; Length 109;
Best Local Similarity 92.6%; Pred. No. 3.2e-37;
Matches 100; Conservative 5; Mismatches 3; Indels 0; Gaps 0;

```
Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||:|:||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSNSFLAWYQQKPGQAPRLLIYVASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| :||||||:|:|
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPSTFGQGTKVELK 108
```

Search completed: April 25, 2007, 04:06:40
Job time : 8.23729 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 74 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	528	94.6	129	1	KV3L_HUMAN	P18135 homo sapien
2	526	94.3	129	1	KV3M_HUMAN	P18136 homo sapien
3	524	93.9	109	1	KV3D_HUMAN	P01622 homo sapien
4	521	93.4	109	1	KV3B_HUMAN	P01620 homo sapien
5	518	92.8	109	2	Q9UL78_HUMAN	Q9ul78 homo sapien
6	508	91.0	109	1	KV3E_HUMAN	P01623 homo sapien
7	506.5	90.8	236	2	Q6PIL8_HUMAN	Q6pil8 homo sapien
8	504	90.3	109	2	Q9UL86_HUMAN	Q9ul86 homo sapien
9	503	90.1	108	1	KV3A_HUMAN	P01619 homo sapien
10	500	89.6	109	1	KV3G_HUMAN	P04206 homo sapien
11	493	88.4	235	2	Q6PJF2_HUMAN	Q6pjf2 homo sapien
12	491	88.0	235	2	Q6GMV9_HUMAN	Q6gmv9 homo sapien
13	481.5	86.3	236	2	Q6P5S8_HUMAN	Q6p5s8 homo sapien
14	466	83.5	100	1	KV3C_HUMAN	P01621 homo sapien
15	465.5	83.4	128	1	KV3K_HUMAN	P06311 homo sapien
16	446	79.9	109	1	KV3F_HUMAN	P01624 homo sapien
17	445.5	79.8	234	2	Q569I9_HUMAN	Q569i9 homo sapien
18	439	78.7	129	1	KV3H_HUMAN	P04207 homo sapien
19	435.5	78.0	108	2	Q9UL83_HUMAN	Q9ul83 homo sapien
20	426	76.3	109	2	Q9UL85_HUMAN	Q9ul85 homo sapien
21	420.5	75.4	115	1	KV3I_HUMAN	P04433 homo sapien
22	420	75.3	235	2	Q6GMW0_HUMAN	Q6gmw0 homo sapien
23	415.5	74.5	114	1	KV4A_HUMAN	P01625 homo sapien
24	414	74.2	116	1	KV3J_HUMAN	P04434 homo sapien
25	399.5	71.6	134	1	KV4C_HUMAN	P06314 homo sapien
26	398.5	71.4	108	2	Q9UL79_HUMAN	Q9ul79 homo sapien
27	397.5	71.2	108	1	KV1H_HUMAN	P01600 homo sapien
28	394.5	70.7	236	2	Q6PIH7_HUMAN	Q6pih7 homo sapien
29	390.5	70.0	108	2	Q9UL77_HUMAN	Q9ul77 homo sapien
30	387	69.4	133	1	KV4B_HUMAN	P06313 homo sapien
31	386.5	69.3	108	2	Q9UL70_HUMAN	Q9ul70 homo sapien
32	386.5	69.3	236	2	Q6GMX8_HUMAN	Q6gmx8 homo sapien
33	384	68.8	114	2	Q8K1F1_MOUSE	Q8k1f1 mus musculu
34	383.5	68.7	131	2	Q811C3_MOUSE	Q811c3 mus musculu
35	382.5	68.5	108	1	KV1M_HUMAN	P01605 homo sapien
36	382.5	68.5	236	2	Q6GMX9_HUMAN	Q6gmx9 homo sapien
37	382.5	68.5	236	2	Q7Z3Y4_HUMAN	Q7z3y4 homo sapien
38	381.5	68.4	244	2	Q65ZC8_HUMAN	Q65zc8 homo sapien
39	381	68.3	107	2	Q96SA9_HUMAN	Q96sa9 homo sapien
40	380.5	68.2	108	1	KV1F_HUMAN	P01598 homo sapien
41	379.5	68.0	108	1	KV1K_HUMAN	P01603 homo sapien
42	378.5	67.8	234	2	Q7Z473_HUMAN	Q7z473 homo sapien
43	377.5	67.7	236	2	Q6PIT5_HUMAN	Q6pit5 homo sapien
44	377.5	67.7	240	2	Q65ZC9_HUMAN	Q65zc9 homo sapien
45	376.5	67.5	255	2	Q6KB05_MOUSE	Q6kb05 mus musculu

ALIGNMENTS

```
RESULT 1
KV3L_HUMAN
ID   KV3L_HUMAN     STANDARD;      PRT;   129 AA.
AC   P18135;
DT   01-NOV-1990, integrated into UniProtKB/Swiss-Prot.
DT   01-NOV-1990, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig kappa chain V-III region HAH precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=88171307; PubMed=3127527; DOI=10.1084/jem.167.3.840;
RA   Kipps T.J., Tomhave E., Chen P.P., Carson D.A.;
RT   "Autoantibody-associated kappa light chain variable region gene
RT   expressed in chronic lymphocytic leukemia with little or no somatic
RT   mutation. Implications for etiology and immunotherapy.";
RL   J. Exp. Med. 167:840-852(1988).
CC   -!- DISEASE: The protein is one of the surface immunoglobulin M
CC       autoantibodies expressed in patients with chronic lymphocytic
CC       leukemia.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; PL0022; K3HUHA.
DR   HSSP; P01625; 1EEQ.
DR   SMR; P18135; 21-129.
DR   Ensembl; ENSG00000169769; Homo sapiens.
DR   LinkHub; P18135; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     20
FT   CHAIN         21    129       Ig kappa chain V-III region HAH.
FT                                 /FTId=PRO_0000015179.
FT   REGION        21    43        Framework-1.
FT   REGION        44    55        Complementarity-determining-1.
FT   REGION        56    70        Framework-2.
FT   REGION        71    77        Complementarity-determining-2.
FT   REGION        78    109       Framework-3.
FT   REGION       110    118       Complementarity-determining-3.
```

```
FT   REGION      119    129       JK1 segment.
FT   DISULFID     43    109       By similarity.
FT   NON_TER     129    129
SQ   SEQUENCE   129 AA;  14073 MW;  D3C55292772774D0 CRC64;

  Query Match             94.6%;  Score 528;  DB 1;  Length 129;
  Best Local Similarity   94.4%;  Pred. No. 2.1e-47;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||:|| :||||||:|||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGTSPRTFGQGTKVEIK 128


RESULT 2
KV3M_HUMAN
ID   KV3M_HUMAN     STANDARD;      PRT;   129 AA.
AC   P18136;
DT   01-NOV-1990, integrated into UniProtKB/Swiss-Prot.
DT   01-NOV-1990, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig kappa chain V-III region HIC precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=88171307; PubMed=3127527; DOI=10.1084/jem.167.3.840;
RA   Kipps T.J., Tomhave E., Chen P.P., Carson D.A.;
RT   "Autoantibody-associated kappa light chain variable region gene
RT   expressed in chronic lymphocytic leukemia with little or no somatic
RT   mutation. Implications for etiology and immunotherapy.";
RL   J. Exp. Med. 167:840-852(1988).
CC   -!- DISEASE: The protein is one of the surface immunoglobulin M
CC       autoantibodies expressed in patients with chronic lymphocytic
CC       leukemia.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; PL0021; K3HUHI.
DR   HSSP; P01625; 1EEQ.
DR   SMR; P18136; 21-129.
DR   Ensembl; ENSG00000169769; Homo sapiens.
DR   LinkHub; P18136; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     20
FT   CHAIN        21    129       Ig kappa chain V-III region HIC.
FT                                 /FTId=PRO_0000015180.
FT   REGION       21     43       Framework-1.
FT   REGION       44     55       Complementarity-determining-1.
FT   REGION       56     70       Framework-2.
FT   REGION       71     77       Complementarity-determining-2.
FT   REGION       78    109       Framework-3.
FT   REGION      110    118       Complementarity-determining-3.
FT   REGION      119    129       JK1 segment.
FT   DISULFID     43    109       By similarity.
FT   NON_TER     129    129
SQ   SEQUENCE   129 AA;  14071 MW;  7395528EA2BB74D6 CRC64;

  Query Match             94.3%;  Score 526;  DB 1;  Length 129;
  Best Local Similarity   94.4%;  Pred. No. 3.5e-47;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||| |||||||||||||| :||||||:|||
Db         81 DRFSGSGSGTDFTLTISRLEPXDFAVYYCQQYGSSPWTFGQGTKVEIK 128


RESULT 3
KV3D_HUMAN
ID   KV3D_HUMAN     STANDARD;      PRT;   109 AA.
AC   P01622;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 44.
DE   Ig kappa chain V-III region Ti.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=72188439; PubMed=5027703;
RA   Suter L., Barnikol H.U., Watanabe S., Hilschmann N.;
RT   "Rule of antibody structure. The primary structure of a monoclonal
RT   immunoglobulin L-chain of kappa-type, subgroup 3 (Bence-Jones protein
RT   Ti). IV. The complete amino acid sequence and its significance for the
RT   mechanism of antibody production.";
RL   Hoppe-Seyler's Z. Physiol. Chem. 353:189-208(1972).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A01895; K3HUTI.
DR   HSSP; P01625; 1LVE.
DR   SMR; P01622; 1-109.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >109       Ig kappa chain V-III region Ti.
FT                                 /FTId=PRO_0000059764.
FT   DISULFID     23     89       By similarity.
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11788 MW;  8C35058CDC7749BC CRC64;

  Query Match             93.9%;  Score 524;  DB 1;  Length 109;
  Best Local Similarity   92.6%;  Pred. No. 4.6e-47;
  Matches  100;  Conservative    5;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||:|:||||||||||||||||||  ||||||||
```

```
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSNSFLAWYQQKPGQAPRLLIYVASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||||:|:|
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPSTFGQGTKVELK 108


RESULT 4
KV3B_HUMAN
ID   KV3B_HUMAN     STANDARD;      PRT;   109 AA.
AC   P01620;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 42.
DE   Ig kappa chain V-III region SIE.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=82046598; PubMed=6794615;
RA   Andrews D.W., Capra J.D.;
RT   "Amino acid sequence of the variable regions of light chains from two
RT   idiotypically cross-reactive human IgM anti-gamma-globulins of the Wa
RT   group.";
RL   Biochemistry 20:5816-5822(1981).
CC   -!- MISCELLANEOUS: This chain was isolated from an IgM with anti-gamma
CC       globulin activity.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01892; K3HUSI.
DR   HSSP; P01625; 1LVE.
DR   SMR; P01620; 1-109.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN        1    >109       Ig kappa chain V-III region SIE.
FT                                /FTId=PRO_0000059763.
FT   DISULFID     23     89       By similarity.
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11775 MW;  7689C3ECD646FFB4 CRC64;

  Query Match             93.4%;  Score 521;  DB 1;  Length 109;
  Best Local Similarity   92.6%;  Pred. No. 9.6e-47;
  Matches  100;  Conservative    5;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||:||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSNSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||:|||||||||||||| :||||:|:|||
Db         61 DRFSGSGSGTDFTLTISRLEPDDFAVYYCQQYGSSPQTFGQGSKVEIK 108


RESULT 5
Q9UL78_HUMAN
ID   Q9UL78_HUMAN   PRELIMINARY;   PRT;   109 AA.
AC   Q9UL78;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 23.
DE   Myosin-reactive immunoglobulin light chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92228746; PubMed=1373487;
RA   Zebedee S.L., Barbas C.F. 3rd, Hom Y.L., Caothien R.H., Graff R.,
RA   DeGraw J., Pyati J., LaPolla R., Burton D.R., Lerner R.A.;
RT   "Human combinatorial antibody libraries to hepatitis B surface
RT   antigen.";
RL   Proc. Natl. Acad. Sci. U.S.A. 89:3175-3179(1992).
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
RN   [4]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92202880; PubMed=1552291; DOI=10.1084/jem.175.4.983;
RA   Martin T., Duffy S.F., Carson D.A., Kipps T.J.;
RT   "Evidence for somatic selection of natural autoantibodies.";
RL   J. Exp. Med. 175:983-991(1992).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035036; AAD56272.1; -; mRNA.
DR   PIR; A30601; A30601.
DR   PIR; A30608; A30608.
DR   PIR; B30601; B30601.
DR   PIR; B30607; B30607.
DR   PIR; C30601; C30601.
DR   PIR; C30607; C30607.
DR   PIR; C30608; C30608.
DR   PIR; D30601; D30601.
DR   PIR; D30607; D30607.
DR   PIR; D30608; D30608.
DR   PIR; F30607; F30607.
DR   PIR; F30608; F30608.
DR   PIR; G30601; G30601.
DR   PIR; G30608; G30608.
DR   PIR; H30607; H30607.
DR   PIR; H30608; H30608.
DR   PIR; H44151; H44151.
DR   PIR; I30601; I30601.
DR   PIR; PH0963; PH0963.
DR   PIR; PH0964; PH0964.
DR   PIR; PH0965; PH0965.
DR   PIR; S33988; S33988.
DR   PIR; S34096; S34096.
DR   HSSP; P01625; 1EK3.
DR   SMR; Q9UL78; 1-109.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
```

```
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11646 MW;  5F675C52EC7EE197 CRC64;

  Query Match             92.8%;  Score 518;  DB 2;  Length 109;
  Best Local Similarity   93.5%;  Pred. No. 2e-46;
  Matches  101;  Conservative    2;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||| :|| |||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDCAVYYCQQYGSSPLTFGGGTKVEIK 108


RESULT 6
KV3E_HUMAN
ID   KV3E_HUMAN     STANDARD;      PRT;   109 AA.
AC   P01623;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 42.
DE   Ig kappa chain V-III region WOL.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=82046598; PubMed=6794615;
RA   Andrews D.W., Capra J.D.;
RT   "Amino acid sequence of the variable regions of light chains from two
RT   idiotypically cross-reactive human IgM anti-gamma-globulins of the Wa
RT   group.";
RL   Biochemistry 20:5816-5822(1981).
CC   -!- MISCELLANEOUS: This chain was isolated from an IgM with anti-gamma
CC       globulin activity.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01896; K3HUWL.
DR   HSSP; P01625; 1LVE.
DR   SMR; P01623; 1-109.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >109       Ig kappa chain V-III region WOL.
FT                                 /FTId=PRO_0000059765.
FT   DISULFID     23     89       By similarity.
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11746 MW;  566C115E6B9CBEEE CRC64;

  Query Match             91.0%;  Score 508;  DB 1;  Length 109;
  Best Local Similarity   91.7%;  Pred. No. 2.2e-45;
  Matches   99;  Conservative    2;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||| || ||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSGYLGWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||   :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSLGRTFGQGTKVEIK 108


RESULT 7
Q6PIL8_HUMAN
ID   Q6PIL8_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q6PIL8;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 20.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Brain;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Brain;
RA   Strausberg R.;
RL   Submitted (JUN-2002) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC032451; AAH32451.1; -; mRNA.
DR   HSSP; P01837; 1KCU.
DR   SMR; Q6PIL8; 21-236.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
```

```
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   236 AA;  25834 MW;  6647A9E77A3C0053 CRC64;

  Query Match           90.8%;  Score 506.5;  DB 2;  Length 236;
  Best Local Similarity  90.8%;  Pred. No. 8.1e-45;
  Matches   99;  Conservative    5;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              | |||||||||||||||||||||||||:|||||||||||||||||||  ||||||||
Db         21 ENVLTQSPGTLSLSPGERATLSCRASQSLSSSYLAWYQQKPGQAPRLLIYGVSSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSS-PCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||:| | :|||||:|:||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGTSRPITFGQGTRLDIK 129


RESULT 8
Q9UL86_HUMAN
ID   Q9UL86_HUMAN   PRELIMINARY;   PRT;   109 AA.
AC   Q9UL86;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin kappa chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035028; AAD56264.1; -; mRNA.
DR   PIR; B30607; B30607.
DR   PIR; I30601; I30601.
DR   HSSP; P01625; 1EK3.
DR   SMR; Q9UL86; 1-109.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11928 MW;  243325F72C7DAC83 CRC64;

  Query Match           90.3%;  Score 504;  DB 2;  Length 109;
  Best Local Similarity  91.7%;  Pred. No. 5.9e-45;
  Matches   99;  Conservative    3;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||| ||||||||||||||||||||||||||||||||||| |||||||||

Db          1 EIVLTQSPGTLSLFPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGTSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||| |||||||||||||||||||||||||||  :|| |||::||
Db         61 DRFSGSGSETDFTLTISRLEPEDFAVYYCQQYGSSIFTFGPGTKVDIK 108


RESULT 9
KV3A_HUMAN
ID   KV3A_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01619;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 40.
DE   Ig kappa chain V-III region B6.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   PubMed=11946339; DOI=10.1016/0014-5793(69)80048-7;
RA   Milstein C.;
RT   "The basic sequences of immunoglobulin kappa chains: sequence studies
RT   of Bence Jones proteins Rad, Fr4 and B6.";
RL   FEBS Lett. 2:301-304(1969).
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01891; K3HUB6.
DR   HSSP; P01625; 1EEQ.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >108       Ig kappa chain V-III region B6.
FT                                /FTId=PRO_0000059762.
FT   DISULFID     23     89       By similarity.
FT   NON_TER     108    108
SQ   SEQUENCE   108 AA;  11636 MW;  8BC14FF07A419E3D CRC64;

  Query Match           90.1%;  Score 503;  DB 1;  Length 108;
  Best Local Similarity  86.1%;  Pred. No. 7.5e-45;
  Matches   93;  Conservative    9;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              :||||:||||||||||:|| |||||||:| :|||||||||||||||:|  ||||||||
Db          1 ZIVLTZSPGTLSLSPGZRAALSCRASQSLSGNYLAWYQQKPGQAPRLLMYGVSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||| |||||||||:|||||||||||||||| :||||:|||||
Db         61 DRFSGSGSGADFTLTISRLZPEDFAVYYCQQYGSSPFTFGQGSKLEIK 108


RESULT 10
KV3G_HUMAN
ID   KV3G_HUMAN     STANDARD;      PRT;   109 AA.
AC   P04206;
DT   20-MAR-1987, integrated into UniProtKB/Swiss-Prot.
DT   20-MAR-1987, sequence version 1.
DT   30-MAY-2006, entry version 41.
DE   Ig kappa chain V-III region GOL (Rheumatoid factor).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

```
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=86230578; PubMed=3086710; DOI=10.1016/0161-5890(86)90049-0;
RA   Newkirk M., Chen P.P., Carson D.A., Posnett D., Capra J.D.;
RT   "Amino acid sequence of a light chain variable region of a human
RT   rheumatoid factor of the Wa idiotypic group, in part predicted by its
RT   reactivity with antipeptide antibodies.";
RL   Mol. Immunol. 23:239-244(1986).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01893; K3HUGO.
DR   HSSP; P01625; 1EK3.
DR   SMR; P04206; 1-109.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >109       Ig kappa chain V-III region GOL.
FT                               /FTId=PRO_0000059767.
FT   DISULFID     23     89       By similarity.
FT   NON_TER     109    109
SQ   SEQUENCE   109 AA;  11830 MW;  9349A5B1D93588B6 CRC64;

  Query Match             89.6%;  Score 500;  DB 1;  Length 109;
  Best Local Similarity   89.8%;  Pred. No. 1.6e-44;
  Matches   97;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||:   |  |||||||||||||||:|  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRAALLSSRGYLAWYQQKPGQAPRLLMYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| |||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPRSFGQGTKVEIK 108


RESULT 11
Q6PJF2_HUMAN
ID   Q6PJF2_HUMAN   PRELIMINARY;   PRT;   235 AA.
AC   Q6PJF2;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 21.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RA   Strausberg R.;
RL   Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC016380; AAH16380.1; -; mRNA.
DR   HSSP; P01837; 1KCU.
DR   SMR; Q6PJF2; 21-235.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   235 AA;  25521 MW;  F33A145A396BA285 CRC64;

  Query Match             88.4%;  Score 493;  DB 2;  Length 235;
  Best Local Similarity   88.0%;  Pred. No. 2.1e-43;
  Matches   95;  Conservative    7;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||| |||||||||||||||| |||:|||||||||||||:: :|||||||||
Db         21 EIVLTQSPATLSLSPGERATLSCRASQIVSSAYLAWYQQKPGQAPRLLMFGSSSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||  :|| |||::||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSQGTFGPGTKVDIK 128


RESULT 12
Q6GMV9_HUMAN
ID   Q6GMV9_HUMAN   PRELIMINARY;   PRT;   235 AA.
AC   Q6GMV9;
DT   19-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   19-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 21.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

```
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RA   Strausberg R.;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC073793; AAH73793.1; -; mRNA.
DR   SMR; Q6GMV9; 21-235.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   235 AA;  25646 MW;  DF32B580BAD19E4B CRC64;

  Query Match             88.0%;  Score 491;  DB 2;  Length 235;
  Best Local Similarity   87.0%;  Pred. No. 3.5e-43;
  Matches   94;  Conservative    7;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||| |||||||||:| ||||||||||||||:|| | ||||||
Db         21 EIVLTQSPGTLSLSPGERAALSCRASQSVNSKYLAWYQQKPGQAPRLLMYAASIRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||| ||||:|:|||||:|| :|| |||:|||
Db         81 DRFSGSGSGTDFTLTISRLESEDFALYFCQQYGTSPLTFGGGTKVEIK 128


RESULT 13
Q6P5S8_HUMAN
ID   Q6P5S8_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q6P5S8;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 20.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Glandular pool- thyroid;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Glandular pool- thyroid;
RA   Strausberg R.;
RL   Submitted (NOV-2003) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC062704; AAH62704.1; -; mRNA.
DR   HSSP; P01837; 1KCU.
DR   SMR; Q6P5S8; 21-236.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
```

```
SQ   SEQUENCE   236 AA;  25773 MW;  953E37BEB4FF5F27 CRC64;

  Query Match          86.3%;  Score 481.5;  DB 2;  Length 236;
  Best Local Similarity   85.3%;  Pred. No. 3.5e-42;
  Matches   93;  Conservative    9;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||| |||||||||||||:| ||:|||||:|||||||||  ||||||||
Db         21 EIVLTQSPGTLSFSPGERATLSCRASQTVFSSHLAWYQQRPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSP-CSFGQGTKLEIK 108
              |||||||||||||||:||||||||||:|||||:||  :|| ||::|||
Db         81 DRFSGSGSGTDFTLTITRLEPEDFAVYFCQQYGTSPSLTFGGGTRVEIK 129


RESULT 14
KV3C_HUMAN
ID   KV3C_HUMAN     STANDARD;      PRT;   100 AA.
AC   P01621;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 44.
DE   Ig kappa chain V-III region NG9 precursor (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=84093600; PubMed=6419127; DOI=10.1038/307077a0;
RA   Bentley D.L.;
RT   "Most kappa immunoglobulin mRNA in human lymphocytes is homologous to
RT   a small family of germ-line V genes.";
RL   Nature 307:77-80(1984).
CC   -!- MISCELLANEOUS: This gene was isolated from the NG9/9.1 hybridoma.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A01894; K3HUNG.
DR   HSSP; P01625; 1EEQ.
DR   SMR; P01621; 5-99.
DR   Ensembl; ENSG00000169769; Homo sapiens.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Hybridoma; Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL       <1      4
FT   CHAIN         5    100       Ig kappa chain V-III region NG9.
FT                                /FTId=PRO_0000015174.
FT   DISULFID     27     93       By similarity.
FT   NON_TER       1      1
FT   NON_TER     100    100
SQ   SEQUENCE   100 AA;  10729 MW;  5D9AF363CC52632F CRC64;

  Query Match          83.5%;  Score 466;  DB 1;  Length 100;
  Best Local Similarity   94.7%;  Pred. No. 5.4e-41;
  Matches   90;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||  :|||||||
Db          5 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGATSRATGIP 64

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSS 95
              |||||| |||||||||||||||||||||||||:|
Db         65 DRFSGSASGTDFTLTISRLEPEDFAVYYCQQYGNS 99


RESULT 15
KV3K_HUMAN
ID   KV3K_HUMAN     STANDARD;      PRT;   128 AA.
AC   P06311;
DT   01-JAN-1988, integrated into UniProtKB/Swiss-Prot.
DT   01-JAN-1988, sequence version 1.
DT   30-MAY-2006, entry version 44.
DE   Ig kappa chain V-III region IARC/BL41 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=86041852; PubMed=2997711;
RA   Klobeck H.G., Meindl A., Combriato G., Solomon A., Zachau H.G.;
RT   "Human immunoglobulin kappa light chain genes of subgroups II and
RT   III.";
RL   Nucleic Acids Res. 13:6499-6513(1985).
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   EMBL; Z00021; CAA77316.1; -; Genomic_DNA.
DR   PIR; A01899; K3HU41.
DR   HSSP; P01625; 1EEQ.
DR   SMR; P06311; 21-128.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     20
FT   CHAIN        21    128       Ig kappa chain V-III region IARC/BL41.
FT                                /FTId=PRO_0000015178.
FT   REGION       21     43       Framework-1.
FT   REGION       44     54       Complementarity-determining-1.
FT   REGION       55     69       Framework-2.
FT   REGION       70     76       Complementarity-determining-2.
FT   REGION       77    108       Framework-3.
FT   REGION      109    117       Complementarity-determining-3.
FT   REGION      118    128       JK1 segment.
FT   DISULFID     43    108       By similarity.
FT   NON_TER     128    128
SQ   SEQUENCE   128 AA;  14070 MW;  CC8957F0FE3B9012 CRC64;

  Query Match          83.4%;  Score 465.5;  DB 1;  Length 128;
  Best Local Similarity   87.0%;  Pred. No. 8.1e-41;
  Matches   94;  Conservative    4;  Mismatches    9;  Indels    1;  Gaps    1;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||| ||||||||||||: ||||||| ||:|||||   |||| |||
Db         21 EIVLTQSPGTLSLSPGESATLSCRASQSVSSN-LAWYQQKRGQSPRLLIRDASSRANGIP 79

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||| |||||||||||||||| :|| :||||||||||
Db         80 DRFSGSGSGTDFTLIISRLEPEDFAVYYCQQYSTSPYTFGQGTKLEIK 127


Search completed: April 25, 2007, 04:06:37
Job time : 73.5254 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 14 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	530	95.0	108	1	US-08-232-081B-42	Sequence 42, Appl
2	529	94.8	109	2	US-09-025-769B-16	Sequence 16, Appl
3	529	94.8	109	2	US-09-490-070A-16	Sequence 16, Appl
4	529	94.8	109	2	US-09-490-153-16	Sequence 16, Appl
5	529	94.8	109	2	US-09-490-324-16	Sequence 16, Appl
6	528	94.6	108	2	US-09-644-668A-9	Sequence 9, Appli
7	525	94.1	108	1	US-08-488-113B-150	Sequence 150, App
8	525	94.1	108	1	US-08-477-484B-150	Sequence 150, App
9	525	94.1	108	1	US-08-646-360-150	Sequence 150, App
10	525	94.1	108	2	US-08-839-765-150	Sequence 150, App
11	525	94.1	108	2	US-09-136-389-150	Sequence 150, App
12	525	94.1	108	2	US-09-610-838-150	Sequence 150, App
13	525	94.1	108	2	US-09-711-485-150	Sequence 150, App
14	524.5	94.0	226	2	US-09-456-090A-50	Sequence 50, Appl
15	524.5	94.0	226	2	US-09-456-090A-86	Sequence 86, Appl
16	524.5	94.0	226	2	US-09-453-234-50	Sequence 50, Appl
17	524.5	94.0	226	2	US-09-453-234-86	Sequence 86, Appl
18	522	93.5	108	2	US-09-644-668A-7	Sequence 7, Appli
19	521	93.4	235	2	US-09-472-087-14	Sequence 14, Appl
20	521	93.4	235	2	US-09-472-087-65	Sequence 65, Appl
21	518.5	92.9	226	2	US-09-456-090A-80	Sequence 80, Appl
22	518.5	92.9	226	2	US-09-453-234-80	Sequence 80, Appl
23	518.5	92.9	236	2	US-09-859-053-34	Sequence 34, Appl
24	518	92.8	108	2	US-09-240-274-178	Sequence 178, App
25	518	92.8	108	2	US-09-848-798-178	Sequence 178, App
26	513.5	92.0	236	2	US-09-859-053-38	Sequence 38, Appl
27	512.5	91.8	226	2	US-09-456-090A-74	Sequence 74, Appl
28	512.5	91.8	226	2	US-09-453-234-74	Sequence 74, Appl
29	511.5	91.7	226	2	US-09-456-090A-42	Sequence 42, Appl
30	511.5	91.7	226	2	US-09-453-234-42	Sequence 42, Appl
31	511	91.6	129	1	US-08-480-774A-4	Sequence 4, Appli
32	508	91.0	108	1	US-07-634-278-86	Sequence 86, Appl
33	508	91.0	108	1	US-08-477-728-86	Sequence 86, Appl
34	508	91.0	108	1	US-08-474-040-86	Sequence 86, Appl
35	508	91.0	108	1	US-08-487-200-86	Sequence 86, Appl
36	508	91.0	108	2	US-08-484-537-86	Sequence 86, Appl
37	508	91.0	108	3	US-09-718-998-86	Sequence 86, Appl
38	506.5	90.8	226	2	US-09-456-090A-72	Sequence 72, Appl
39	506.5	90.8	226	2	US-09-453-234-72	Sequence 72, Appl
40	506	90.7	107	2	US-08-635-109-7	Sequence 7, Appli
41	506	90.7	107	2	US-08-844-215-10	Sequence 10, Appl
42	505	90.5	150	2	US-08-862-124-5	Sequence 5, Appli
43	505	90.5	287	2	US-08-862-124-17	Sequence 17, Appl
44	505	90.5	304	2	US-08-862-124-14	Sequence 14, Appl
45	504.5	90.4	107	1	US-08-107-669D-14	Sequence 14, Appl

ALIGNMENTS

RESULT 1
US-08-232-081B-42
; Sequence 42, Application US/08232081B
; Patent No. 5886152
; GENERAL INFORMATION:
; APPLICANT: NAKATANI, TOMOYUKI
; APPLICANT: GOMI, HIDEYUKI
; APPLICANT: WIJDENES, JOHN
; APPLICANT: NOGUCHI, HIROSHI
; TITLE OF INVENTION: HUMANIZED B-B10
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747
; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/232,081B
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: SVENSSON, LEONARD R
; REGISTRATION NUMBER: 30,330
; REFERENCE/DOCKET NUMBER: 20-3484
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-232-081B-42

Query Match 95.0%; Score 530; DB 1; Length 108;
Best Local Similarity 94.4%; Pred. No. 1.6e-42;
Matches 102; Conservative 3; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
||||||||||||||||||||||||||||||||||||:|||||||||| ||||||||

```
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQRPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPLTFGQGTKVEIK 108


RESULT 2
US-09-025-769B-16
; Sequence 16, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  16:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  109 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-16

  Query Match             94.8%;  Score 529;  DB 2;  Length 109;
  Best Local Similarity   94.4%;  Pred. No. 2e-42;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||.|||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||:|| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGNSPYTFGQGTKVEIK 108


RESULT 3
US-09-490-070A-16
; Sequence 16, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;  INFORMATION FOR SEQ ID NO: 16:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 109 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 16:
US-09-490-070A-16

  Query Match             94.8%;  Score 529;  DB 2;  Length 109;
  Best Local Similarity   94.4%;  Pred. No. 2e-42;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||:|| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGNSPYTFGQGTKVEIK 108


RESULT 4
US-09-490-153-16
; Sequence 16, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
```

```
;              STATE: New York
;              COUNTRY: USA
;              ZIP: 10021
;         COMPUTER READABLE FORM:
;              MEDIUM TYPE: Floppy disk
;              COMPUTER: IBM PC compatible
;              OPERATING SYSTEM: PC-DOS/MS-DOS
;              SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;         CURRENT APPLICATION DATA:
;              APPLICATION NUMBER: US/09/490,153
;              FILING DATE: 24-Jan-2000
;         PRIOR APPLICATION DATA:
;              APPLICATION NUMBER: US/09/025,769B
;              FILING DATE: 18-FEB-1998
;              APPLICATION NUMBER: EP 95 11 3021.0
;              FILING DATE: 18-AUG-1995
;         ATTORNEY/AGENT INFORMATION:
;              NAME: James F. Haley, Jr., Esq.
;              REGISTRATION NUMBER: 27,794
;              REFERENCE/DOCKET NUMBER: MORPHO/5
;         TELECOMMUNICATION INFORMATION:
;              TELEPHONE: (212)596-9000
;              TELEFAX: (212)596-9090
;    INFORMATION FOR SEQ ID NO: 16:
;         SEQUENCE CHARACTERISTICS:
;              LENGTH: 109 amino acids
;              TYPE: amino acid
;              STRANDEDNESS: <Unknown>
;              TOPOLOGY: linear
;         MOLECULE TYPE: protein
;         SEQUENCE DESCRIPTION: SEQ ID NO: 16:
US-09-490-153-16

  Query Match            94.8%;  Score 529;  DB 2;  Length 109;
  Best Local Similarity  94.4%;  Pred. No. 2e-42;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||:|| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGNSPYTFGQGTKVEIK 108


RESULT 5
US-09-490-324-16
; Sequence 16, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 16:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 109 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 16:
US-09-490-324-16

  Query Match            94.8%;  Score 529;  DB 2;  Length 109;
  Best Local Similarity  94.4%;  Pred. No. 2e-42;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||:|| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGNSPYTFGQGTKVEIK 108


RESULT 6
US-09-644-668A-9
; Sequence 9, Application US/09644668A
; Patent No. 6984720
; GENERAL INFORMATION:
;  APPLICANT: Korman, Alan J.
;  APPLICANT:  Halk, Edward L.
;  APPLICANT:  Lonberg, Nils
;  APPLICANT:  Medarex, Inc.
;  TITLE OF INVENTION: Human CTLA-4 Antibodies and Their Uses
;  FILE REFERENCE: 014643-010510US
;  CURRENT APPLICATION NUMBER: US/09/644,668A
;  CURRENT FILING DATE:  2000-08-24
;  PRIOR APPLICATION NUMBER: US 60/150,452
;  PRIOR FILING DATE: 1999-08-24
;  NUMBER OF SEQ ID NOS: 41
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 9
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: light chain variable region predicted sequence for
;   OTHER INFORMATION: 4B6 from Vk A-27
US-09-644-668A-9

  Query Match            94.6%;  Score 528;  DB 2;  Length 108;
  Best Local Similarity  94.4%;  Pred. No. 2.5e-42;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||:||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSFLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108
```

```
RESULT 7
US-08-488-113B-150
; Sequence 150, Application US/08488113B
; Patent No. 5744580
;  GENERAL INFORMATION:
;    APPLICANT:  Better, Marc D.
;    APPLICANT:  Carroll, Stephen F.
;    APPLICANT:  Studnika, Gary M.
;    TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;    TITLE OF INVENTION:  Proteins
;    NUMBER OF SEQUENCES:  169
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;      STREET:  500 West Madison Street, 34th floor
;      CITY:  Chicago
;      STATE:  Illinois
;      COUNTRY:  USA
;      ZIP:  60661
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/488,113B
;      FILING DATE:  07-JUN-1995
;      CLASSIFICATION:  530
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/425,336
;      FILING DATE:  18-APR-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/064,691
;      FILING DATE:  12-MAY-1993
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/988,430
;      FILING DATE:  09-DEC-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/901,707
;      FILING DATE:  19-JUN-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/787,567
;      FILING DATE:  04-NOV-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  McNicholas, Janet M.
;      REGISTRATION NUMBER:  32,918
;      REFERENCE/DOCKET NUMBER:  11022US07/200-70.P3.C2A
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  312/707-8889
;      TELEFAX:  312/707-9155
;      TELEX:  650 388-1248
;  INFORMATION FOR SEQ ID NO:  150:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  108 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  double
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-08-488-113B-150

  Query Match             94.1%;  Score 525;  DB 1;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108
```

```
RESULT 8
US-08-477-484B-150
; Sequence 150, Application US/08477484B
; Patent No. 5756699
;  GENERAL INFORMATION:
;    APPLICANT:  Better, Marc D.
;    APPLICANT:  Carroll, Stephen F.
;    APPLICANT:  Studnika, Gary M.
;    TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;    TITLE OF INVENTION:  Proteins
;    NUMBER OF SEQUENCES:  169
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;      STREET:  500 West Madison Street, 34th floor
;      CITY:  Chicago
;      STATE:  Illinois
;      COUNTRY:  USA
;      ZIP:  60661
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/477,484B
;      FILING DATE:  07-JUN-1995
;      CLASSIFICATION:  530
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/425,336
;      FILING DATE:  18-APR-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/064,691
;      FILING DATE:  12-MAY-1993
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/988,430
;      FILING DATE:  09-DEC-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/901,707
;      FILING DATE:  19-JUN-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/787,567
;      FILING DATE:  04-NOV-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  McNicholas, Janet M.
;      REGISTRATION NUMBER:  32,918
;      REFERENCE/DOCKET NUMBER:  11022US07/200-70.P3.C2A
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  312/707-8889
;      TELEFAX:  312/707-9155
;      TELEX:  650 388-1248
;  INFORMATION FOR SEQ ID NO:  150:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  108 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  double
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-08-477-484B-150

  Query Match             94.1%;  Score 525;  DB 1;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108
```

```
RESULT 9
US-08-646-360-150
; Sequence 150, Application US/08646360
; Patent No. 5837491
;  GENERAL INFORMATION:
;    APPLICANT:  Better, Marc D.
;    APPLICANT:  Carroll, Stephen F.
;    APPLICANT:  Studnika, Gary M.
;    TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;    TITLE OF INVENTION:  Proteins
;    NUMBER OF SEQUENCES:  173
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;      STREET:  500 West Madison Street, 34th floor
;      CITY:  Chicago
;      STATE:  Illinois
;      COUNTRY:  USA
;      ZIP:  60661
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/646,360
;      FILING DATE:  13-MAY-1996
;      CLASSIFICATION:  530
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  PCT/US94/05348
;      FILING DATE:  12-MAY-1994
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/064,691
;      FILING DATE:  12-MAY-1993
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/988,430
;      FILING DATE:  09-DEC-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/901,707
;      FILING DATE:  19-JUN-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/787,567
;      FILING DATE:  04-NOV-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  McNicholas, Janet M.
;      REGISTRATION NUMBER:  32,918
;      REFERENCE/DOCKET NUMBER:  200-70.P4
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  312/707-8889
;      TELEFAX:  312/707-9155
;      TELEX:  650 388-1248
;  INFORMATION FOR SEQ ID NO:  150:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  108 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  double
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-08-646-360-150

  Query Match           94.1%;  Score 525;  DB 1;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108


RESULT 10
```

```
US-08-839-765-150
; Sequence 150, Application US/08839765
; Patent No. 6146631
;  GENERAL INFORMATION:
;    APPLICANT:  Better, Marc D.
;    APPLICANT:  Carroll, Stephen F.
;    APPLICANT:  Studnika, Gary M.
;    TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;    TITLE OF INVENTION:  Proteins
;    NUMBER OF SEQUENCES:  169
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;      STREET:  500 West Madison Street, 34th floor
;      CITY:  Chicago
;      STATE:  Illinois
;      COUNTRY:  USA
;      ZIP:  60661
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/839,765
;      FILING DATE:  15-APR-1997
;      CLASSIFICATION:  530
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/425,336
;      FILING DATE:  18-APR-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/064,691
;      FILING DATE:  12-MAY-1993
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/988,430
;      FILING DATE:  09-DEC-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/901,707
;      FILING DATE:  19-JUN-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/787,567
;      FILING DATE:  04-NOV-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  McNicholas, Janet M.
;      REGISTRATION NUMBER:  32,918
;      REFERENCE/DOCKET NUMBER:  11022US09/200-70.P3.C3
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  312/707-8889
;      TELEFAX:  312/707-9155
;      TELEX:  650 388-1248
;  INFORMATION FOR SEQ ID NO:  150:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  108 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  double
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-08-839-765-150

  Query Match           94.1%;  Score 525;  DB 2;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108


RESULT 11
US-09-136-389-150
```

```
; Sequence 150, Application US/09136389
; Patent No. 6146850
; GENERAL INFORMATION:
;   APPLICANT:  Better, Marc D.
;   APPLICANT:  Carroll, Stephen F.
;   APPLICANT:  Studnika, Gary M.
;   TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;   TITLE OF INVENTION:  Proteins
;   NUMBER OF SEQUENCES:  173
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;     STREET:  500 West Madison Street, 34th floor
;     CITY:  Chicago
;     STATE:  Illinois
;     COUNTRY:  USA
;     ZIP:  60661
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE:  Floppy disk
;     COMPUTER:  IBM PC compatible
;     OPERATING SYSTEM:  PC-DOS/MS-DOS
;     SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER:  US/09/136,389
;     FILING DATE:
;     CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  08/646,360
;     FILING DATE:  13-MAY-1996
;     APPLICATION NUMBER:  PCT/US94/05348
;     FILING DATE:  12-MAY-1994
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 08/064,691
;     FILING DATE:  12-MAY-1993
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/988,430
;     FILING DATE:  09-DEC-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/901,707
;     FILING DATE:  19-JUN-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/787,567
;     FILING DATE:  04-NOV-1991
;   ATTORNEY/AGENT INFORMATION:
;     NAME:  McNicholas, Janet M.
;     REGISTRATION NUMBER:  32,918
;     REFERENCE/DOCKET NUMBER:  200-70.P4
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE:  312/707-8889
;     TELEFAX:  312/707-9155
;     TELEX:  650 388-1248
; INFORMATION FOR SEQ ID NO:  150:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  108 amino acids
;     TYPE:  amino acid
;     STRANDEDNESS:  double
;     TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-09-136-389-150

  Query Match             94.1%;  Score 525;  DB 2;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108


RESULT 12
```

```
US-09-610-838-150
; Sequence 150, Application US/09610838
; Patent No. 6376217
; GENERAL INFORMATION:
;   APPLICANT:  Better, Marc D.
;   APPLICANT:  Carroll, Stephen F.
;   APPLICANT:  Studnika, Gary M.
;   TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;   TITLE OF INVENTION:  Proteins
;   NUMBER OF SEQUENCES:  173
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;     STREET:  500 West Madison Street, 34th floor
;     CITY:  Chicago
;     STATE:  Illinois
;     COUNTRY:  USA
;     ZIP:  60661
;   COMPUTER READABLE FORM:
;     MEDIUM TYPE:  Floppy disk
;     COMPUTER:  IBM PC compatible
;     OPERATING SYSTEM:  PC-DOS/MS-DOS
;     SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;     APPLICATION NUMBER:  US/09/610,838
;     FILING DATE:  06-JUL-2000
;     CLASSIFICATION:
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US/09/136,389
;     FILING DATE:  18-AUG-1998
;     APPLICATION NUMBER:  08/646,360
;     FILING DATE:  13-MAY-1996
;     APPLICATION NUMBER:  PCT/US94/05348
;     FILING DATE:  12-MAY-1994
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 08/064,691
;     FILING DATE:  12-MAY-1993
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/988,430
;     FILING DATE:  09-DEC-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/901,707
;     FILING DATE:  19-JUN-1992
;   PRIOR APPLICATION DATA:
;     APPLICATION NUMBER:  US 07/787,567
;     FILING DATE:  04-NOV-1991
;   ATTORNEY/AGENT INFORMATION:
;     NAME:  McNicholas, Janet M.
;     REGISTRATION NUMBER:  32,918
;     REFERENCE/DOCKET NUMBER:  200-70.P4
;   TELECOMMUNICATION INFORMATION:
;     TELEPHONE:  312/707-8889
;     TELEFAX:  312/707-9155
;     TELEX:  650 388-1248
; INFORMATION FOR SEQ ID NO:  150:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  108 amino acids
;     TYPE:  amino acid
;     STRANDEDNESS:  double
;     TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-09-610-838-150

  Query Match             94.1%;  Score 525;  DB 2;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :|||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108
```

```
RESULT 13
US-09-711-485-150
; Sequence 150, Application US/09711485
; Patent No. 6649742
;  GENERAL INFORMATION:
;    APPLICANT:  Better, Marc D.
;    APPLICANT:  Carroll, Stephen F.
;    APPLICANT:  Studnika, Gary M.
;    TITLE OF INVENTION:  Immunotoxins Comprising Ribosome-Inactivating
;    TITLE OF INVENTION:  Proteins
;    NUMBER OF SEQUENCES:  169
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  McAndrews, Held & Malloy, Ltd.
;      STREET:  500 West Madison Street, 34th floor
;      CITY:  Chicago
;      STATE:  Illinois
;      COUNTRY:  USA
;      ZIP:  60661
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/711,485
;      FILING DATE:
;      CLASSIFICATION:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  08/839,765
;      FILING DATE:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/064,691
;      FILING DATE:  12-MAY-1993
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/988,430
;      FILING DATE:  09-DEC-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/901,707
;      FILING DATE:  19-JUN-1992
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/787,567
;      FILING DATE:  04-NOV-1991
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  McNicholas, Janet M.
;      REGISTRATION NUMBER:  32,918
;      REFERENCE/DOCKET NUMBER:  11022US09/200-70.P3.C3
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  312/707-8889
;      TELEFAX:  312/707-9155
;      TELEX:  650 388-1248
;  INFORMATION FOR SEQ ID NO:  150:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  108 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  double
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-711-485-150

  Query Match             94.1%;  Score 525;  DB 2;  Length 108;
  Best Local Similarity   94.4%;  Pred. No. 4.7e-42;
  Matches  102;  Conservative    2;  Mismatches    4;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||| |||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPGDFAVYYCQQYGSSPXTFGQGTKVEIK 108
```

```
RESULT 14
US-09-456-090A-50
; Sequence 50, Application US/09456090A
; Patent No. 6680209
; GENERAL INFORMATION:
;  APPLICANT: Buechler, Joe
;  APPLICANT:  Valkirs, Gunars
;  APPLICANT:  Gray, Jeff
;  APPLICANT:  Lonberg, Nils
;  TITLE OF INVENTION: HUMAN ANTIBODIES AS DIAGNOSTIC REAGENTS
;  FILE REFERENCE: 020015-000200US
;  CURRENT APPLICATION NUMBER: US/09/456,090A
;  CURRENT FILING DATE:  1999-12-06
;  NUMBER OF SEQ ID NOS: 110
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 50
;   LENGTH: 226
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   OTHER INFORMATION: M1-23L
US-09-456-090A-50

  Query Match             94.0%;  Score 524.5;  DB 2;  Length 226;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-41;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSS-PCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| | :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPPYTFGQGTKLEIK 109


RESULT 15
US-09-456-090A-86
; Sequence 86, Application US/09456090A
; Patent No. 6680209
; GENERAL INFORMATION:
;  APPLICANT: Buechler, Joe
;  APPLICANT:  Valkirs, Gunars
;  APPLICANT:  Gray, Jeff
;  APPLICANT:  Lonberg, Nils
;  TITLE OF INVENTION: HUMAN ANTIBODIES AS DIAGNOSTIC REAGENTS
;  FILE REFERENCE: 020015-000200US
;  CURRENT APPLICATION NUMBER: US/09/456,090A
;  CURRENT FILING DATE:  1999-12-06
;  NUMBER OF SEQ ID NOS: 110
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 86
;   LENGTH: 226
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   OTHER INFORMATION: M2-33L
US-09-456-090A-86

  Query Match             94.0%;  Score 524.5;  DB 2;  Length 226;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-41;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSS-PCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| | :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPPYTFGQGTKLEIK 109


Search completed: April 25, 2007, 04:08:33
Job time : 14.5763 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 40 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	108	4	US-10-041-860-49	Sequence 49, Appl
2	558	100.0	108	4	US-10-041-860-225	Sequence 225, App
3	558	100.0	108	4	US-10-041-860-259	Sequence 259, App
4	558	100.0	108	4	US-10-041-860-375	Sequence 375, App
5	558	100.0	108	4	US-10-665-383-4	Sequence 4, Appli
6	535	95.9	108	5	US-10-891-658-84	Sequence 84, Appl
7	535	95.9	108	5	US-10-891-658-131	Sequence 131, App
8	535	95.9	128	5	US-10-910-901-18	Sequence 18, Appl
9	533	95.5	108	4	US-10-309-762-156	Sequence 156, App
10	533	95.5	130	4	US-10-693-629-46	Sequence 46, Appl
11	532	95.3	108	4	US-10-307-724-123	Sequence 123, App
12	532	95.3	108	5	US-10-737-290-123	Sequence 123, App
13	532	95.3	109	5	US-10-725-962-27	Sequence 27, Appl
14	532	95.3	120	5	US-10-506-743-2	Sequence 2, Appli
15	532	95.3	130	5	US-10-737-290-161	Sequence 161, App
16	532	95.3	215	4	US-10-307-724-122	Sequence 122, App
17	532	95.3	215	5	US-10-737-290-122	Sequence 122, App
18	532	95.3	239	5	US-10-737-290-142	Sequence 142, App
19	530	95.0	384	4	US-10-291-265-804	Sequence 804, App
20	530	95.0	384	4	US-10-291-265-805	Sequence 805, App
21	530	95.0	384	4	US-10-291-265-806	Sequence 806, App
22	530	95.0	384	4	US-10-291-265-807	Sequence 807, App
23	530	95.0	384	6	US-11-000-463-804	Sequence 804, App
24	530	95.0	384	6	US-11-000-463-805	Sequence 805, App
25	530	95.0	384	6	US-11-000-463-806	Sequence 806, App
26	530	95.0	384	6	US-11-000-463-807	Sequence 807, App
27	529	94.8	108	4	US-10-269-711-21	Sequence 21, Appl
28	529	94.8	108	4	US-10-684-109-21	Sequence 21, Appl
29	529	94.8	109	5	US-10-834-397-16	Sequence 16, Appl
30	528	94.6	108	3	US-09-948-939-9	Sequence 9, Appli
31	528	94.6	108	6	US-11-040-846-9	Sequence 9, Appli
32	528	94.6	247	6	US-11-056-825-8	Sequence 8, Appli
33	528	94.6	249	6	US-11-056-825-4	Sequence 4, Appli
34	526	94.3	108	4	US-10-338-366-4	Sequence 4, Appli
35	526	94.3	108	5	US-10-850-635-6	Sequence 6, Appli
36	526	94.3	109	4	US-10-371-942-112	Sequence 112, App
37	526	94.3	109	5	US-10-726-332-210	Sequence 210, App
38	526	94.3	109	5	US-10-938-353-114	Sequence 114, App
39	526	94.3	235	5	US-10-938-353-60	Sequence 60, Appl
40	525.5	94.2	131	4	US-10-478-056-27	Sequence 27, Appl
41	525.5	94.2	131	5	US-10-721-763-27	Sequence 27, Appl
42	525	94.1	106	4	US-10-309-762-163	Sequence 163, App
43	525	94.1	108	4	US-10-127-890-150	Sequence 150, App
44	525	94.1	108	5	US-10-717-243-150	Sequence 150, App
45	524.5	94.0	109	4	US-10-073-644C-8	Sequence 8, Appli

ALIGNMENTS

RESULT 1
US-10-041-860-49
; Sequence 49, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 49
; LENGTH: 108
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-49

Query Match 100.0%; Score 558; DB 4; Length 108;
Best Local Similarity 100.0%; Pred. No. 5e-40;
Matches 108; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
```

RESULT 2
US-10-041-860-225
; Sequence 225, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi

```
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 225
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-225

  Query Match            100.0%;  Score 558;  DB 4;  Length 108;
  Best Local Similarity  100.0%;  Pred. No. 5e-40;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 3
US-10-041-860-259
; Sequence 259, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 259
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-259

  Query Match            100.0%;  Score 558;  DB 4;  Length 108;
  Best Local Similarity  100.0%;  Pred. No. 5e-40;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 4
US-10-041-860-375
; Sequence 375, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 375
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-375

  Query Match            100.0%;  Score 558;  DB 4;  Length 108;
  Best Local Similarity  100.0%;  Pred. No. 5e-40;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 5
US-10-665-383-4
; Sequence 4, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 4
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-4

  Query Match            100.0%;  Score 558;  DB 4;  Length 108;
  Best Local Similarity  100.0%;  Pred. No. 5e-40;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 6
US-10-891-658-84
```

```
; Sequence 84, Application US/10891658
; Publication No. US20050074821A1
; GENERAL INFORMATION:
;  APPLICANT: Kenneth, Wild
;  APPLICANT:  Treanor, James
;  APPLICANT:  Huang, Haichun
;  APPLICANT:  Inoue, Heather
;  APPLICANT:  Zhang, Tie J.
;  APPLICANT:  Martin, Frank
;  TITLE OF INVENTION: Human anti-NGF Neutralizing Antibodies as Selective NGF Pathway
;  TITLE OF INVENTION:  Inhibitors
;  FILE REFERENCE: 02-1240
;  CURRENT APPLICATION NUMBER: US/10/891,658
;  CURRENT FILING DATE:  2004-07-15
;  PRIOR APPLICATION NUMBER: US 60/487,431
;  PRIOR FILING DATE: 2003-07-15
;  NUMBER OF SEQ ID NOS: 138
;  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 84
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapien
US-10-891-658-84

  Query Match            95.9%;  Score 535;  DB 5;  Length 108;
  Best Local Similarity   96.3%;  Pred. No. 4.5e-38;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYVASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108


RESULT 7
US-10-891-658-131
; Sequence 131, Application US/10891658
; Publication No. US20050074821A1
; GENERAL INFORMATION:
;  APPLICANT: Kenneth, Wild
;  APPLICANT:  Treanor, James
;  APPLICANT:  Huang, Haichun
;  APPLICANT:  Inoue, Heather
;  APPLICANT:  Zhang, Tie J.
;  APPLICANT:  Martin, Frank
;  TITLE OF INVENTION: Human anti-NGF Neutralizing Antibodies as Selective NGF Pathway
;  TITLE OF INVENTION:  Inhibitors
;  FILE REFERENCE: 02-1240
;  CURRENT APPLICATION NUMBER: US/10/891,658
;  CURRENT FILING DATE:  2004-07-15
;  PRIOR APPLICATION NUMBER: US 60/487,431
;  PRIOR FILING DATE: 2003-07-15
;  NUMBER OF SEQ ID NOS: 138
;  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 131
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapien
US-10-891-658-131

  Query Match            95.9%;  Score 535;  DB 5;  Length 108;
  Best Local Similarity   96.3%;  Pred. No. 4.5e-38;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108


RESULT 8
US-10-910-901-18
; Sequence 18, Application US/10910901
; Publication No. US20050054019A1
; GENERAL INFORMATION:
;  APPLICANT: MICHAUD, NEIL R., et al.
;  TITLE OF INVENTION: ANTIBODIES TO c-MET
;  FILE REFERENCE: ABX-PF5
;  CURRENT APPLICATION NUMBER: US/10/910,901
;  CURRENT FILING DATE:  2004-08-03
;  PRIOR APPLICATION NUMBER: US 60/492,432
;  PRIOR FILING DATE: 2003-08-04
;  NUMBER OF SEQ ID NOS: 34
;  SOFTWARE: PatentIn Ver. 3.2
; SEQ ID NO 18
;   LENGTH: 128
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-910-901-18

  Query Match            95.9%;  Score 535;  DB 5;  Length 128;
  Best Local Similarity   96.3%;  Pred. No. 5.4e-38;
  Matches  104;  Conservative    1;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :||||||||||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 128


RESULT 9
US-10-309-762-156
; Sequence 156, Application US/10309762
; Publication No. US20040018198A1
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  APPLICANT:  Foltz, Ian
;  APPLICANT:  Handa, Masahisa
;  APPLICANT:  Gallo, Michael
;  TITLE OF INVENTION: ANTIBODIES AGAINST CARBOXIC ANHYDRASE IX
;  TITLE OF INVENTION:  (CA IX) TUMOR ANTIGEN
;  FILE REFERENCE: ABGENIX.027A
;  CURRENT APPLICATION NUMBER: US/10/309,762
;  CURRENT FILING DATE:  2002-12-02
;  PRIOR APPLICATION NUMBER: 60/337275
;  PRIOR FILING DATE: 2001-12-03
;  NUMBER OF SEQ ID NOS: 246
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 156
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-309-762-156

  Query Match            95.5%;  Score 533;  DB 4;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 6.7e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108
```

```
RESULT 10
US-10-693-629-46
; Sequence 46, Application US/10693629
; Publication No. US20040120948A1
; GENERAL INFORMATION:
;  APPLICANT: KIRIN BEER KABUSHIKI KAISHA
;  APPLICANT:  MIKAYAMA, Toshifumi
;  APPLICANT:  YOSHIDA, Hitoshi
;  APPLICANT:  FORCE, Walker, R.
;  APPLICANT:  CHEN, Xingjie
;  APPLICANT:  TAKAHASHI, Nobuaki
;  TITLE OF INVENTION: ANTI CD40 MONOCLONAL ANTIBODY
;  FILE REFERENCE: 021286-0306473
;  CURRENT APPLICATION NUMBER: US/10/693,629
;  CURRENT FILING DATE:  2003-11-13
;  PRIOR APPLICATION NUMBER: PCT/US01/13672
;  PRIOR FILING DATE: 2001-04-27
;  PRIOR APPLICATION NUMBER: US09/844,684
;  PRIOR FILING DATE: 2001-04-27
;  PRIOR APPLICATION NUMBER: JP2001/142482
;  PRIOR FILING DATE: 2001-05-11
;  PRIOR APPLICATION NUMBER: JP2001/310535
;  PRIOR FILING DATE: 2001-10-05
;  PRIOR APPLICATION NUMBER: US10/040,244
;  PRIOR FILING DATE: 2001-10-26
;  NUMBER OF SEQ ID NOS: 66
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 46
;   LENGTH: 130
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-693-629-46

  Query Match             95.5%;  Score 533;  DB 4;  Length 130;
  Best Local Similarity   95.4%;  Pred. No. 8.1e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 128


RESULT 11
US-10-307-724-123
; Sequence 123, Application US/10307724
; Publication No. US20030232972A1
; GENERAL INFORMATION:
;  APPLICANT: Bowdish, Katherine S.
;  APPLICANT:  Frederickson, Shana
;  APPLICANT:  Renshaw, Mark
;  TITLE OF INVENTION: RATIONALLY DESIGNED ANTIBODIES
;  FILE REFERENCE: 1087-2cip
;  CURRENT APPLICATION NUMBER: US/10/307,724
;  CURRENT FILING DATE:  2002-12-02
;  PRIOR APPLICATION NUMBER: US 60/251,448
;  PRIOR FILING DATE: 2000-12-05
;  PRIOR APPLICATION NUMBER: US 60/288,889
;  PRIOR FILING DATE: 2001-05-04
;  PRIOR APPLICATION NUMBER: US 60/294,068
;  PRIOR FILING DATE: 2001-05-29
;  PRIOR APPLICATION NUMBER: US 10/006,593
;  PRIOR FILING DATE: 2001-12-05
;  NUMBER OF SEQ ID NOS: 134
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 123
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: artificial sequence
;   FEATURE:
;   OTHER INFORMATION: antibody light chain variable region
US-10-307-724-123

  Query Match             95.3%;  Score 532;  DB 4;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 8.2e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108


RESULT 12
US-10-737-290-123
; Sequence 123, Application US/10737290
; Publication No. US20040253242A1
; GENERAL INFORMATION:
;  APPLICANT: Bowdish, Katherine S.
;  APPLICANT:  Frederickson, Shana
;  APPLICANT:  Renshaw, Mark
;  APPLICANT:  Orencia, Cecilia
;  TITLE OF INVENTION: RATIONALLY DESIGNED ANTIBODIES
;  FILE REFERENCE: 1087-2 CIP III
;  CURRENT APPLICATION NUMBER: US/10/737,290
;  CURRENT FILING DATE:  2003-12-15
;  PRIOR APPLICATION NUMBER: US 10/452,590
;  PRIOR FILING DATE: 2003-06-02
;  PRIOR APPLICATION NUMBER: US 10/307,724
;  PRIOR FILING DATE: 2002-12-02
;  PRIOR APPLICATION NUMBER: US 10/006,593
;  PRIOR FILING DATE: 2001-12-05
;  PRIOR APPLICATION NUMBER: US 60/251,448
;  PRIOR FILING DATE: 2000-12-05
;  PRIOR APPLICATION NUMBER: US 60/288,889
;  PRIOR FILING DATE: 2001-05-04
;  PRIOR APPLICATION NUMBER: US 60/294,068
;  PRIOR FILING DATE: 2001-05-29
;  NUMBER OF SEQ ID NOS: 193
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 123
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: artificial sequence
;   FEATURE:
;   OTHER INFORMATION: antibody light chain variable region
US-10-737-290-123

  Query Match             95.3%;  Score 532;  DB 5;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 8.2e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108


RESULT 13
US-10-725-962-27
; Sequence 27, Application US/10725962
; Publication No. US20050013809A1
; GENERAL INFORMATION:
;  APPLICANT: Samuel M. Owens
;  APPLICANT:  Frank I. Carroll
;  APPLICANT:  Philip Abraham
;  APPLICANT:  Melinda G. Gunnell
```

```
;  APPLICANT:  Mary Haak-Frendscho
;  APPLICANT:  Xiao Feng
;  TITLE OF INVENTION: ANTIBODIES AGAINST DRUGS OF ABUSE
;  FILE REFERENCE: ABGENIX.071A
;  CURRENT APPLICATION NUMBER: US/10/725,962
;  CURRENT FILING DATE:  2003-12-02
;  PRIOR APPLICATION NUMBER: 60/430717
;  PRIOR FILING DATE: 2002-12-02
;  NUMBER OF SEQ ID NOS: 141
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 27
;   LENGTH: 109
;   TYPE: PRT
;   ORGANISM: Mus musculus
US-10-725-962-27

  Query Match             95.3%;  Score 532;  DB 5;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 8.3e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108
.

RESULT 14
US-10-506-743-2
; Sequence 2, Application US/10506743
; Publication No. US20050106140A1
; GENERAL INFORMATION:
;  APPLICANT: Lancaster, Joanne  Sloan
;  TITLE OF INVENTION: Antagonistic Anti-hFas Ligand Human Antibodies and Fragments
;  TITLE OF INVENTION:  Thereof
;  FILE REFERENCE: X15450 - National Stage
;  CURRENT APPLICATION NUMBER: US/10/506,743
;  CURRENT FILING DATE:  2004-09-03
;  PRIOR APPLICATION NUMBER: 60/367,054
;  PRIOR FILING DATE: 2002-03-21
;  NUMBER OF SEQ ID NOS: 24
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 2
;   LENGTH: 120
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-506-743-2

  Query Match             95.3%;  Score 532;  DB 5;  Length 120;
  Best Local Similarity   95.4%;  Pred. No. 9.1e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108


RESULT 15
US-10-737-290-161
; Sequence 161, Application US/10737290
; Publication No. US20040253242A1
; GENERAL INFORMATION:
;  APPLICANT: Bowdish, Katherine S.
;  APPLICANT:  Frederickson, Shana
;  APPLICANT:  Renshaw, Mark
;  APPLICANT:  Orencia, Cecilia
;  TITLE OF INVENTION: RATIONALLY DESIGNED ANTIBODIES
;  FILE REFERENCE: 1087-2 CIP III
;  CURRENT APPLICATION NUMBER: US/10/737,290
;  CURRENT FILING DATE:  2003-12-15
;  PRIOR APPLICATION NUMBER: US 10/452,590
;  PRIOR FILING DATE: 2003-06-02
;  PRIOR APPLICATION NUMBER: US 10/307,724
;  PRIOR FILING DATE: 2002-12-02
;  PRIOR APPLICATION NUMBER: US 10/006,593
;  PRIOR FILING DATE: 2001-12-05
;  PRIOR APPLICATION NUMBER: US 60/251,448
;  PRIOR FILING DATE: 2000-12-05
;  PRIOR APPLICATION NUMBER: US 60/288,889
;  PRIOR FILING DATE: 2001-05-04
;  PRIOR APPLICATION NUMBER: US 60/294,068
;  PRIOR FILING DATE: 2001-05-29
;  NUMBER OF SEQ ID NOS: 193
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 161
;   LENGTH: 130
;   TYPE: PRT
;   ORGANISM: artificial sequence
;   FEATURE:
;   OTHER INFORMATION: recombinant Ab Vk
US-10-737-290-161

  Query Match             95.3%;  Score 532;  DB 5;  Length 130;
  Best Local Similarity   95.4%;  Pred. No. 9.8e-38;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         23 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 82

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||| :||||||:|||
Db         83 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 130


Search completed: April 25, 2007, 04:22:51
Job time : 39.9661 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 42 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-4
Perfect score: 558
Sequence: 1 EIVLTQSPGTLSLSPGERAT.....CQQYGSSPCSFGQGTKLEIK 108

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	108	7	US-11-109-181-49	Sequence 49, Appl
2	558	100.0	108	7	US-11-109-181-225	Sequence 225, App
3	558	100.0	108	7	US-11-109-181-259	Sequence 259, App
4	558	100.0	108	7	US-11-109-181-375	Sequence 375, App
5	538	96.4	108	7	US-11-517-530-8	Sequence 8, Appli
6	538	96.4	215	7	US-11-517-530-4	Sequence 4, Appli
7	536	96.1	108	7	US-11-433-924-180	Sequence 180, App
8	533	95.5	108	7	US-11-517-530-132	Sequence 132, App
9	533	95.5	130	7	US-11-633-716-46	Sequence 46, Appl
10	532	95.3	108	7	US-11-517-530-127	Sequence 127, App
11	532	95.3	109	7	US-11-311-939-628	Sequence 628, App
12	532	95.3	215	7	US-11-517-530-102	Sequence 102, App
13	531	95.2	108	7	US-11-009-410-23	Sequence 23, Appl
14	528	94.6	108	7	US-11-009-410-22	Sequence 22, Appl
15	528	94.6	108	7	US-11-009-410-24	Sequence 24, Appl
16	527	94.4	108	7	US-11-517-530-60	Sequence 60, Appl
17	526	94.3	108	7	US-11-241-154-4	Sequence 4, Appli
18	526	94.3	109	7	US-11-375-221-114	Sequence 114, App
19	526	94.3	235	7	US-11-375-221-60	Sequence 60, Appl
20	525	94.1	108	7	US-11-517-530-64	Sequence 64, Appl
21	524	93.9	108	7	US-11-517-530-135	Sequence 135, App
22	523	93.7	108	7	US-11-211-917-113	Sequence 113, App
23	523	93.7	109	7	US-11-311-939-659	Sequence 659, App
24	522.5	93.6	109	7	US-11-582-745-8	Sequence 8, Appli
25	522	93.5	108	7	US-11-145-131A-16	Sequence 16, Appl
26	522	93.5	108	7	US-11-396-495-5	Sequence 5, Appli
27	522	93.5	108	7	US-11-433-924-176	Sequence 176, App
28	522	93.5	108	7	US-11-433-924-332	Sequence 332, App
29	522	93.5	108	7	US-11-520-312-16	Sequence 16, Appl
30	522	93.5	215	7	US-11-396-495-13	Sequence 13, Appl
31	522	93.5	235	7	US-11-375-221-32	Sequence 32, Appl
32	521.5	93.5	109	7	US-11-588-696-14	Sequence 14, Appl
33	520.5	93.3	107	7	US-11-588-696-6	Sequence 6, Appli
34	520	93.2	108	7	US-11-517-530-20	Sequence 20, Appl
35	520	93.2	108	7	US-11-517-530-28	Sequence 28, Appl
36	520	93.2	108	7	US-11-517-530-68	Sequence 68, Appl
37	518	92.8	108	7	US-11-328-483-178	Sequence 178, App
38	518	92.8	108	7	US-11-433-924-48	Sequence 48, Appl
39	518	92.8	108	7	US-11-433-924-296	Sequence 296, App
40	518	92.8	108	7	US-11-517-530-16	Sequence 16, Appl
41	518	92.8	109	7	US-11-311-939-87	Sequence 87, Appl
42	518	92.8	235	7	US-11-375-221-44	Sequence 44, Appl
43	517.5	92.7	109	7	US-11-588-696-10	Sequence 10, Appl
44	517	92.7	108	7	US-11-433-924-44	Sequence 44, Appl
45	517	92.7	108	7	US-11-433-924-184	Sequence 184, App

ALIGNMENTS

RESULT 1
US-11-109-181-49
; Sequence 49, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 49
; LENGTH: 108
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-49

Query Match 100.0%; Score 558; DB 7; Length 108;
Best Local Similarity 100.0%; Pred. No. 5.1e-44;
Matches 108; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
```

RESULT 2
US-11-109-181-225
; Sequence 225, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 225
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-225

  Query Match             100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 5.1e-44;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 3
US-11-109-181-259
; Sequence 259, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 259
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-259

  Query Match             100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 5.1e-44;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 4
US-11-109-181-375
; Sequence 375, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 375
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-375

  Query Match             100.0%;  Score 558;  DB 7;  Length 108;
  Best Local Similarity   100.0%;  Pred. No. 5.1e-44;
  Matches  108;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              ||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108


RESULT 5
US-11-517-530-8
; Sequence 8, Application US/11517530
; Publication No. US20070065444A1
; GENERAL INFORMATION:
;  APPLICANT: Pfizer Inc.
;  APPLICANT:  Amgen Fremont Inc.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES TO ACTIVIN RECEPTOR-LIKE KINASE-1
;  FILE REFERENCE: ABX-PF9 PROV
;  CURRENT APPLICATION NUMBER: US/11/517,530
;  CURRENT FILING DATE:  2006-09-06
;  NUMBER OF SEQ ID NOS: 136
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 8
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Human
US-11-517-530-8

  Query Match             96.4%;  Score 538;  DB 7;  Length 108;
  Best Local Similarity   96.3%;  Pred. No. 3.5e-42;
  Matches  104;  Conservative    2;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||| |||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGTSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108
```

```
RESULT 6
US-11-517-530-4
; Sequence 4, Application US/11517530
; Publication No. US20070065444A1
; GENERAL INFORMATION:
;  APPLICANT: Pfizer Inc.
;  APPLICANT:  Amgen Fremont Inc.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES TO ACTIVIN RECEPTOR-LIKE KINASE-1
;  FILE REFERENCE: ABX-PF9 PROV
;  CURRENT APPLICATION NUMBER: US/11/517,530
;  CURRENT FILING DATE:  2006-09-06
;  NUMBER OF SEQ ID NOS: 136
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 4
;   LENGTH: 215
;   TYPE: PRT
;   ORGANISM: Human
US-11-517-530-4

  Query Match             96.4%;  Score 538;  DB 7;  Length 215;
  Best Local Similarity   96.3%;  Pred. No. 7e-42;
  Matches  104;  Conservative    2;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||| ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGTSSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108


RESULT 7
US-11-433-924-180
; Sequence 180, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Belouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 180
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-180

  Query Match             96.1%;  Score 536;  DB 7;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 5.4e-42;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||:||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSISSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||: ||||||||||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSAMCSFGQGTKLEIK 108


RESULT 8
US-11-517-530-132
; Sequence 132, Application US/11517530
; Publication No. US20070065444A1
; GENERAL INFORMATION:
;  APPLICANT: Pfizer Inc.
;  APPLICANT:  Amgen Fremont Inc.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES TO ACTIVIN RECEPTOR-LIKE KINASE-1
;  FILE REFERENCE: ABX-PF9 PROV
;  CURRENT APPLICATION NUMBER: US/11/517,530
;  CURRENT FILING DATE:  2006-09-06
;  NUMBER OF SEQ ID NOS: 136
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 132
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Human
US-11-517-530-132

  Query Match             95.5%;  Score 533;  DB 7;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 1e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||||| :|||||:||||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108


RESULT 9
US-11-633-716-46
; Sequence 46, Application US/11633716
; Publication No. US20070077242A1
; GENERAL INFORMATION:
;  APPLICANT: KIRIN BEER KABUSHIKI KAISHA
;  APPLICANT:  MIKAYAMA, Toshifumi
;  APPLICANT:  YOSHIDA, Hitoshi
;  APPLICANT:  FORCE, Walker, R.
;  APPLICANT:  CHEN, Xingjie
;  APPLICANT:  TAKAHASHI, Nobuaki
;  TITLE OF INVENTION: ANTI CD40 MONOCLONAL ANTIBODY
;  FILE REFERENCE: 021286-0358923
;  CURRENT APPLICATION NUMBER: US/11/633,716
;  CURRENT FILING DATE:  2006-12-05
;  PRIOR APPLICATION NUMBER: 10/693,629
;  PRIOR FILING DATE: 2003-10-23
;  PRIOR APPLICATION NUMBER: PCT/US01/13672
;  PRIOR FILING DATE: 2001-04-27
;  PRIOR APPLICATION NUMBER: US09/844,684
;  PRIOR FILING DATE: 2001-04-27
;  PRIOR APPLICATION NUMBER: JP2001/142482
;  PRIOR FILING DATE: 2001-05-11
;  PRIOR APPLICATION NUMBER: JP2001/310535
;  PRIOR FILING DATE: 2001-10-05
;  PRIOR APPLICATION NUMBER: US10/040,244
;  PRIOR FILING DATE: 2001-10-26
;  NUMBER OF SEQ ID NOS: 66
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 46
;   LENGTH: 130
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-633-716-46

  Query Match             95.5%;  Score 533;  DB 7;  Length 130;
  Best Local Similarity   95.4%;  Pred. No. 1.2e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||  ||||||||
Db         21 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 80
```

```
Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               ||||||||||||||||||||||||||||||||||| :|||||:||||
Db          81 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 128


RESULT 10
US-11-517-530-127
; Sequence 127, Application US/11517530
; Publication No. US20070065444A1
; GENERAL INFORMATION:
;  APPLICANT: Pfizer Inc.
;  APPLICANT:  Amgen Fremont Inc.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES TO ACTIVIN RECEPTOR-LIKE KINASE-1
;  FILE REFERENCE: ABX-PF9 PROV
;  CURRENT APPLICATION NUMBER: US/11/517,530
;  CURRENT FILING DATE:  2006-09-06
;  NUMBER OF SEQ ID NOS: 136
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 127
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Human
US-11-517-530-127

  Query Match             95.3%;  Score 532;  DB 7;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 1.3e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               |||||||||||||||||| |||||||||||||||||||||||||||||| |||||||||
Db           1 EIVLTQSPGTLSLSPGERDTLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGTSSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               |||||||||||||||||||||||||||||||||| :|||||:||||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108


RESULT 11
US-11-311-939-628
; Sequence 628, Application US/11311939
; Publication No. US20060246071A1
; GENERAL INFORMATION:
;  APPLICANT: Green, Larry L.
;  APPLICANT:  Zhou, Qing
;  APPLICANT:  Keyt, Bruce A.
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Emery, Stephen
;  APPLICANT:  Blakey, David C.
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO ANGIOPOIETIN-2
;  TITLE OF INVENTION:  AND USES THEREOF
;  FILE REFERENCE: ABXAZ.002A
;  CURRENT APPLICATION NUMBER: US/11/311,939
;  CURRENT FILING DATE:  2005-12-19
;  PRIOR APPLICATION NUMBER: US 60/638,354
;  PRIOR FILING DATE: 2004-12-21
;  PRIOR APPLICATION NUMBER: US 60/711,289
;  PRIOR FILING DATE: 2005-08-25
;  NUMBER OF SEQ ID NOS: 662
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 628
;   LENGTH: 109
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-311-939-628

  Query Match             95.3%;  Score 532;  DB 7;  Length 109;
  Best Local Similarity   95.4%;  Pred. No. 1.3e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               |||||||||||||||||||||||||||||||||||||||||||||||| ||||||||
Db           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               |||||||||||||||||||||||||||||||||| :|||||:||||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPWTFGQGTKVEIK 108


RESULT 12
US-11-517-530-102
; Sequence 102, Application US/11517530
; Publication No. US20070065444A1
; GENERAL INFORMATION:
;  APPLICANT: Pfizer Inc.
;  APPLICANT:  Amgen Fremont Inc.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES TO ACTIVIN RECEPTOR-LIKE KINASE-1
;  FILE REFERENCE: ABX-PF9 PROV
;  CURRENT APPLICATION NUMBER: US/11/517,530
;  CURRENT FILING DATE:  2006-09-06
;  NUMBER OF SEQ ID NOS: 136
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 102
;   LENGTH: 215
;   TYPE: PRT
;   ORGANISM: Human
US-11-517-530-102

  Query Match             95.3%;  Score 532;  DB 7;  Length 215;
  Best Local Similarity   95.4%;  Pred. No. 2.5e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               |||||||||||||||||| |||||||||||||||||||||||||||||| |||||||||
Db           1 EIVLTQSPGTLSLSPGERDTLSCRASQSVSSSYLAWYQQKPGQAPRLLIYGTSSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               |||||||||||||||||||||||||||||||||| :|||||:||||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPITFGQGTRLEIK 108


RESULT 13
US-11-009-410-23
; Sequence 23, Application US/11009410
; Publication No. US20070014724A1
; GENERAL INFORMATION:
;  APPLICANT: Witte, Alison
;  APPLICANT:  Williams, Denise
;  APPLICANT:  Cardarelli, Josephine M.
;  APPLICANT:  King, David
;  APPLICANT:  Passmore, David
;  TITLE OF INVENTION: INTERFERON ALPHA ANTIBODIES AND THEIR USES
;  FILE REFERENCE: 04280/1200696-US1
;  CURRENT APPLICATION NUMBER: US/11/009,410
;  CURRENT FILING DATE:  2004-12-10
;  PRIOR APPLICATION NUMBER: 60/528,757
;  PRIOR FILING DATE: 2003-12-10
;  NUMBER OF SEQ ID NOS: 37
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 23
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-009-410-23

  Query Match             95.2%;  Score 531;  DB 7;  Length 108;
  Best Local Similarity   95.4%;  Pred. No. 1.6e-41;
  Matches  103;  Conservative    2;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
               |||||||||||||||||||||||||||||:||||||||||||||||  ||||||||
Db           1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSFLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
               |||||||||||||||||||||||||||||||||| :||||||||||
Db          61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPYTFGQGTKLEIK 108
```

```
RESULT 14
US-11-009-410-22
; Sequence 22, Application US/11009410
; Publication No. US20070014724A1
; GENERAL INFORMATION:
;  APPLICANT: Witte, Alison
;  APPLICANT:  Williams, Denise
;  APPLICANT:  Cardarelli, Josephine M.
;  APPLICANT:  King, David
;  APPLICANT:  Passmore, David
;  TITLE OF INVENTION: INTERFERON ALPHA ANTIBODIES AND THEIR USES
;  FILE REFERENCE: 04280/1200696-US1
;  CURRENT APPLICATION NUMBER: US/11/009,410
;  CURRENT FILING DATE:  2004-12-10
;  PRIOR APPLICATION NUMBER: 60/528,757
;  PRIOR FILING DATE: 2003-12-10
;  NUMBER OF SEQ ID NOS: 37
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 22
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-009-410-22

  Query Match           94.6%;  Score 528;  DB 7;  Length 108;
  Best Local Similarity  94.4%;  Pred. No. 2.9e-41;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSTYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPRTFGQGTKVEIK 108


RESULT 15
US-11-009-410-24
; Sequence 24, Application US/11009410
; Publication No. US20070014724A1
; GENERAL INFORMATION:
;  APPLICANT: Witte, Alison
;  APPLICANT:  Williams, Denise
;  APPLICANT:  Cardarelli, Josephine M.
;  APPLICANT:  King, David
;  APPLICANT:  Passmore, David
;  TITLE OF INVENTION: INTERFERON ALPHA ANTIBODIES AND THEIR USES
;  FILE REFERENCE: 04280/1200696-US1
;  CURRENT APPLICATION NUMBER: US/11/009,410
;  CURRENT FILING DATE:  2004-12-10
;  PRIOR APPLICATION NUMBER: 60/528,757
;  PRIOR FILING DATE: 2003-12-10
;  NUMBER OF SEQ ID NOS: 37
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 24
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-009-410-24

  Query Match           94.6%;  Score 528;  DB 7;  Length 108;
  Best Local Similarity  94.4%;  Pred. No. 2.9e-41;
  Matches  102;  Conservative    3;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSSYLAWYQQKPGQAPRLLIYATSSRATGIP 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||  ||||||||
Db          1 EIVLTQSPGTLSLSPGERATLSCRASQSVSSTYLAWYQQKPGQAPRLLIYGASSRATGIP 60

Qy         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPCSFGQGTKLEIK 108
              |||||||||||||||||||||||||||||||| :||||||:|||
Db         61 DRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPRTFGQGTKVEIK 108


Search completed: April 25, 2007, 04:27:44
Job time : 41.6441 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 109 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	666	100.0	126	7	ADK18597	Adk18597 Anti-huma
2	666	100.0	126	7	ADK18870	Adk18870 Anti-huma
3	666	100.0	126	7	ADK18812	Adk18812 Anti-huma
4	666	100.0	126	7	ADK18775	Adk18775 Anti-huma
5	666	100.0	126	8	ADL25412	Adl25412 Human mAb
6	605	90.8	126	7	ADK18925	Adk18925 Anti-huma
7	605	90.8	126	7	ADK18780	Adk18780 Anti-huma
8	605	90.8	126	7	ADK18616	Adk18616 Anti-huma
9	605	90.8	126	7	ADK18817	Adk18817 Anti-huma
10	605	90.8	126	8	ADL25448	Adl25448 Human mAb
11	604	90.7	126	7	ADK18864	Adk18864 Anti-huma
12	604	90.7	126	7	ADK18595	Adk18595 Anti-huma
13	604	90.7	126	7	ADK18777	Adk18777 Anti-huma
14	604	90.7	126	8	ADL25408	Adl25408 Human mAb
15	600	90.1	126	7	ADK18778	Adk18778 Anti-huma
16	600	90.1	126	7	ADK18613	Adk18613 Anti-huma
17	600	90.1	126	7	ADK18815	Adk18815 Anti-huma
18	600	90.1	126	8	ADL25464	Adl25464 Human mAb
19	593.5	89.1	125	7	ADK18614	Adk18614 Anti-huma
20	593.5	89.1	125	7	ADK18779	Adk18779 Anti-huma
21	593.5	89.1	125	7	ADK18919	Adk18919 Anti-huma
22	593.5	89.1	125	7	ADK18816	Adk18816 Anti-huma
23	593.5	89.1	125	8	ADL25444	Adl25444 Human mAb
24	593	89.0	122	6	ABR55829	Abr55829 Heavy cha
25	593	89.0	122	10	AEG17553	Aeg17553 Human ang
26	591.5	88.8	127	10	AEJ20382	Aej20382 Anti-IRTA
27	590	88.6	125	7	ADK18814	Adk18814 Anti-huma
28	584.5	87.8	119	10	AEH94456	Aeh94456 Anti-ten-
29	584.5	87.8	123	10	AEK98538	Aek98538 Human ant
30	580.5	87.2	127	7	ADK18620	Adk18620 Anti-huma
31	580.5	87.2	127	7	ADK18818	Adk18818 Anti-huma
32	580.5	87.2	127	7	ADK18781	Adk18781 Anti-huma
33	580.5	87.2	127	7	ADK18936	Adk18936 Anti-huma
34	580.5	87.2	127	8	ADL25456	Adl25456 Human mAb
35	567.5	85.2	125	7	ADK18776	Adk18776 Anti-huma
36	567.5	85.2	125	7	ADK18948	Adk18948 Anti-huma
37	567.5	85.2	125	7	ADK18624	Adk18624 Anti-huma
38	567.5	85.2	125	7	ADK18813	Adk18813 Anti-huma
39	567.5	85.2	125	8	ADL25392	Adl25392 Human mAb
40	564.5	84.8	123	10	AEK98534	Aek98534 Human ant
41	564.5	84.8	476	2	AAW88464	Aaw88464 Monoclona
42	559.5	84.0	123	9	AED87298	Aed87298 Fv2A7 hea
43	557.5	83.7	109	10	AEH94503	Aeh94503 Human ger
44	554	83.2	450	10	AEK98141	Aek98141 Human 161
45	553.5	83.1	199	2	AAY34302	Aay34302 IgM antib

ALIGNMENTS

RESULT 1
ADK18597
ID ADK18597 standard; protein; 126 AA.
XX
AC ADK18597;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 21; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 126 AA;

  Query Match           100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 2.8e-53;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 2
ADK18870
ID   ADK18870 standard; protein; 126 AA.
XX
AC   ADK18870;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #96.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 294; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match           100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 2.8e-53;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 3
ADK18812
ID   ADK18812 standard; protein; 126 AA.
XX
AC   ADK18812;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #38.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 236; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match           100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 2.8e-53;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
```

```
                ||||||
Db        121 TVTVSS 126


RESULT 4
ADK18775
ID   ADK18775 standard; protein; 126 AA.
XX
AC   ADK18775;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #1.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 199; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match           100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 2.8e-53;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
                ||||||
Db        121 TVTVSS 126


RESULT 5
ADL25412
ID   ADL25412 standard; protein; 126 AA.
XX
AC   ADL25412;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 1.19 heavy chain variable region protein SEQ ID NO:22.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J, Gazit-Bornstein G, Keyt B, Larochelle WJ, Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25411.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 22; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 126 AA;

  Query Match           100.0%;  Score 666;  DB 8;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 2.8e-53;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
                ||||||
Db        121 TVTVSS 126


RESULT 6
ADK18925
ID   ADK18925 standard; protein; 126 AA.
XX
```

AC ADK18925;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #151.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 349; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 126 AA;

Query Match 90.8%; Score 605; DB 7; Length 126;
Best Local Similarity 89.7%; Pred. No. 1.1e-47;
Matches 113; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||:|||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

RESULT 7
ADK18780
ID ADK18780 standard; protein; 126 AA.
XX
AC ADK18780;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #6.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 204; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 126 AA;

Query Match 90.8%; Score 605; DB 7; Length 126;
Best Local Similarity 89.7%; Pred. No. 1.1e-47;
Matches 113; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||:|||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

RESULT 8
ADK18616
ID ADK18616 standard; protein; 126 AA.
XX
AC ADK18616;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX

PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 40; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 126 AA;

Query Match 90.8%; Score 605; DB 7; Length 126;
Best Local Similarity 89.7%; Pred. No. 1.1e-47;
Matches 113; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

Qy 1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
Db 1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy 61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
Db 61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy 121 TVTVSS 126
Db 121 TVTVSS 126

RESULT 9
ADK18817
ID ADK18817 standard; protein; 126 AA.
XX
AC ADK18817;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #43.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 241; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 126 AA;

Query Match 90.8%; Score 605; DB 7; Length 126;
Best Local Similarity 89.7%; Pred. No. 1.1e-47;
Matches 113; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

Qy 1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
Db 1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy 61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
Db 61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy 121 TVTVSS 126
Db 121 TVTVSS 126

RESULT 10
ADL25448
ID ADL25448 standard; protein; 126 AA.
XX
AC ADL25448;
XX
DT 17-JUN-2004 (first entry)
XX
DE Human mAb 1.46.1 heavy chain variable region protein SEQ ID NO:58.
XX
KW antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW nephritis; mesangial cell proliferation inhibition;
KW mesangial proliferative glomerulonephritis; nephrotropic;
KW antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW gene therapy; human; monoclonal antibody; mAb.
XX
OS Homo sapiens.
XX
PN WO2004024098-A2.
XX
PD 25-MAR-2004.
XX
PF 16-SEP-2003; 2003WO-US029414.
XX
PR 16-SEP-2002; 2002US-0411137P.
XX
PA (ABGE-) ABGENIX INC.
PA (CURA-) CURAGEN CORP.
XX
PI Floege J, Gazit-Bornstein G, Keyt B, Larochelle WJ, Lichenstein H;
XX
DR WPI; 2004-269881/25.
DR N-PSDB; ADL25447.
XX
PT Use of an antibody or its binding fragment that binds platelet derived
PT growth factor-DD (PDGF-DD) for preparing a medicament for treating

```
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 58; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 126 AA;

  Query Match             90.8%;  Score 605;  DB 8;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.1e-47;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:|||||||||||||||||||||||||:||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::      :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 11
ADK18864
ID   ADK18864 standard; protein; 126 AA.
XX
AC   ADK18864;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #90.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 288; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match             90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 1.4e-47;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 12
ADK18595
ID   ADK18595 standard; protein; 126 AA.
XX
AC   ADK18595;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 19; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
```

```
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match            90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity  91.3%;  Pred. No. 1.4e-47;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 13
ADK18777
ID   ADK18777 standard; protein; 126 AA.
XX
AC   ADK18777;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #3.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 201; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match            90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity  91.3%;  Pred. No. 1.4e-47;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 14
ADL25408
ID   ADL25408 standard; protein; 126 AA.
XX
AC   ADL25408;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 1.18 heavy chain variable region protein SEQ ID NO:18.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J,  Gazit-Bornstein G,  Keyt B,  Larochelle WJ,  Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25407.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 18; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 126 AA;

  Query Match            90.7%;  Score 604;  DB 8;  Length 126;
  Best Local Similarity  91.3%;  Pred. No. 1.4e-47;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :    |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 15
ADK18778
ID   ADK18778 standard; protein; 126 AA.
XX
AC   ADK18778;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #4.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 202; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 126 AA;

  Query Match             90.1%;  Score 600;  DB 7;  Length 126;
  Best Local Similarity   88.9%;  Pred. No. 3.2e-47;
  Matches  112;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTTYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||:||||||||||||||||||||:::       : |||||||||
Db         61 AQKFQGRVTMTRNTSLSTAYMELSSLRSEDTAVYYCARDIVVVVAATNYYNGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


Search completed: April 25, 2007, 04:05:21
Job time : 109.271 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 10 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	569.5	85.5	127	2	S34014	Ig heavy chain V r
2	555	83.3	136	2	S31600	Ig heavy chain V r
3	530	79.6	132	2	S31596	Ig heavy chain V r
4	519.5	78.0	129	2	S46393	Ig heavy chain V r
5	517	77.6	98	2	S26918	Ig heavy chain V r
6	513	77.0	110	2	PH1670	Ig heavy chain V r
7	512	76.9	118	2	S36265	Ig heavy chain V r
8	504.5	75.8	142	2	A32483	Ig heavy chain V r
9	502	75.4	135	2	S49530	anti-Sm antibody V
10	495.5	74.4	123	2	D33548	Ig heavy chain V-1
11	493.5	74.1	129	2	S36260	Ig heavy chain V r
12	492	73.9	171	2	S23623	Ig heavy chain V r
13	486	73.0	118	2	PH1666	Ig heavy chain V r
14	486	73.0	124	2	S19665	Ig heavy chain V r
15	475.5	71.4	119	2	PH0961	Ig heavy chain V r
16	473.5	71.1	131	2	S26792	Ig heavy chain V r
17	467.5	70.2	127	2	PH0955	Ig heavy chain V r
18	466.5	70.0	122	2	S36271	Ig heavy chain V r
19	466	70.0	132	2	PH0954	Ig heavy chain V r
20	466	70.0	136	2	PH0960	Ig heavy chain V r
21	465	69.8	126	2	B33548	Ig heavy chain V-1
22	462.5	69.4	133	2	C33548	Ig heavy chain V-1
23	462.5	69.4	627	2	S14683	Ig mu chain precur
24	461	69.2	98	2	S26938	Ig heavy chain V r
25	461	69.2	114	2	PH1667	Ig heavy chain V r
26	461	69.2	117	2	S31680	Ig heavy chain V r
27	461	69.2	117	2	S18551	Ig heavy chain V r
28	461	69.2	122	2	PH0958	Ig heavy chain V r
29	460	69.1	120	2	S31999	Ig heavy chain V r
30	459.5	69.0	126	2	I44151	Ig heavy chain V r
31	457.5	68.7	160	2	PL0105	anti-PR2 erythrocy
32	456	68.5	110	2	PH1669	Ig heavy chain V r
33	453.5	68.1	109	2	PH1668	Ig heavy chain V r
34	453	68.0	98	2	S26912	Ig heavy chain V r
35	451.5	67.8	104	2	S69899	Ig heavy chain V r
36	451.5	67.8	121	2	S20783	Ig heavy chain V r
37	451.5	67.8	125	2	S68170	Ig heavy chain V r
38	451	67.7	143	1	E1HUND	Ig heavy chain pre
39	449.5	67.5	125	2	PH0957	Ig heavy chain V r
40	449.5	67.5	129	2	A33548	Ig heavy chain V-1
41	449	67.4	120	2	PH0962	Ig heavy chain V r
42	448.5	67.3	142	2	S19245	Ig heavy chain pre
43	446	67.0	120	2	S26789	Ig heavy chain V r
44	442	66.4	98	2	S26920	Ig heavy chain V r
45	442	66.4	128	2	PH0952	Ig heavy chain V r

ALIGNMENTS

RESULT 1
S34014
Ig heavy chain V region - human
C;Species: Homo sapiens (man)
C;Date: 02-Dec-1993 #sequence_revision 10-Nov-1995 #text_change 16-Aug-1996
C;Accession: S34014; S30535
R;Mariette, X.; Tsapis, A.; Brouet, J.C.
Eur. J. Immunol. 23, 846-851, 1993
A;Title: Nucleotidic sequence analysis of the variable domains of four human monoclonal
A;Reference number: S34001; MUID:93209281; PMID:7681398
A;Accession: S34014
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-127 <MAR>
A;Cross-references: UNIPARC:UPI0000176D31; EMBL:Z18321
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match 85.5%; Score 569.5; DB 2; Length 127;
Best Local Similarity 85.4%; Pred. No. 3.8e-44;
Matches 111; Conservative 8; Mismatches 4; Indels 7; Gaps 2;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||:||||||||||||||||||||||||||||||||||||||||||||||||:||||||
Db          1 QVQMVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPSSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIV----HYGMDVW 116
              ||||:|||||||||||||||||||||||||||:||| : |   || |    :| :|||
Db         61 AQKFKGRVTMTRNTSISTAYMELSSLRSEDTAVYFCARALSI---GVAVIRGYYYALDVW 117

Qy        117 GQGTTVTVSS 126
              ||||||:|||
Db        118 GQGTTVSVSS 127
```

RESULT 2
S31600
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S31600
R;Cuisinier, A.M.; Gauthier, L.; Boubli, L.; Fougereau, M.; Tonnelle, C.
submitted to the EMBL Data Library, June 1992
A;Description: Mechanisms that generate human immunoglobulin diversity operate from the
A;Reference number: S31585
A;Accession: S31600
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-136 <CUI>
A;Cross-references: UNIPARC:UPI0000116453; EMBL:Z14165; NID:g30994; PIDN:CAA78534.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology

```
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match             83.3%;  Score 555;  DB 2;  Length 136;
  Best Local Similarity   85.7%;  Pred. No. 8.1e-43;
  Matches  108;  Conservative    2;  Mismatches    6;  Indels   10;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||:||||||||||||||||||||||||||||||||||||||
Db         20 QVQLVQSGAEVKKPGASVKVSCRASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||              |:|||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR----------WRDAFDIWGQGT 129

Qy        121 TVTVSS 126
              ||||||
Db        130 MVTVSS 135


RESULT 3
S31596
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S31596
R;Cuisinier, A.M.; Gauthier, L.; Boubli, L.; Fougereau, M.; Tonnelle, C.
submitted to the EMBL Data Library, June 1992
A;Description: Mechanisms that generate human immunoglobulin diversity operate from the
A;Reference number: S31585
A;Accession: S31596
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-132 <CUI>
A;Cross-references: UNIPARC:UPI0000116454; EMBL:Z14166; NID:g30996; PIDN:CAA78535.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match             79.6%;  Score 530;  DB 2;  Length 132;
  Best Local Similarity   82.5%;  Pred. No. 1.4e-40;
  Matches  104;  Conservative    3;  Mismatches    5;  Indels   14;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||:|||||||||||||||||||||||||||||
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDIDWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||:||||||| |:              |||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRAEDTAVYYLAK--------------APAWGQGT 125

Qy        121 TVTVSS 126
              ||||||
Db        126 MVTVSS 131


RESULT 4
S46393
Ig heavy chain V region - human
C;Species: Homo sapiens (man)
C;Date: 27-Jan-1995 #sequence_revision 27-Jan-1995 #text_change 20-Jun-2000
C;Accession: S46393
R;Figini, M.; Marks, J.D.; Winter, G.; Griffiths, A.D.
J. Mol. Biol. 239, 68-78, 1994
A;Title: In vitro assembly of repertoires of antibody chains on the surface of phage by
A;Reference number: S46390; MUID:94254092; PMID:8196048
A;Accession: S46393
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-129 <FIG>
A;Cross-references: UNIPARC:UPI000011663A; EMBL:Z31680; NID:g509786; PIDN:CAA83485.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             78.0%;  Score 519.5;  DB 2;  Length 129;
  Best Local Similarity   79.1%;  Pred. No. 1.2e-39;
  Matches  102;  Conservative    8;  Mismatches   16;  Indels    3;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||||| | ::|||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITF---GGVIVHYGMDVWG 117
              |||||| |||||:|||||||||||| |||:||||||||||    :   |    :| |||||
Db         61 AQKFQGWVTMTRDTSISTAYMELSRLRSDDTAVYYCARDSAYYYDSSGYYSANYYMDVWG 120

Qy        118 QGTTVTVSS 126
              :||||||||
Db        121 KGTTVTVSS 129


RESULT 5
S26918
Ig heavy chain V region (DP-15) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S26918
R;Tomlinson, I.M.; Walter, G.; Marks, J.D.; Llewelyn, M.B.; Winter, G.
J. Mol. Biol. 227, 776-798, 1992
A;Title: The repertoire of human germline V(H) sequences reveals about fifty groups of V
A;Reference number: S26885; MUID:93021117; PMID:1404388
A;Accession: S26918
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-98 <TOM>
A;Cross-references: UNIPARC:UPI0000031F36; EMBL:Z12317; NID:g32857; PIDN:CAA78187.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             77.6%;  Score 517;  DB 2;  Length 98;
  Best Local Similarity   100.0%;  Pred. No. 1.5e-39;
  Matches   98;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98
              ||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98


RESULT 6
PH1670
Ig heavy chain V region (clone 2A12) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 24-Feb-1994 #sequence_revision 24-Feb-1994 #text_change 16-Aug-1996
C;Accession: PH1670
R;Hillson, J.L.; Karr, N.S.; Oppliger, I.R.; Mannik, M.; Sasso, E.H.
J. Exp. Med. 178, 331-336, 1993
A;Title: The structural basis of germline-encoded VH3 immunoglobulin binding to staphylo
A;Reference number: PH1642; MUID:93301610; PMID:8315388
A;Accession: PH1670
A;Molecule type: mRNA
A;Residues: 1-110 <HIL>
A;Cross-references: UNIPARC:UPI0000176BEB
A;Experimental source: B cell
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;7-90/Domain: immunoglobulin homology <IMM>

  Query Match             77.0%;  Score 513;  DB 2;  Length 110;
  Best Local Similarity   85.6%;  Pred. No. 3.8e-39;
  Matches  101;  Conservative    3;  Mismatches    6;  Indels    8;  Gaps    2;
```

```
Qy          9 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGYAQKFQGRV 68
              |||||||||||||||||||||||||||||||||||||||||||||||||| |:||||||||||||||
Db          1 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNANNGNTGYAQKFQGRV 60

Qy         69 TMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGTTVTVSS 126
              |||||||||||||||||||||||||||||||      ||    :  |:||||| |||||
Db         61 TMTRNTSISTAYMELSSLRSEDTAVYYCAR------GGKGGEF--DIWGQGTLVTVSS 110


RESULT 7
S36265
Ig heavy chain V region (clone alpha-MUC1-1) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 23-Jul-1999
C;Accession: S36265
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36265
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-118 <GRI>
A;Cross-references: UNIPARC:UPI0000118DE8; EMBL:Z18846; NID:g33121; PIDN:CAA79298.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            76.9%;  Score 512;  DB 2;  Length 118;
  Best Local Similarity  78.6%;  Pred. No. 5e-39;
  Matches   99;  Conservative    8;  Mismatches   11;  Indels    8;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||||| | ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||::||  |||||||||||||||||||| :  :        :| |||||
Db         61 AQKFQGRVTITRDTSASTAYMELSSLRSEDTAVYYCARDFLSGY--------LDYWGQGT 112

Qy        121 TVTVSS 126
              |||||
Db        113 LVTVSS 118


RESULT 8
A32483
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 12-Oct-1989 #sequence_revision 12-Oct-1989 #text_change 16-Aug-1996
C;Accession: A32483
R;Larrick, J.W.; Danielsson, L.; Brenner, C.A.; Abrahamson, M.; Fry, K.E.; Borrebaeck, C
Biochem. Biophys. Res. Commun. 160, 1250-1256, 1989
A;Title: Rapid cloning of rearranged immunoglobulin genes from human hybridoma cells usi
A;Reference number: A32483; MUID:89273586; PMID:2499327
A;Accession: A32483
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-142 <LAR>
A;Cross-references: UNIPARC:UPI0000176C19; GB:M26463
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;25-108/Domain: immunoglobulin homology <IMM>

  Query Match            75.8%;  Score 504.5;  DB 2;  Length 142;
  Best Local Similarity  78.0%;  Pred. No. 2.8e-38;
  Matches   99;  Conservative   11;  Mismatches   16;  Indels    1;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||:| ::||||| |||||||| :||:  :| |
Db         11 QVQLVQSGAEVKKPGASVKVSCKASGYTFTNYYMHWVRQAPGQGLEWMGIINPSGNSTNY 70

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARD-VMITFGGVIVHYGMDVWGQG 119
              |||||||||||:|| || |||||||||||||||||||: :  |  ||::  ||| ||||
Db         71 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCAREKLATTIFGVLIITGMDYWGQG 130

Qy        120 TTVTVSS 126
              | |||||
Db        131 TLVTVSS 137


RESULT 9
S49530
anti-Sm antibody VH chain (VH1/DK1 or DM1/JH4b) - human
C;Species: Homo sapiens (man)
C;Date: 01-Feb-1995 #sequence_revision 12-May-1995 #text_change 23-Jul-1999
C;Accession: S49530
R;Mahmoudi, M.; Edwards, J.; Cairns, E.; Bell, D.
submitted to the EMBL Data Library, October 1994
A;Description: Molecular characterization of natural human anti-Sm autoantibodies.
A;Reference number: S48797
A;Accession: S49530
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-135 <MAH>
A;Cross-references: UNIPARC:UPI00001166FF; EMBL:Z46348; NID:g560839; PIDN:CAA86467.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match            75.4%;  Score 502;  DB 2;  Length 135;
  Best Local Similarity  77.8%;  Pred. No. 4.5e-38;
  Matches   98;  Conservative    6;  Mismatches   12;  Indels   10;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| | ::||||| |||||||||:||||| | |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||||:|||||||||||| |||:|||||||||            | : |||||
Db         80 AQKFQGRVTMTRDTSISTAYMELSRLRSDDTAVYYCAR----------ARTGYNYWGQGT 129

Qy        121 TVTVSS 126
              |||||
Db        130 LVTVSS 135


RESULT 10
D33548
Ig heavy chain V-1 region (WIL2) - human
C;Species: Homo sapiens (man)
C;Date: 17-Jan-1990 #sequence_revision 17-Jan-1990 #text_change 16-Aug-1996
C;Accession: D33548
R;Kipps, T.J.; Tomhave, E.; Pratt, L.F.; Duffy, S.; Chen, P.P.; Carson, D.A.
Proc. Natl. Acad. Sci. U.S.A. 86, 5913-5917, 1989
A;Title: Developmentally restricted immunoglobulin heavy chain variable region gene expr
A;Reference number: A33548; MUID:89345575; PMID:2503826
A;Accession: D33548
A;Status: preliminary; nucleic acid sequence not shown; not compared with conceptual tra
A;Molecule type: mRNA
A;Residues: 1-123 <KIP>
A;Cross-references: UNIPARC:UPI0000176909
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            74.4%;  Score 495.5;  DB 2;  Length 123;
  Best Local Similarity  75.4%;  Pred. No. 1.6e-37;
  Matches   95;  Conservative   13;  Mismatches   15;  Indels    3;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||:||||||| : ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCEASGYTFTGHYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |:||||||:||:|||:||||||| |||:|||||||||    :: |   :|  | |||||
```

```
Db         61 AEKFQGRVTITRDTSINTAYMELSRLRSDDTAVYYCAR---ASYCGYDCYYFFDYWGQGT 117

Qy        121 TVTVSS 126
              |||||
Db        118 LVTVSS 123
```

RESULT 11
S36260
Ig heavy chain V region (clone alpha-CEA4-8A) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 23-Jul-1999
C;Accession: S36260
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36260
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-129 <GRI>
A;Cross-references: UNIPARC:UPI0000118DEB; EMBL:Z18851; NID:g33124; PIDN:CAA79303.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match   74.1%; Score 493.5; DB 2; Length 129;
  Best Local Similarity   75.0%; Pred. No. 2.5e-37;
  Matches   99; Conservative   9; Mismatches   15; Indels   9; Gaps   2;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||| |||||||||||||||||||||||||| |:||||| |||||||||::  :||| |
Db          1 QVQLQQSGAEVKKPGASVKVSCKASGYTFTSYGISWVRQAPGQGLEWMGWISAYNGNTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGV------IVHYGMD 114
              ||| ||||||| :|| ||||||| ||||:|||||||||||   :||          :| ||
Db         61 AQKLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCARD---SFGYCSSTSCPYYYYYMD 117

Qy        115 VWGQGTTVTVSS 126
              |||:||||||||
Db        118 VWGKGTTVTVSS 129
```

RESULT 12
S23623
Ig heavy chain V region precursor - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 23-Jul-1999
C;Accession: S23623
R;Olee, T.; Lu, E.W.; Huang, D.F.; Soto-Gil, R.W.; Deftos, M.; Kozin, F.; Carson, D.A.;
J. Exp. Med. 175, 831-842, 1992
A;Title: Genetic analysis of self-associating immunoglobulin G rheumatoid factors from t
A;Reference number: S23623; MUID:92156804; PMID:1740665
A;Accession: S23623
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-171 <OLE>
A;Cross-references: UNIPARC:UPI0000115F93; EMBL:X59702; NID:g32010; PIDN:CAA42223.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

  Query Match   73.9%; Score 492; DB 2; Length 171;
  Best Local Similarity   74.6%; Pred. No. 4.5e-37;
  Matches   94; Conservative   10; Mismatches   22; Indels   0; Gaps   0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||| ||||||:| ::||||| |||||||||:|||||  |||
Db         20 QVQLVQSGAEVKKPGASVKVSCKGSGYTFTAYQMHWVRQAPGQGLEWMGWINPNSGGTGY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||:||:||||||||||| | |:||||||| :       :       |:|||||
Db         80 GQKFQGRVTLTRDTSISTAYMELSRLTSDDTAVYYCAIEYFYDGSDLKPSDVFDIWGQGT 139

Qy        121 TVTVSS 126
              |||||
Db        140 MVTVSS 145
```

RESULT 13
PH1666
Ig heavy chain V region (clone 6C9) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 24-Feb-1994 #sequence_revision 24-Feb-1994 #text_change 16-Aug-1996
C;Accession: PH1666
R;Hillson, J.L.; Karr, N.S.; Oppliger, I.R.; Mannik, M.; Sasso, E.H.
J. Exp. Med. 178, 331-336, 1993
A;Title: The structural basis of germline-encoded VH3 immunoglobulin binding to staphylo
A;Reference number: PH1642; MUID:93301610; PMID:8315388
A;Accession: PH1666
A;Molecule type: mRNA
A;Residues: 1-118 <HIL>
A;Cross-references: UNIPARC:UPI0000176BE7
A;Experimental source: B cell
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;7-90/Domain: immunoglobulin homology <IMM>

  Query Match   73.0%; Score 486; DB 2; Length 118;
  Best Local Similarity   79.3%; Pred. No. 1.1e-36;
  Matches   96; Conservative   8; Mismatches   11; Indels   6; Gaps   2;

```
Qy          9 AEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGYAQKFQGRV 68
              |||||||||||||||||||||||| ::||||| || ||||||:|  :||| |||||||||
Db          1 AEVKKPGASVKVSCKASGYTFTSYAMHWVRQAPGQRLEWMGWINAGNGNTKYAQKFQGRV 60

Qy         69 TMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVI---VHYGMDVWGQGTTVTVS 125
              |:||:|| |||||||||||||||||||   :|  | |    :|||||||||||||||
Db         61 TITRDTSASTAYMELSSLRSEDTAVYYCAR---VTLDGGIKFYYYYGMDVWGQGTTVTVS 117

Qy        126 S 126
              |
Db        118 S 118
```

RESULT 14
S19665
Ig heavy chain V region (alpha-phOx15) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 28-Oct-1994 #sequence_revision 28-Oct-1994 #text_change 20-Jun-2000
C;Accession: S19665; S24442
R;Marks, J.D.; Hoogenboom, H.R.; Bonnert, T.P.; McCafferty, J.; Griffiths, A.D.; Winter,
J. Mol. Biol. 222, 581-597, 1991
A;Title: By-passing immunization. Human antibodies from V-gene libraries displayed on ph
A;Reference number: S19663; MUID:92085276; PMID:1748994
A;Accession: S19665
A;Molecule type: mRNA
A;Residues: 1-124 <MAR>
A;Cross-references: UNIPARC:UPI0000176B80; EMBL:X61647
R;Jones, P.T.
submitted to the EMBL Data Library, October 1991
A;Reference number: S24442
A;Accession: S24442
A;Molecule type: mRNA
A;Residues: 1-40,'GLSGWDGSALTMVTQSILDK',61-118,'T',120-124 <JON>
A;Cross-references: UNIPARC:UPI0000115FE6; EMBL:X61647; NID:g37667; PIDN:CAA43828.1; PID
A;Note: the difference for residues 41-60 results from misplacement of 10 bases in the s
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match   73.0%; Score 486; DB 2; Length 124;
  Best Local Similarity   75.4%; Pred. No. 1.1e-36;
  Matches   95; Conservative   11; Mismatches   18; Indels   2; Gaps   1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
```

```
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYGISWVRQAPGQGLEWMGWISAYNGNTKY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
Db         61 AQKLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCVR--LLPKRTATLHYYIDVWGKGT 118

Qy        121 TVTVSS 126
Db        119 LVTVSS 124


RESULT 15
PH0961
Ig heavy chain V region (G6+ T-L33) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 17-Apr-1993 #sequence_revision 17-Apr-1993 #text_change 16-Aug-1996
C;Accession: PH0961
R;Martin, T.; Duffy, S.F.; Carson, D.A.; Kipps, T.J.
J. Exp. Med. 175, 983-991, 1992
A;Title: Evidence for somatic selection of natural autoantibodies.
A;Reference number: PH0952; MUID:92202880; PMID:1552291
A;Accession: PH0961
A;Status: nucleic acid sequence not shown
A;Molecule type: DNA
A;Residues: 1-119 <MAR>
A;Cross-references: UNIPARC:UPI0000176CE5
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-30/Region: framework 1
F;15-98/Domain: immunoglobulin homology <IMM>
F;31-35/Region: complementarity-determining 1
F;36-50/Region: framework 2
F;51-67/Region: complementarity-determining 2
F;68-98/Region: framework 3
F;99-107/Region: complementarity-determining 3

  Query Match            71.4%;  Score 475.5;  DB 2;  Length 119;
  Best Local Similarity  76.2%;  Pred. No. 9.3e-36;
  Matches   96;  Conservative    7;  Mismatches   16;  Indels    7;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
Db          1 QVQLVQSGAEVKKPGSSVKVSCKASGGTFSSYAISWVRQAPGQGLEWMGGIIPIFGTANY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
Db         61 AQKFQGRVTITADESTSTAYMELSSLRSEDTAVYYCAR-------GYYYYYGMDVWGQGT 113

Qy        121 TVTVSS 126
Db        114 TVTVSS 119


Search completed: April 25, 2007, 04:06:40
Job time : 9.61017 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 86 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	517	77.6	159	2	Q96QS0_HUMAN	Q96qs0 homo sapien
2	495.5	74.4	125	2	Q9UL95_HUMAN	Q9ul95 homo sapien
3	488.5	73.3	244	2	Q65ZC8_HUMAN	Q65zc8 homo sapien
4	480.5	72.1	119	2	Q9UL94_HUMAN	Q9ul94 homo sapien
5	479	71.9	124	2	Q9UL92_HUMAN	Q9ul92 homo sapien
6	459	68.9	518	2	Q6N030_HUMAN	Q6n030 homo sapien
7	453	68.0	498	2	Q6N041_HUMAN	Q6n041 homo sapien
8	452.5	67.9	497	2	Q8WY24_HUMAN	Q8wy24 homo sapien
9	451.5	67.8	500	2	Q6N091_HUMAN	Q6n091 homo sapien
10	451	67.7	147	1	HV1C_HUMAN	P01744 homo sapien
11	441.5	66.3	119	2	Q9GYZ2_MOUSE	Q9gyz2 mus musculu
12	441	66.2	500	2	Q9BRV0_HUMAN	Q9brv0 homo sapien
13	437	65.6	117	1	HV1B_HUMAN	P01743 homo sapien
14	437	65.6	117	1	HV1G_HUMAN	P23083 homo sapien
15	429	64.4	469	2	Q7Z7P5_HUMAN	Q7z7p5 homo sapien
16	425	63.8	475	2	Q6N095_HUMAN	Q6n095 homo sapien
17	420.5	63.1	458	2	Q5BJZ2_RAT	Q5bjz2 rattus norv
18	417.5	62.7	480	2	Q6P089_HUMAN	Q6p089 homo sapien
19	417.5	62.7	519	2	Q5EBM2_HUMAN	Q5ebm2 homo sapien
20	417	62.6	617	2	Q4KML5_MOUSE	Q4kml5 mus musculu
21	415.5	62.4	157	2	O95978_HUMAN	O95978 homo sapien
22	412	61.9	145	2	Q924Q9_MOUSE	Q924q9 mus musculu
23	408.5	61.3	117	2	Q9QXE9_MOUSE	Q9qxe9 mus musculu
24	408.5	61.3	458	2	Q5BK05_RAT	Q5bk05 rattus norv
25	408	61.3	116	2	Q9UL89_HUMAN	Q9ul89 homo sapien
26	406.5	61.0	481	2	Q91WT1_MOUSE	Q91wt1 mus musculu
27	405.5	60.9	120	1	HV03_MOUSE	P01747 mus musculu
28	405	60.8	590	2	Q4V9V8_MOUSE	Q4v9v8 mus musculu
29	404.5	60.7	150	2	Q9Y298_HUMAN	Q9y298 homo sapien
30	404	60.7	145	2	Q924Q6_MOUSE	Q924q6 mus musculu
31	402.5	60.4	134	2	Q65ZR6_MOUSE	Q65zr6 mus musculu
32	401.5	60.3	146	2	Q924Q3_MOUSE	Q924q3 mus musculu
33	401.5	60.3	480	2	Q6PJF1_HUMAN	Q6pjf1 homo sapien
34	400.5	60.1	147	2	Q925S3_MOUSE	Q925s3 mus musculu
35	400	60.1	141	2	Q924Q4_MOUSE	Q924q4 mus musculu
36	399.5	60.0	117	2	Q9QXF0_MOUSE	Q9qxf0 mus musculu
37	399	59.9	145	2	Q924R1_MOUSE	Q924r1 mus musculu
38	398.5	59.8	117	1	HV13_MOUSE	P01757 mus musculu
39	398.5	59.8	208	2	Q6ZP87_HUMAN	Q6zp87 homo sapien
40	398	59.8	463	2	Q99LC4_MOUSE	Q99lc4 mus musculu
41	398	59.8	591	2	Q4QQW0_RAT	Q4qqw0 rattus norv
42	398	59.8	613	2	Q8VCX7_MOUSE	Q8vcx7 mus musculu
43	397.5	59.7	117	1	HV12_MOUSE	P01756 mus musculu
44	396	59.5	120	2	Q6NSA4_HUMAN	Q6nsa4 homo sapien
45	396	59.5	145	2	Q924R4_MOUSE	Q924r4 mus musculu

ALIGNMENTS

RESULT 1
Q96QS0_HUMAN
ID Q96QS0_HUMAN PRELIMINARY; PRT; 159 AA.
AC Q96QS0;
DT 01-DEC-2001, integrated into UniProtKB/TrEMBL.
DT 01-DEC-2001, sequence version 1.
DT 18-APR-2006, entry version 21.
DE Putative matrix cell adhesion molecule-3.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RA Tilson M.D.;
RL Submitted (JUN-2001) to the EMBL/GenBank/DDBJ databases.
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; AY039025; AAK82649.1; -; mRNA.
DR HSSP; P01869; 1AE6.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 1.
KW Immunoglobulin domain.
SQ SEQUENCE 159 AA; 17497 MW; 5D29537E881FAF02 CRC64;

Query Match 77.6%; Score 517; DB 2; Length 159;
Best Local Similarity 75.4%; Pred. No. 2.2e-45;
Matches 98; Conservative 16; Mismatches 12; Indels 4; Gaps 1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||::| :|||||| ||| |||| :||: |:  |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFSNYYMNWVRQAPGQGPEWMGVINPSGGSARY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVI----VHYGMDVW 116
              :||||||:||||:|| || ||:||||||:|||||:|||:: |||||  :     :||||||
Db         80 SQKFQGRLTMTRDTSTSTVYMDLSSLRSDDTAVYFCAREMEITFGGAVSKGFYYYGMDVW 139

Qy        117 GQGTTVTVSS 126
              ||||||||||
Db        140 GQGTTVTVSS 149
```

RESULT 2
Q9UL95_HUMAN
ID Q9UL95_HUMAN PRELIMINARY; PRT; 125 AA.

```
AC   Q9UL95;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035019; AAD56255.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   SMR; Q9UL95; 1-122.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     125    125
SQ   SEQUENCE   125 AA;  13516 MW;  0D3CD5C232488EAC CRC64;

  Query Match             74.4%;  Score 495.5;  DB 2;  Length 125;
  Best Local Similarity   76.6%;  Pred. No. 2.9e-43;
  Matches   98;  Conservative    9;  Mismatches   16;  Indels    5;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              :||||:|||||||||||||||||||||| | ::||||| |||||||||:||||| | |
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYG--MDVWGQ 118
              ||| ||||||||:|:|||||||| |||:|||||||||     || |   |   |:|||
Db         61 AQKVQGRVTMTRDTTISTAYMELSRLRSDDTAVYYCARS---QGGGRIAAAGDAFDIWGQ 117

Qy        119 GTTVTVSS 126
               || |||||
Db        118 GTMVTVSS 125


RESULT 3
Q65ZC8_HUMAN
ID   Q65ZC8_HUMAN   PRELIMINARY;   PRT;   244 AA.
AC   Q65ZC8;
DT   11-OCT-2004, integrated into UniProtKB/TrEMBL.
DT   11-OCT-2004, sequence version 1.
DT   18-APR-2006, entry version 10.
DE   Single-chain Fv (Fragment).
GN   Name=scFv;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=97362799; PubMed=9219263; DOI=10.1038/nbt0797-629;
RA   Kontermann R.E., Wing M.G., Winter G.;
RT   "Complement recruitment using bispecific diabodies.";
RL   Nat. Biotechnol. 15:629-631(1997).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; Y13057; CAA73500.1; -; mRNA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 2.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00406; IGv; 2.
DR   PROSITE; PS50835; IG_LIKE; 2.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     244    244
SQ   SEQUENCE   244 AA;  26127 MW;  4B1F17868338F2BF CRC64;

  Query Match             73.3%;  Score 488.5;  DB 2;  Length 244;
  Best Local Similarity   74.6%;  Pred. No. 3.3e-42;
  Matches   94;  Conservative   14;  Mismatches   13;  Indels    5;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||| |||||||||||||: : ::|||| |||||||||::||:|:| :
Db          1 QVQLVQSGAEVKKPGDSVKVSCKASGYTFSDHYMHWVRQAPGQGLEWMGWIDPNNGDTRF 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||:|||||||:|||| |||:| |||:|||||||||:     |     ||||||||||
Db         61 AQRFQGRVTMTRDTSISAAYMEVSRLRSDDTAVYYCARE-----GTGSAIYGMDVWGQGT 115

Qy        121 TVTVSS 126
               |||||
Db        116 LVTVSS 121


RESULT 4
Q9UL94_HUMAN
ID   Q9UL94_HUMAN   PRELIMINARY;   PRT;   119 AA.
AC   Q9UL94;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035020; AAD56256.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   SMR; Q9UL94; 1-116.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
```

```
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     119    119
SQ   SEQUENCE   119 AA;  13205 MW;  13E64F5345F4A16E CRC64;

  Query Match            72.1%;  Score 480.5;  DB 2;  Length 119;
  Best Local Similarity  75.4%;  Pred. No. 1e-41;
  Matches   95;  Conservative   11;  Mismatches   13;  Indels    7;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              :||||:|||||||||||||||||||||| | ::||||| |||||||||:||||  | |
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPNSWTTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||:||||::|||||||||||| |||:||||||||||      ||  : :  | |||||
Db         61 AQKFQGKVTMTKDTSISTAYMELSRLRSDDTAVYYCARG-----GGRGLWF--DPWGQGT 113

Qy        121 TVTVSS 126
              |||||
Db        114 LVTVSS 119


RESULT 5
Q9UL92_HUMAN
ID   Q9UL92_HUMAN   PRELIMINARY;   PRT;   124 AA.
AC   Q9UL92;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035022; AAD56258.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   LinkHub; Q9UL92; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     124    124
SQ   SEQUENCE   124 AA;  13580 MW;  1BAAACBD96ACD2A2 CRC64;

  Query Match            71.9%;  Score 479;  DB 2;  Length 124;
  Best Local Similarity  73.8%;  Pred. No. 1.5e-41;
  Matches   93;  Conservative   12;  Mismatches   19;  Indels    2;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              :||||:|||||||||||||||||||||:|| ::||||| |||||||| :||: |:| |
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFSSYYMHWVRQAPGQGLEWMGIINPSGGSTSY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|| || |||||||||||||||||| : :        :  | |||||
Db         61 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARGLYVVVPAAFSRF--DYWGQGT 118

Qy        121 TVTVSS 126
              |||||
Db        119 LVTVSS 124


RESULT 6
Q6N030_HUMAN
ID   Q6N030_HUMAN   PRELIMINARY;   PRT;   518 AA.
AC   Q6N030;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 19.
DE   Hypothetical protein DKFZp686I15212.
GN   Name=DKFZp686I15212;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Rectum tumor;
RG   The German cDNA Consortium;
RA   Poustka A., Albert R., Moosmayer P., Schupp I., Wellenreuther R.,
RA   Mewes H.W., Weil B., Amid C., Osanger A., Fobo G., Han M., Wiemann S.;
RL   Submitted (JAN-2005) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BX640724; CAE45841.1; -; mRNA.
DR   HSSP; P01861; 1ADQ.
DR   LinkHub; Q6N030; -.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR000005; HTHAraC.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS00041; HTH_ARAC_FAMILY_1; UNKNOWN_1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   518 AA;  57020 MW;  93B5F98613BF6382 CRC64;

  Query Match            68.9%;  Score 459;  DB 2;  Length 518;
  Best Local Similarity  73.0%;  Pred. No. 9e-39;
  Matches   92;  Conservative   10;  Mismatches   20;  Indels    4;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              || |||||||||||||||||| |||| ||:: ||||||| || ||||||:|  :||| |
Db         20 QVHLVQSGAEVKKPGASVKVSCTASGYPFTNHFINWVRQAPGQSLEWMGWINTGNGNTKY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              :|||||||:||:|  :||||:|||||||||||:||||      ||    |  | |||||
Db         80 SQKFQGRVTITRDTWTTTAYMDLSSLRSEDTAVYWCARDAP---QGVTTTY-FDYWGQGT 135
```

```
Qy        121 TVTVSS 126
              ||||||
Db        136 LVTVSS 141


RESULT 7
Q6N041_HUMAN
ID   Q6N041_HUMAN   PRELIMINARY;   PRT;   498 AA.
AC   Q6N041;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   18-APR-2006, entry version 13.
DE   Hypothetical protein DKFZp686O16217 (Fragment).
GN   Name=DKFZp686O16217;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Human rectum tumor;
RG   The German Human cDNA Consortium;
RA   Poustka A., Albert R., Moosmayer P., Schupp I., Wellenreuther R.,
RA   Mewes H.W., Weil B., Amid C., Osanger A., Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BX640710; CAE45829.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q6N041; 268-476.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Repeat.
FT   NON_TER       1      1
SQ   SEQUENCE   498 AA;  54125 MW;  40B3208A84E03B46 CRC64;

  Query Match             68.0%;  Score 453;  DB 2;  Length 498;
  Best Local Similarity   70.5%;  Pred. No. 3.6e-38;
  Matches   91;  Conservative   11;  Mismatches   19;  Indels    8;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||:|||||||||||||||||||:|  :|||||  ||| ||||  :||  |:| |
Db         35 QVQLVQSGADVKKPGASVKVSCKASGYTFTNYFFHWVRQAPGQGPEWMGMINPRDGSTKY 94

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFG---GVIVHYGMDVWG 117
              ||:|||||:|||:|| || |||||||||||||:::|||       |    |     |  | ||
Db         95 AQRFQGRVSMTRDTSTSTIYMELSSLRSEDTAMFFCAR-----AGPGYGTSASYYFDYWG 149

Qy        118 QGTTVTVSS 126
              ||| |||||
Db        150 QGTLVTVSS 158


RESULT 8
Q8WY24_HUMAN
ID   Q8WY24_HUMAN   PRELIMINARY;   PRT;   497 AA.
AC   Q8WY24;
DT   01-MAR-2002, integrated into UniProtKB/TrEMBL.
DT   01-MAR-2002, sequence version 1.
DT   27-JUN-2006, entry version 25.
DE   SNC66 protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RA   Zheng S., Shao X., Cao J., Geng L., Fang Y., Dong Q.;
RL   Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF283666; AAL36987.1; -; mRNA.
DR   HSSP; P01876; 1OW0.
DR   SMR; Q8WY24; 267-475.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   497 AA;  53666 MW;  F24D08DFA5A663E5 CRC64;

  Query Match             67.9%;  Score 452.5;  DB 2;  Length 497;
  Best Local Similarity   70.9%;  Pred. No. 4.1e-38;
  Matches   90;  Conservative   12;  Mismatches   22;  Indels    3;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              | || |||||| |||||||||||||||||| :||||||||| |||||||||||| :||| :
Db         20 QEQLEQSGAEVTKPGASVKVSCKASGYTFIAYDINWVRQAPGQGLEWMGWMNPQTGNTEF 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYG-MDVWGQG 119
              |||||||:| :|:|||:|||| |||| :||:|:|:|||  :   ||    |  | || |
Db         80 AQKFQGRLTFSRDTSINTAYMVLSSLSTEDSAIYFCARGNL--RGGRGFGYNWFDPWGHG 137

Qy        120 TTVTVSS 126
              | |||||
Db        138 TLVTVSS 144


RESULT 9
Q6N091_HUMAN
ID   Q6N091_HUMAN   PRELIMINARY;   PRT;   500 AA.
AC   Q6N091;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   18-APR-2006, entry version 13.
DE   Hypothetical protein DKFZp686C02220 (Fragment).
GN   Name=DKFZp686C02220;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
```

```
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Human rectum tumor;
RG   The German Human cDNA Consortium;
RA   Wambutt R., Heubner D., Mewes H.W., Weil B., Amid C., Osanger A.,
RA   Fobo G., Han M., Wiemann S.;
RL   Submitted (AUG-2003) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BX640625; CAE45779.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q6N091; 270-478.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin domain; Repeat.
FT   NON_TER      1      1
SQ   SEQUENCE   500 AA;  54160 MW;  3C423A17D65A41E4 CRC64;

  Query Match             67.8%;  Score 451.5;  DB 2;  Length 500;
  Best Local Similarity   70.6%;  Pred. No. 5.2e-38;
  Matches   89;  Conservative   11;  Mismatches   23;  Indels    3;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||: : | |:||| ||||||:||::  || | |
Db         38 QVQLVQSGAEVKKPGASVKVSCKASGYTFSDHSITWLRQAPGQGLEWIGWISAYSGQTYY 97

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||  ||||||| :|| ||||||| ||||:||||||||:|    |     | :    :|||||
Db         98 AQNLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCAKDQSYT---TIPNDAFHIWGQGT 154

Qy        121 TVTVSS 126
                 |||||
Db        155 MVTVSS 160


RESULT 10
HV1C_HUMAN
ID   HV1C_HUMAN     STANDARD;      PRT;   147 AA.
AC   P01744;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   01-DEC-2000, sequence version 2.
DT   30-MAY-2006, entry version 47.
DE   Ig heavy chain V-I region ND precursor (Fragments).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=83065234; PubMed=6815656;
RA   Kenten J.H., Molgaard H.V., Houghton M., Derbyshire R.B., Viney J.,
RA   Bell L.O., Gould H.J.;
RT   "Cloning and sequence determination of the gene for the human
RT   immunoglobulin epsilon chain expressed in a myeloma cell line.";
RL   Proc. Natl. Acad. Sci. U.S.A. 79:6661-6665(1982).
RN   [2]
RP   PROTEIN SEQUENCE OF 20-147.
RA   Bennich H.H., Johansson S.G.O., von Bahr-Lindstrom H.;
RL   (In) Bach M.K. (eds.);
RL   Immediate hypersensitivity: modern concepts and developments, pp.1-36,
RL   Marcel Dekker, New York (1978).
CC   -!- MISCELLANEOUS: This epsilon chain was isolated from a myeloma
CC       protein.
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   HSSP; P01751; 1NQB.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region; Pyrrolidone carboxylic acid; Signal.
FT   SIGNAL       1     19
FT   CHAIN       20    147       Ig heavy chain V-I region ND.
FT                               /FTId=PRO_0000015246.
FT   DOMAIN      20    131       Ig-like.
FT   MOD_RES     20     20       Pyrrolidone carboxylic acid.
FT   DISULFID    41    115
FT   CONFLICT    21     21       T -> V (in Ref. 2).
FT   CONFLICT    53     54       IH -> HI (in Ref. 2).
FT   CONFLICT    67     68       VG -> GV (in Ref. 2).
FT   CONFLICT   125    125       Missing (in Ref. 2).
FT   NON_TER    147    147
SQ   SEQUENCE   147 AA;  16496 MW;  948F9F72A5366C20 CRC64;

  Query Match             67.7%;  Score 451;  DB 1;  Length 147;
  Best Local Similarity   67.2%;  Pred. No. 1.5e-38;
  Matches   86;  Conservative   15;  Mismatches   25;  Indels    2;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              | |||||||||:||||||:||||||||||    |:|:||| | ||||:||:||||| | |
Db         20 QTQLVQSGAEVRKPGASVRVSCKASGYTFIDSYIHWIRQAPGHGLEWVGWINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARD--VMITFGGVIVHYGMDVWGQ 118
              | :||||||||: | |||||:| ||||:|:||:|||:       :      | :|||||
Db         80 APRFQGRVTMTRDASFSTAYMDLRSLRSDDSAVFYCAKSDPFWSDYYNFDYSYTLDVWGQ 139

Qy        119 GTTVTVSS 126
                 ||||||||
Db        140 GTTVTVSS 147


RESULT 11
Q9GYZ2_MOUSE
ID   Q9GYZ2_MOUSE   PRELIMINARY;   PRT;   119 AA.
AC   Q9GYZ2;
DT   01-MAR-2001, integrated into UniProtKB/TrEMBL.
DT   01-MAR-2001, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Monoclonal anti-idiotypic Schistosoma japonicum antibody NP30 heavy
DE   chain variable region (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RA   Song X.T., Feng Z.Q., Guan X.H.;
RT   "Amplification, cloning and sequence analysis of the heavy chain
RT   variable region gene of monoclonal anti-idiotypic antibody NP30 of
RT   Schistosoma japonicum.";
RL   Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
```

```
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   -----------------------------------------------------------------------
DR   EMBL; AF282622; AAG01452.1; -; mRNA.
DR   HSSP; P01751; 1A6W.
DR   SMR; Q9GYZ2; 1-119.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     119    119
SQ   SEQUENCE   119 AA;  13567 MW;  BA893873FD5FA6AB CRC64;

  Query Match             66.3%;  Score 441.5;  DB 2;  Length 119;
  Best Local Similarity   67.4%;  Pred. No. 1.1e-37;
  Matches   87;  Conservative   13;  Mismatches   16;  Indels   13;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||:|||||:||||||:|||||||||||| | :|||||| | ||||:|::||: | | |
Db          1 QVQLVESGAEVRKPGASVRVSCKASGYTFTGYYMNWVRQAPGHGLEWIGYINPSRGYTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR---DVMITFGGVIVHYGMDVWG 117
               |||: ||||| : | ||||||:| |||| |:|||||||    |           || :| ||
Db         61 NQKFKDRVTMTTDKSFSTAYMDLRSLRSADSAVYYCARYYDD----------HYCLDYWG 110

Qy        118 QGTTVTVSS 126
               |||||||||
Db        111 QGTTVTVSS 119


RESULT 12
Q9BRV0_HUMAN
ID   Q9BRV0_HUMAN   PRELIMINARY;   PRT;   500 AA.
AC   Q9BRV0;
DT   01-JUN-2001, integrated into UniProtKB/TrEMBL.
DT   01-JUN-2001, sequence version 1.
DT   25-JUL-2006, entry version 36.
DE   IGHA1 protein.
GN   Name=IGHA1;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RX   PubMed=12477932; DOI=10.1073/pnas.242603899;
RG   Mammalian Gene Collection Program Team;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RG   NIH MGC Project;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
CC   -----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   -----------------------------------------------------------------------
DR   EMBL; BC005951; AAH05951.1; -; mRNA.
DR   HSSP; P01876; 1OW0.
DR   SMR; Q9BRV0; 25-300, 270-478.
DR   Ensembl; ENSG00000130076; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR013151; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF00047; ig; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
SQ   SEQUENCE   500 AA;  54154 MW;  0A9BF43F2A3CC6D9 CRC64;

  Query Match             66.2%;  Score 441;  DB 2;  Length 500;
  Best Local Similarity   68.0%;  Pred. No. 6.4e-37;
  Matches   87;  Conservative   13;  Mismatches   26;  Indels    2;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              || |||||||| |||||:|||| ||| | :| | ||||| |||||||||::|:| || :
Db         20 QVHLVQSGAEVMSPGASVRVSCKTSGYAPHTYSIIWVRQAPGQGLEWMGWISPSSDNTRF 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDV--MITFGGVIVHYGMDVWGQ 118
              |:|||||||:| :|| || |||| ||||:|||||||||      :      :| |||||:
Db         80 AKKFQGRVTLTTDTSTSTVYMELRSLRSDDTAVYYCARRYCSYSSCQNDYYYYYMDVWGK 139

Qy        119 GTTVTVSS 126
               ||||||||
Db        140 GTTVTVSS 147


RESULT 13
HV1B_HUMAN
ID   HV1B_HUMAN     STANDARD;      PRT;   117 AA.
AC   P01743;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig heavy chain V-I region HG3 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=83144028; PubMed=6298778;
RA   Rechavi G., Ram D., Glazer L., Zakut R., Givol D.;
RT   "Evolutionary aspects of immunoglobulin heavy chain variable region
RT   (VH) gene subgroups.";
RL   Proc. Natl. Acad. Sci. U.S.A. 80:855-859(1983).
```

```
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; J00240; AAA52988.1; -; Genomic_DNA.
DR   PIR; A02024; HVHUHG.
DR   HSSP; P01751; 1NQB.
DR   SMR; P01743; 20-117.
DR   LinkHub; P01743; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     19
FT   CHAIN        20    117       Ig heavy chain V-I region HG3.
FT                                 /FTId=PRO_0000015244.
FT   DOMAIN       20   >117       Ig-like.
FT   NON_TER     117    117
SQ   SEQUENCE   117 AA;  12946 MW;  2D3F92FC60CD1FE7 CRC64;

  Query Match             65.6%;  Score 437;  DB 1;  Length 117;
  Best Local Similarity   85.7%;  Pred. No. 3.2e-37;
  Matches   84;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||| || ::|||| |||||||| :||: |:| |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFNSYYMHWVRQAPGQGLEWMGIINPSGGSTSY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98
              |||||||||||:|| || ||||||||||||||||||
Db         80 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCAR 117


RESULT 14
HV1G_HUMAN
ID   HV1G_HUMAN     STANDARD;      PRT;   117 AA.
AC   P23083;
DT   01-NOV-1991, integrated into UniProtKB/Swiss-Prot.
DT   01-NOV-1991, sequence version 1.
DT   30-MAY-2006, entry version 38.
DE   Ig heavy chain V-I region V35 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=88296408; PubMed=2841108;
RA   Matsuda F., Lee K.H., Nakai S., Sato T., Kodaira M., Zong S.Q.,
RA   Ohno H., Fukuhara S., Honjo T.;
RT   "Dispersed localization of D segments in the human immunoglobulin
RT   heavy-chain locus.";
RL   EMBO J. 7:1047-1051(1988).
RN   [2]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA] OF 20-116.
RX   MEDLINE=93209281; PubMed=7681398;
RA   Mariette X., Tsapis A., Brouet J.C.;
RT   "Nucleotidic sequence analysis of the variable domains of four human
RT   monoclonal IgM with an antibody activity to myelin-associated
RT   glycoprotein.";
RL   Eur. J. Immunol. 23:846-851(1993).
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; X07448; -; NOT_ANNOTATED_CDS; Genomic_DNA.
DR   PIR; S00476; HVHU35.
DR   HSSP; P01751; 1NQB.
DR   SMR; P23083; 20-117.
DR   Ensembl; ENSG00000130076; Homo sapiens.
DR   LinkHub; P23083; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     19
FT   CHAIN        20    117       Ig heavy chain V-I region V35.
FT                                 /FTId=PRO_0000015245.
FT   DOMAIN       20   >117       Ig-like.
FT   NON_TER     117    117
SQ   SEQUENCE   117 AA;  13009 MW;  BE61CE63F8CE97BD CRC64;

  Query Match             65.6%;  Score 437;  DB 1;  Length 117;
  Best Local Similarity   85.7%;  Pred. No. 3.2e-37;
  Matches   84;  Conservative    5;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||| | ::|||| |||||||| :|||| | |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGRINPNSGGTNY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98
              |||||||| ||:|||||||||||| |||:|| ||||||
Db         80 AQKFQGRVTSTRDTSISTAYMELSRLRSDDTVVYYCAR 117


RESULT 15
Q7Z7P5_HUMAN
ID   Q7Z7P5_HUMAN   PRELIMINARY;   PRT;   469 AA.
AC   Q7Z7P5;
DT   01-OCT-2003, integrated into UniProtKB/TrEMBL.
DT   01-OCT-2003, sequence version 1.
DT   27-JUN-2006, entry version 25.
DE   IGHG1 protein.
GN   Name=IGHG1;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
```

```
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RG   NIH MGC Project;
RL   Submitted (APR-2003) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC051328; AAH51328.1; -; mRNA.
DR   HSSP; P01857; 1HZH.
DR   SMR; Q7Z7P5; 20-469.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   469 AA;  51395 MW;  C8D5BE12BAAF795C CRC64;

  Query Match             64.4%;  Score 429;  DB 2;  Length 469;
  Best Local Similarity   65.9%;  Pred. No. 1.1e-35;
  Matches   83;  Conservative   15;  Mismatches   22;  Indels    6;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              || |||||||||||||||:||| ||| |:|||: ||||| ||||||||:: ::|:| |
Db         20 QVHLVQSGAEVKKPGASVKLSCKTSGYNFSSYDLIWVRQAPGQGLEWMGWISAHNGDTKY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |:||||||||| :|| :|:||| ||||:|||::|||       |         | |||||
Db         80 ARKFQGRVTMTTDTSATTSYMEFRSLRSDDTALFYCATKSRGQVG------DFDSWGQGT 133

Qy        121 TVTVSS 126
              ||||||
Db        134 LVTVSS 139


Search completed: April 25, 2007, 04:06:37
Job time : 86.7797 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 16 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	526	79.0	120	2	US-09-025-769B-36	Sequence 36, Appl
2	526	79.0	120	2	US-09-025-769B-59	Sequence 59, Appl
3	526	79.0	120	2	US-09-490-070A-36	Sequence 36, Appl
4	526	79.0	120	2	US-09-490-070A-59	Sequence 59, Appl
5	526	79.0	120	2	US-09-490-153-36	Sequence 36, Appl
6	526	79.0	120	2	US-09-490-153-59	Sequence 59, Appl
7	526	79.0	120	2	US-09-490-324-36	Sequence 36, Appl
8	526	79.0	120	2	US-09-490-324-59	Sequence 59, Appl
9	524.5	78.8	117	2	US-09-025-769B-22	Sequence 22, Appl
10	524.5	78.8	117	2	US-09-490-070A-22	Sequence 22, Appl
11	524.5	78.8	117	2	US-09-490-153-22	Sequence 22, Appl
12	524.5	78.8	117	2	US-09-490-324-22	Sequence 22, Appl
13	517	77.6	117	2	US-08-545-809A-96	Sequence 96, Appl
14	517	77.6	117	2	US-09-515-697-96	Sequence 96, Appl
15	509.5	76.5	470	2	US-09-859-053-28	Sequence 28, Appl
16	508	76.3	96	2	US-10-194-975-3	Sequence 3, Appli
17	498.5	74.8	123	2	US-10-330-613A-21	Sequence 21, Appl
18	497.5	74.7	123	1	US-08-477-877B-94	Sequence 94, Appl
19	497.5	74.7	123	1	US-08-472-281A-94	Sequence 94, Appl
20	497.5	74.7	123	1	US-08-477-989B-94	Sequence 94, Appl
21	497.5	74.7	123	2	US-09-462-140D-102	Sequence 102, App
22	497.5	74.7	123	2	US-09-462-140D-105	Sequence 105, App
23	491.5	73.8	125	2	US-09-199-149-3	Sequence 3, Appli
24	491.5	73.8	129	1	US-08-561-521-45	Sequence 45, Appl
25	491.5	73.8	129	2	US-08-525-539A-77	Sequence 77, Appl
26	491.5	73.8	129	5	PCT-US95-01219-45	Sequence 45, Appl
27	484.5	72.7	119	1	US-08-561-521-10	Sequence 10, Appl
28	484.5	72.7	119	5	PCT-US95-01219-10	Sequence 10, Appl
29	482	72.4	128	1	US-08-202-047-22	Sequence 22, Appl
30	482	72.4	128	2	US-08-964-690-22	Sequence 22, Appl
31	481.5	72.3	119	2	US-09-438-954-41	Sequence 41, Appl
32	478	71.8	139	1	US-08-253-877C-19	Sequence 19, Appl
33	478	71.8	139	1	US-08-452-164A-19	Sequence 19, Appl
34	478	71.8	139	2	US-08-603-024-18	Sequence 18, Appl
35	478	71.8	139	2	US-08-450-809-14	Sequence 14, Appl
36	474	71.2	118	3	US-09-875-221B-13	Sequence 13, Appl
37	470.5	70.6	119	1	US-08-300-386A-65	Sequence 65, Appl
38	470.5	70.6	119	2	US-08-931-645-65	Sequence 65, Appl
39	470.5	70.6	119	5	PCT-US95-11235-65	Sequence 65, Appl
40	470.5	70.6	121	1	US-08-202-047-23	Sequence 23, Appl
41	470.5	70.6	121	2	US-08-964-690-23	Sequence 23, Appl
42	469.5	70.5	123	1	US-08-482-882-86	Sequence 86, Appl
43	469.5	70.5	123	1	US-08-483-389-86	Sequence 86, Appl
44	469.5	70.5	123	1	US-08-487-113D-86	Sequence 86, Appl
45	469.5	70.5	123	1	US-08-473-503-86	Sequence 86, Appl

ALIGNMENTS

RESULT 1
US-09-025-769B-36
; Sequence 36, Application US/09025769B
; Patent No. 6300064
; GENERAL INFORMATION:
; APPLICANT: Knappik, Achim
; APPLICANT: Pack, Peter
; APPLICANT: Ilag, Vic
; APPLICANT: Ge, Liming
; APPLICANT: Moroney, Simon
; APPLICANT: Plueckthun, Andreas
; TITLE OF INVENTION: Protein/(Poly)peptide libraries
; NUMBER OF SEQUENCES: 373
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10021
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/025,769B
; FILING DATE: 18-FEB-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95 11 3021.0
; FILING DATE: 18-AUG-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: James F. Haley, Jr., Esq.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: MORPHO/5
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)596-9000
; TELEFAX: (212)596-9090
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-025-769B-36

Query Match 79.0%; Score 526; DB 2; Length 120;
Best Local Similarity 83.3%; Pred. No. 5.5e-45;

```
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              |||||
Db        115 LVTVSS 120


RESULT 2
US-09-025-769B-59
; Sequence 59, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  59:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  120 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-59

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              |||||
Db        115 LVTVSS 120


RESULT 3
US-09-490-070A-36
; Sequence 36, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;  INFORMATION FOR SEQ ID NO: 36:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-070A-36

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              |||||
Db        115 LVTVSS 120


RESULT 4
US-09-490-070A-59
```

```
; Sequence 59, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 59:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-070A-59

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              ||||||
Db        115 LVTVSS 120


RESULT 5
US-09-490-153-36
; Sequence 36, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 36:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-153-36

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              ||||||
Db        115 LVTVSS 120


RESULT 6
US-09-490-153-59
; Sequence 59, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
```

```
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;         COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;         CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;         PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;         ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;         TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;      INFORMATION FOR SEQ ID NO: 59:
;         SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            TOPOLOGY: linear
;         MOLECULE TYPE: protein
;         SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-153-59

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|||||||||||||||||||||||||     :||     | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              ||||||
Db        115 LVTVSS 120


RESULT 7
US-09-490-324-36
; Sequence 36, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;         COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;         CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;         PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;         ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;         TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;      INFORMATION FOR SEQ ID NO: 36:
;         SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;         MOLECULE TYPE: protein
;         SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-09-490-324-36

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||:|||||||||||||||||||||||||     :||     | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              ||||||
Db        115 LVTVSS 120


RESULT 8
US-09-490-324-59
; Sequence 59, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;         COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;         CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;         PRIOR APPLICATION DATA:
```

```
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 59:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 59:
US-09-490-324-59

  Query Match             79.0%;  Score 526;  DB 2;  Length 120;
  Best Local Similarity   83.3%;  Pred. No. 5.5e-45;
  Matches  105;  Conservative    5;  Mismatches   10;  Indels    6;  Gaps    2;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||||| ::||||| |||||||||:||||| | |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGGTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||:|||||||||||||||||||||||     :||    | || |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSEDTAVYYCAR-----WGG-DGFYAMDYWGQGT 114

Qy        121 TVTVSS 126
              |||||
Db        115 LVTVSS 120


RESULT 9
US-09-025-769B-22
; Sequence 22, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  22:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  117 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-22

  Query Match             78.8%;  Score 524.5;  DB 2;  Length 117;
  Best Local Similarity   81.7%;  Pred. No. 7.5e-45;
  Matches  103;  Conservative    5;  Mismatches    9;  Indels    9;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||||| ::||||| |||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||:|||||||||||||||:||||||||||              | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARD---------GDGGFDYWGQGT 111

Qy        121 TVTVSS 126
              |||||
Db        112 LVTVSS 117


RESULT 10
US-09-490-070A-22
; Sequence 22, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;  INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
```

```
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-070A-22

  Query Match             78.8%;  Score 524.5;  DB 2;  Length 117;
  Best Local Similarity   81.7%;  Pred. No. 7.5e-45;
  Matches  103;  Conservative    5;  Mismatches    9;  Indels    9;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||||:|||||||||||||:||||||||||           | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARD---------GDGGFDYWGQGT 111

Qy        121 TVTVSS 126
              |||||
Db        112 LVTVSS 117


RESULT 11
US-09-490-153-22
; Sequence 22, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-153-22

  Query Match             78.8%;  Score 524.5;  DB 2;  Length 117;
  Best Local Similarity   81.7%;  Pred. No. 7.5e-45;
  Matches  103;  Conservative    5;  Mismatches    9;  Indels    9;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||||:|||||||||||||:||||||||||           | | |||||
Db         61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARD---------GDGGFDYWGQGT 111

Qy        121 TVTVSS 126
              |||||
Db        112 LVTVSS 117


RESULT 12
US-09-490-324-22
; Sequence 22, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 22:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 117 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 22:
US-09-490-324-22

  Query Match             78.8%;  Score 524.5;  DB 2;  Length 117;
  Best Local Similarity   81.7%;  Pred. No. 7.5e-45;
  Matches  103;  Conservative    5;  Mismatches    9;  Indels    9;  Gaps    1;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||||| ::||||| |||||||||:||||||| |
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYYMHWVRQAPGQGLEWMGWINPNSGNTNY 60
```

```
Qy          61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
               ||||||||||||:||||||||||||||:||||||||||          | | |||||
Db          61 AQKFQGRVTMTRDTSISTAYMELSSLRSDDTAVYYCARD---------GDGGFDYWGQGT 111

Qy         121 TVTVSS 126
               |||||
Db         112 LVTVSS 117


RESULT 13
US-08-545-809A-96
; Sequence 96, Application US/08545809A
; Patent No. 6096878
;  GENERAL INFORMATION:
;    APPLICANT:  Honjo, Tasuku
;    APPLICANT:  Matsuda, Fumihiko
;    TITLE OF INVENTION:  HUMAN IMMUNOGLOBULIN VH GENE
;    TITLE OF INVENTION:  SEGMENTS AND DNA FRAGMENTS CONTAINING THE SAME
;    NUMBER OF SEQUENCES:  145
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Fish & Richardson, P.C.
;      STREET:  225 Franklin Street
;      CITY:  Boston
;      STATE:  MA
;      COUNTRY:  US
;      ZIP:  02110-2804
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Diskette
;      COMPUTER:  IBM Compatible
;      OPERATING SYSTEM:  Windows95
;      SOFTWARE:  FastSEQ for Windows Version 2.0
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/545,809A
;      FILING DATE:  27-MAR-1996
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  PCT/JP93/00603
;      FILING DATE:  10-MAY-1993
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Freeman, John W.
;      REGISTRATION NUMBER:  29,066
;      REFERENCE/DOCKET NUMBER:  06501/004001
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  617-542-5070
;      TELEFAX:  617-542-8906
;      TELEX:  200154
;  INFORMATION FOR SEQ ID NO:  96:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  117 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-08-545-809A-96

  Query Match             77.6%;  Score 517;  DB 2;  Length 117;
  Best Local Similarity   100.0%;  Pred. No. 4.2e-44;
  Matches   98;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98
              ||||||||||||||||||||||||||||||||||||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 117


RESULT 14
US-09-515-697-96
; Sequence 96, Application US/09515697
; Patent No. 6936705
;   GENERAL INFORMATION:
;        APPLICANT: Honjo, Tasuku
;                   Matsuda, Fumihiko
;        TITLE OF INVENTION: HUMAN IMMUNOGLOBULIN VH GENE
;                            SEGMENTS AND DNA FRAGMENTS CONTAINING THE SAME
;        NUMBER OF SEQUENCES: 145
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: Fish & Richardson, P.C.
;             STREET: 225 Franklin Street
;             CITY: Boston
;             STATE: MA
;             COUNTRY: US
;             ZIP: 02110-2804
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Diskette
;             COMPUTER: IBM Compatible
;             OPERATING SYSTEM: Windows95
;             SOFTWARE: FastSEQ for Windows Version 2.0
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/515,697
;             FILING DATE: 29-Feb-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/08/545,809
;             FILING DATE: 27-MAR-1996
;             APPLICATION NUMBER: PCT/JP93/00603
;             FILING DATE: 10-MAY-1993
;        ATTORNEY/AGENT INFORMATION:
;             NAME: Freeman, John W.
;             REGISTRATION NUMBER: 29,066
;             REFERENCE/DOCKET NUMBER: 06501/004001
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: 617-542-5070
;             TELEFAX: 617-542-8906
;             TELEX: 200154
;   INFORMATION FOR SEQ ID NO: 96:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 117 amino acids
;             TYPE: amino acid
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 96:
US-09-515-697-96

  Query Match             77.6%;  Score 517;  DB 2;  Length 117;
  Best Local Similarity   100.0%;  Pred. No. 4.2e-44;
  Matches   98;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 98
              ||||||||||||||||||||||||||||||||||||||
Db         80 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAR 117


RESULT 15
US-09-859-053-28
; Sequence 28, Application US/09859053
; Patent No. 6803039
; GENERAL INFORMATION:
;  APPLICANT: Tsuji, Takashi
;  APPLICANT:  Tezuka, Katsunari
;  APPLICANT:  Hori, No. 6803039uaki
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODY AGAINST A
;  TITLE OF INVENTION:  COSTIMULATORY SIGNAL TRANSDUCTION MOLECULE AILIM AND
;  TITLE OF INVENTION:  PHARMACEUTICAL USE THEREOF
;  FILE REFERENCE: 06501-079001
;  CURRENT APPLICATION NUMBER: US/09/859,053
;  CURRENT FILING DATE:  2001-05-16
;  PRIOR APPLICATION NUMBER: JP 2001-99508
;  PRIOR FILING DATE: 2001-03-30
;  PRIOR APPLICATION NUMBER: JP 2000-147116
;  PRIOR FILING DATE: 2000-05-18
;  NUMBER OF SEQ ID NOS: 43
;  SOFTWARE: FastSEQ for Windows Version 4.0
```

; SEQ ID NO 28
; LENGTH: 470
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-859-053-28

Query Match 76.5%; Score 509.5; DB 2; Length 470;
Best Local Similarity 78.6%; Pred. No. 1.1e-42;
Matches 99; Conservative 7; Mismatches 19; Indels 1; Gaps 1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              |||||||||||||||||||||||||||| | ::||||| |||||||||:||:|| | |
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFTGYYMHWVRQAPGQGLEWMGWINPHSGGTNY 79

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||||:|||||||||||| |||:|||||||||       |   |   |:|||||
Db         80 AQKFQGRVTMTRDTSISTAYMELSRLRSDDTAVYYCARTYYYDSSG-YYHDAFDIWGQGT 138

Qy        121 TVTVSS 126
               |||||
Db        139 MVTVSS 144
```

Search completed: April 25, 2007, 04:08:32
Job time : 15.839 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 47 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	666	100.0	126	4	US-10-041-860-21	Sequence 21, Appl
2	666	100.0	126	4	US-10-041-860-199	Sequence 199, App
3	666	100.0	126	4	US-10-041-860-236	Sequence 236, App
4	666	100.0	126	4	US-10-041-860-294	Sequence 294, App
5	666	100.0	126	4	US-10-665-383-22	Sequence 22, Appl
6	605	90.8	126	4	US-10-041-860-40	Sequence 40, Appl
7	605	90.8	126	4	US-10-041-860-204	Sequence 204, App
8	605	90.8	126	4	US-10-041-860-241	Sequence 241, App
9	605	90.8	126	4	US-10-041-860-349	Sequence 349, App
10	605	90.8	126	4	US-10-665-383-58	Sequence 58, Appl
11	604	90.7	126	4	US-10-041-860-19	Sequence 19, Appl
12	604	90.7	126	4	US-10-041-860-201	Sequence 201, App
13	604	90.7	126	4	US-10-041-860-288	Sequence 288, App
14	604	90.7	126	4	US-10-665-383-18	Sequence 18, Appl
15	600	90.1	126	4	US-10-041-860-37	Sequence 37, Appl
16	600	90.1	126	4	US-10-041-860-202	Sequence 202, App
17	600	90.1	126	4	US-10-041-860-239	Sequence 239, App
18	600	90.1	126	4	US-10-665-383-74	Sequence 74, Appl
19	593.5	89.1	125	4	US-10-041-860-38	Sequence 38, Appl
20	593.5	89.1	125	4	US-10-041-860-203	Sequence 203, App
21	593.5	89.1	125	4	US-10-041-860-240	Sequence 240, App
22	593.5	89.1	125	4	US-10-041-860-343	Sequence 343, App
23	593.5	89.1	125	4	US-10-665-383-54	Sequence 54, Appl
24	593	89.0	122	4	US-10-269-805-61	Sequence 61, Appl
25	593	89.0	122	5	US-10-982-440-61	Sequence 61, Appl
26	590	88.6	125	4	US-10-041-860-238	Sequence 238, App
27	580.5	87.2	127	4	US-10-041-860-44	Sequence 44, Appl
28	580.5	87.2	127	4	US-10-041-860-205	Sequence 205, App
29	580.5	87.2	127	4	US-10-041-860-242	Sequence 242, App
30	580.5	87.2	127	4	US-10-041-860-360	Sequence 360, App
31	580.5	87.2	127	4	US-10-665-383-66	Sequence 66, Appl
32	567.5	85.2	125	4	US-10-041-860-48	Sequence 48, Appl
33	567.5	85.2	125	4	US-10-041-860-200	Sequence 200, App
34	567.5	85.2	125	4	US-10-041-860-237	Sequence 237, App
35	567.5	85.2	125	4	US-10-041-860-372	Sequence 372, App
36	567.5	85.2	125	4	US-10-665-383-2	Sequence 2, Appli
37	564.5	84.8	476	3	US-09-747-669-3	Sequence 3, Appli
38	564.5	84.8	476	4	US-10-290-703-3	Sequence 3, Appli
39	549	82.4	249	3	US-09-880-748-919	Sequence 919, App
40	549	82.4	249	4	US-10-293-418-919	Sequence 919, App
41	549	82.4	249	6	US-11-054-515-919	Sequence 919, App
42	549	82.4	249	6	US-11-266-444-919	Sequence 919, App
43	545.5	81.9	242	6	US-11-090-847-93	Sequence 93, Appl
44	544	81.7	120	4	US-10-269-805-47	Sequence 47, Appl
45	544	81.7	120	5	US-10-982-440-47	Sequence 47, Appl

ALIGNMENTS

RESULT 1
US-10-041-860-21
; Sequence 21, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 21
; LENGTH: 126
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-21

Query Match 100.0%; Score 666; DB 4; Length 126;
Best Local Similarity 100.0%; Pred. No. 9.8e-56;
Matches 126; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

RESULT 2
US-10-041-860-199
; Sequence 199, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 199
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-199

  Query Match             100.0%;  Score 666;  DB 4;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 9.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 3
US-10-041-860-236
; Sequence 236, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 236
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-236

  Query Match             100.0%;  Score 666;  DB 4;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 9.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 4
US-10-041-860-294
; Sequence 294, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 294
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-294

  Query Match             100.0%;  Score 666;  DB 4;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 9.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 5
US-10-665-383-22
; Sequence 22, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 22
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-22
```

```
  Query Match           100.0%;  Score 666;  DB 4;  Length 126;
  Best Local Similarity  100.0%;  Pred. No. 9.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 6
US-10-041-860-40
; Sequence 40, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 40
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-40

  Query Match           90.8%;  Score 605;  DB 4;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.5e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 7
US-10-041-860-204
; Sequence 204, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 204
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-204

  Query Match           90.8%;  Score 605;  DB 4;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.5e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 8
US-10-041-860-241
; Sequence 241, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 241
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-241

  Query Match           90.8%;  Score 605;  DB 4;  Length 126;
  Best Local Similarity  89.7%;  Pred. No. 6.5e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

```
RESULT 9
US-10-041-860-349
; Sequence 349, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 349
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-349

  Query Match             90.8%;  Score 605;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 6.5e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 10
US-10-665-383-58
; Sequence 58, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 58
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-58

  Query Match             90.8%;  Score 605;  DB 4;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 6.5e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 11
US-10-041-860-19
; Sequence 19, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 19
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-19

  Query Match             90.7%;  Score 604;  DB 4;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 8.1e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 12
US-10-041-860-201
; Sequence 201, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
```

```
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 201
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-201

  Query Match            90.7%;  Score 604;  DB 4;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 8.1e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 13
US-10-041-860-288
; Sequence 288, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 288
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-288

  Query Match            90.7%;  Score 604;  DB 4;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 8.1e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 14
US-10-665-383-18
; Sequence 18, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-18

  Query Match            90.7%;  Score 604;  DB 4;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 8.1e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 15
US-10-041-860-37
; Sequence 37, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 37
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-37

  Query Match            90.1%;  Score 600;  DB 4;  Length 126;
  Best Local Similarity   88.9%;  Pred. No. 1.9e-49;
  Matches  112;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||:|||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTTYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
```

```
              ||||||||||||||||:||||||||||||||||||||||:::       : |||||||||
Db         61 AQKFQGRVTMTRNTSLSTAYMELSSLRSEDTAVYYCARDIVVVVAATNYYYNGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

Search completed: April 25, 2007, 04:22:51
Job time : 47.6271 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 49 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-22
Perfect score: 666
Sequence: 1 QVQLVQSGAEVKKPGASVKV.....VIVHYGMDVWGQGTTVTVSS 126

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	666	100.0	126	7	US-11-109-181-21	Sequence 21, Appl
2	666	100.0	126	7	US-11-109-181-199	Sequence 199, App
3	666	100.0	126	7	US-11-109-181-236	Sequence 236, App
4	666	100.0	126	7	US-11-109-181-294	Sequence 294, App
5	605	90.8	126	7	US-11-109-181-40	Sequence 40, Appl
6	605	90.8	126	7	US-11-109-181-204	Sequence 204, App
7	605	90.8	126	7	US-11-109-181-241	Sequence 241, App
8	605	90.8	126	7	US-11-109-181-349	Sequence 349, App
9	604	90.7	126	7	US-11-109-181-19	Sequence 19, Appl
10	604	90.7	126	7	US-11-109-181-201	Sequence 201, App
11	604	90.7	126	7	US-11-109-181-288	Sequence 288, App
12	600	90.1	126	7	US-11-109-181-37	Sequence 37, Appl
13	600	90.1	126	7	US-11-109-181-202	Sequence 202, App
14	600	90.1	126	7	US-11-109-181-239	Sequence 239, App
15	593.5	89.1	125	7	US-11-109-181-38	Sequence 38, Appl
16	593.5	89.1	125	7	US-11-109-181-203	Sequence 203, App
17	593.5	89.1	125	7	US-11-109-181-240	Sequence 240, App
18	593.5	89.1	125	7	US-11-109-181-343	Sequence 343, App
19	591.5	88.8	126	7	US-11-433-924-94	Sequence 94, Appl
20	590	88.6	125	7	US-11-109-181-238	Sequence 238, App
21	585	87.8	122	7	US-11-433-924-254	Sequence 254, App
22	580.5	87.2	127	7	US-11-109-181-44	Sequence 44, Appl
23	580.5	87.2	127	7	US-11-109-181-205	Sequence 205, App
24	580.5	87.2	127	7	US-11-109-181-242	Sequence 242, App
25	580.5	87.2	127	7	US-11-109-181-360	Sequence 360, App
26	567.5	85.2	125	7	US-11-109-181-48	Sequence 48, Appl
27	567.5	85.2	125	7	US-11-109-181-200	Sequence 200, App
28	567.5	85.2	125	7	US-11-109-181-237	Sequence 237, App
29	567.5	85.2	125	7	US-11-109-181-372	Sequence 372, App
30	554	83.2	450	7	US-11-396-178-20	Sequence 20, Appl
31	553.5	83.1	199	5	US-09-784-950-29	Sequence 29, Appl
32	553.5	83.1	199	7	US-11-366-003-29	Sequence 29, Appl
33	553	83.0	116	7	US-11-433-924-14	Sequence 14, Appl
34	546.5	82.1	257	7	US-11-327-917-15	Sequence 15, Appl
35	539.5	81.0	123	7	US-11-410-886-69	Sequence 69, Appl
36	539.5	81.0	449	7	US-11-410-886-22	Sequence 22, Appl
37	536.5	80.6	123	7	US-11-410-886-49	Sequence 49, Appl
38	536.5	80.6	126	7	US-11-311-939-425	Sequence 425, App
39	536.5	80.6	126	7	US-11-311-939-429	Sequence 429, App
40	536.5	80.6	449	7	US-11-410-886-6	Sequence 6, Appli
41	533.5	80.1	203	5	US-09-784-950-27	Sequence 27, Appl
42	533.5	80.1	203	7	US-11-366-003-27	Sequence 27, Appl
43	529	79.4	121	7	US-11-311-939-586	Sequence 586, App
44	526	79.0	120	7	US-11-304-986-22	Sequence 22, Appl
45	526	79.0	120	7	US-11-303-478-46	Sequence 46, Appl

ALIGNMENTS

RESULT 1
US-11-109-181-21
; Sequence 21, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 21
; LENGTH: 126
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-21

Query Match 100.0%; Score 666; DB 7; Length 126;
Best Local Similarity 100.0%; Pred. No. 1.8e-56;
Matches 126; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126
```

RESULT 2
US-11-109-181-199
; Sequence 199, Application US/11109181

```
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 199
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-199

  Query Match             100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 1.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 3
US-11-109-181-236
; Sequence 236, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 236
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-236

  Query Match             100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 1.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 4
US-11-109-181-294
; Sequence 294, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 294
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-294

  Query Match             100.0%;  Score 666;  DB 7;  Length 126;
  Best Local Similarity   100.0%;  Pred. No. 1.8e-56;
  Matches  126;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 5
US-11-109-181-40
; Sequence 40, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
```

```
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 40
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-40

  Query Match             90.8%;  Score 605;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.3e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 6
US-11-109-181-204
; Sequence 204, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 204
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-204

  Query Match             90.8%;  Score 605;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.3e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 7
US-11-109-181-241
; Sequence 241, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 241
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-241

  Query Match             90.8%;  Score 605;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.3e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:|||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 8
US-11-109-181-349
; Sequence 349, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 349
;   LENGTH: 126
;   TYPE: PRT
```

```
;   ORGANISM: homo sapiens
US-11-109-181-349

  Query Match           90.8%;  Score 605;  DB 7;  Length 126;
  Best Local Similarity   89.7%;  Pred. No. 1.3e-50;
  Matches  113;  Conservative    6;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||:||||||||||||||||||||||||||:|||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYSFTSYDINWVRQATGQGLEWMGWMNPNNGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||:::       :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDIVVVVTATDYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 9
US-11-109-181-19
; Sequence 19, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 19
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-19

  Query Match           90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 1.6e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 10
US-11-109-181-201
; Sequence 201, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 201
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-201

  Query Match           90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 1.6e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120
              ||||||||||||||||||||||||||||||||||||: :   |    :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 11
US-11-109-181-288
; Sequence 288, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 288
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-288

  Query Match           90.7%;  Score 604;  DB 7;  Length 126;
  Best Local Similarity   91.3%;  Pred. No. 1.6e-50;
  Matches  115;  Conservative    3;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
```

```
Qy          61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
               ||||||||||||||||||||||||||||||||||||: :   |   :||||||||||
Db          61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCAREGIAVAGTYYYYYGMDVWGQGT 120

Qy         121 TVTVSS 126
               ||||||
Db         121 TVTVSS 126


RESULT 12
US-11-109-181-37
; Sequence 37, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 37
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-37

  Query Match             90.1%;  Score 600;  DB 7;  Length 126;
  Best Local Similarity   88.9%;  Pred. No. 3.8e-50;
  Matches  112;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTTYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||:||||||||||||||||||:::       : |||||||||
Db         61 AQKFQGRVTMTRNTSLSTAYMELSSLRSEDTAVYYCARDIVVVVAATNYYNGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 13
US-11-109-181-202
; Sequence 202, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 202
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-202

  Query Match             90.1%;  Score 600;  DB 7;  Length 126;
  Best Local Similarity   88.9%;  Pred. No. 3.8e-50;
  Matches  112;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTTYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||:||||||||||||||||||:::       : |||||||||
Db         61 AQKFQGRVTMTRNTSLSTAYMELSSLRSEDTAVYYCARDIVVVVAATNYYNGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 14
US-11-109-181-239
; Sequence 239, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 239
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-239

  Query Match             90.1%;  Score 600;  DB 7;  Length 126;
  Best Local Similarity   88.9%;  Pred. No. 3.8e-50;
  Matches  112;  Conservative    6;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTTYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              ||||||||||||||:||||||||||||||||||:::       : |||||||||
Db         61 AQKFQGRVTMTRNTSLSTAYMELSSLRSEDTAVYYCARDIVVVVAATNYYNGMDVWGQGT 120

Qy        121 TVTVSS 126
              ||||||
Db        121 TVTVSS 126


RESULT 15
US-11-109-181-38
```

; Sequence 38, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 38
; LENGTH: 125
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-38

Query Match 89.1%; Score 593.5; DB 7; Length 125;
Best Local Similarity 91.3%; Pred. No. 1.6e-49;
Matches 115; Conservative 3; Mismatches 7; Indels 1; Gaps 1;

```
Qy          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGQGLEWMGWMNPNSGNTGY 60

Qy         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARDVMITFGGVIVHYGMDVWGQGT 120
              |||||||||||||||||||||||||||||||||||    :: |   :||||||||||
Db         61 AQKFQGRVTMTRNTSISTAYMELSSLRSEDTAVYYCARGSGYSY-GYDYYYGMDVWGQGT 119

Qy        121 TVTVSS 126
              ||||||
Db        120 TVTVSS 125
```

Search completed: April 25, 2007, 04:27:44
Job time : 49.5847 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 93 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	107	7	ADK18598	Adk18598 Anti-huma
2	558	100.0	107	7	ADK18838	Adk18838 Anti-huma
3	558	100.0	107	7	ADK18837	Adk18837 Anti-huma
4	558	100.0	107	7	ADK18873	Adk18873 Anti-huma
5	558	100.0	107	7	ADK18803	Adk18803 Anti-huma
6	558	100.0	107	8	ADL25414	Adl25414 Human mAb
7	542	97.1	107	8	ADS84414	Ads84414 Human ant
8	542	97.1	107	8	ADR68556	Adr68556 Anti-EPO-
9	542	97.1	234	8	ADS84470	Ads84470 Human ant
10	542	97.1	234	8	ADR68612	Adr68612 Human ant
11	539	96.6	107	8	ADS84402	Ads84402 Human ant
12	539	96.6	107	8	ADR68544	Adr68544 Anti-EPO-
13	539	96.6	234	8	ADS84452	Ads84452 Human ant
14	539	96.6	234	8	ADR68594	Adr68594 Human ant
15	528	94.6	107	7	ADK18841	Adk18841 Anti-huma
16	528	94.6	108	10	AEJ60732	Aej60732 Sulfocore
17	528	94.6	236	5	ABG77160	Abg77160 Germline
18	528	94.6	236	8	ADR28582	Adr28582 Human ant
19	528	94.6	236	10	AEF54367	Aef54367 Human lig
20	528	94.6	236	10	AEF54346	Aef54346 Human lig
21	528	94.6	236	10	AEF34918	Aef34918 Human ger
22	528	94.6	236	10	AEL09667	Ael09667 Anti-IGF1
23	528	94.6	236	10	AEL59900	Ael59900 Light cha
24	527	94.4	107	5	ABG30494	Abg30494 Human ant
25	527	94.4	108	8	ADS16571	Ads16571 Human ant
26	525	94.1	107	7	ADC99789	Adc99789 Anti-huma
27	525	94.1	107	7	ADD05393	Add05393 Anti-MUC1
28	525	94.1	107	7	ADF09831	Adf09831 Human ant
29	525	94.1	107	7	ADK18842	Adk18842 Anti-huma
30	525	94.1	107	7	ADK18916	Adk18916 Anti-huma
31	525	94.1	107	7	ADK18892	Adk18892 Anti-huma
32	525	94.1	107	7	ADK18612	Adk18612 Anti-huma
33	525	94.1	107	7	ADK18602	Adk18602 Anti-huma
34	525	94.1	107	7	ADK18810	Adk18810 Anti-huma
35	525	94.1	107	7	ADK18844	Adk18844 Anti-huma
36	525	94.1	107	7	ADK18808	Adk18808 Anti-huma
37	525	94.1	107	7	ADK18807	Adk18807 Anti-huma
38	525	94.1	107	7	ADK18604	Adk18604 Anti-huma
39	525	94.1	107	7	ADP03996	Adp03996 Murine-ex
40	525	94.1	107	8	ADL25422	Adl25422 Human mAb
41	525	94.1	107	8	ADL25426	Adl25426 Human mAb
42	525	94.1	107	8	ADL25442	Adl25442 Human mAb
43	525	94.1	107	8	ADO07289	Ado07289 Human pro
44	525	94.1	107	8	ADP22368	Adp22368 Human ant
45	525	94.1	107	8	ADP22401	Adp22401 Human ant

ALIGNMENTS

RESULT 1
ADK18598
ID ADK18598 standard; protein; 107 AA.
XX
AC ADK18598;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody light chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 22; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 107 AA;

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 2e-34;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 2
ADK18838
ID   ADK18838 standard; protein; 107 AA.
XX
AC   ADK18838;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #64.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 262; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 107 AA;

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 2e-34;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 3
ADK18837
ID   ADK18837 standard; protein; 107 AA.
XX
AC   ADK18837;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #63.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 261; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 107 AA;

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 2e-34;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 4
ADK18873
ID   ADK18873 standard; protein; 107 AA.
XX
AC   ADK18873;
XX
DT   06-MAY-2004  (first entry)
XX
```

DE Anti-human PDGF-D antibody protein related sequence #99.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 297; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 107 AA;

Query Match 100.0%; Score 558; DB 7; Length 107;
Best Local Similarity 100.0%; Pred. No. 2e-34;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
|||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107

RESULT 5
ADK18803
ID ADK18803 standard; protein; 107 AA.
XX
AC ADK18803;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #29.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 227; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 107 AA;

Query Match 100.0%; Score 558; DB 7; Length 107;
Best Local Similarity 100.0%; Pred. No. 2e-34;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
|||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107

RESULT 6
ADL25414
ID ADL25414 standard; protein; 107 AA.
XX
AC ADL25414;
XX
DT 17-JUN-2004 (first entry)
XX
DE Human mAb 1.19 light chain variable region protein SEQ ID NO:24.
XX
KW antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW nephritis; mesangial cell proliferation inhibition;
KW mesangial proliferative glomerulonephritis; nephrotropic;
KW antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW gene therapy; human; monoclonal antibody; mAb.
XX
OS Homo sapiens.
XX
PN WO2004024098-A2.
XX
PD 25-MAR-2004.
XX
PF 16-SEP-2003; 2003WO-US029414.
XX
PR 16-SEP-2002; 2002US-0411137P.
XX
PA (ABGE-) ABGENIX INC.
PA (CURA-) CURAGEN CORP.
XX
PI Floege J, Gazit-Bornstein G, Keyt B, Larochelle WJ, Lichenstein H;
XX
DR WPI; 2004-269881/25.

DR N-PSDB; ADL25413.
XX
PT Use of an antibody or its binding fragment that binds platelet derived
PT growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT nephritis.
XX
PS Disclosure; SEQ ID NO 24; 115pp; English.
XX
CC The present invention describes an antibody or its binding fragment that
CC binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC useful in preparing a medicament for treating nephritis. Also described:
CC (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC of treating mesangial proliferative glomerulonephritis. The antibody has
CC nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC antidiabetic activities, and can be used in gene therapy. The antibody or
CC its binding fragment, that binds PDGF-DD, can be used in preparing a
CC medicament for treating nephritis and related disorders, e.g., mesangial
CC proliferative glomerulonephritis. The present sequence represents a human
CC monoclonal antibody (mAb) variable region sequence, which is used in the
CC exemplification of the present invention.
XX
SQ Sequence 107 AA;

Query Match 100.0%; Score 558; DB 8; Length 107;
Best Local Similarity 100.0%; Pred. No. 2e-34;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
|||||||||||||||||||||||||||||||||||||||||||||||||||
Db 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107

RESULT 7
ADS84414
ID ADS84414 standard; protein; 107 AA.
XX
AC ADS84414;
XX
DT 18-NOV-2004 (first entry)
XX
DE Human anti-EPO-R antibody light chain variable region SEQ ID NO:53.
XX
KW human; erythropoietin receptor; EPO receptor;
KW erythropoietin receptor binding antibody; EPO receptor binding antibody;
KW antianaemic; neuroprotective; vulnerary; gene therapy; aplasia; anaemia;
KW wound healing; neural cell damage protection;
KW neural tissue damage protection; brain injury; spinal cord injury;
KW stroke; anti-erythropoietin receptor antibody; anti-EPO-R antibody.
XX
OS Homo sapiens.
XX
PN WO2004035603-A2.
XX
PD 29-APR-2004.
XX
PF 14-OCT-2003; 2003WO-US032243.
XX
PR 14-OCT-2002; 2002US-00269711.
PR 10-OCT-2003; 2003US-00684109.
XX
PA (ABBO) ABBOTT LAB.
XX
PI Devries PJ, Green LL, Ostrow DH, Reilly EB, Wieler J;
XX
DR WPI; 2004-348433/32.
DR N-PSDB; ADS84413.
XX
PT New antibodies that bind to or activate an endogenous human
PT erythropoietin receptor, useful for diagnosing, preventing or treating
PT disorders associated with dysfunctional erythropoietin receptor, e.g.
PT anemia.
XX
PS Claim 10; SEQ ID NO 53; 192pp; English.
XX
CC The present invention describes an antibody or its fragment that binds to
CC or activates an endogenous activity of a human erythropoietin (EPO)
CC receptor in a mammal, but does not interact with a peptide having a
CC sequence of 30 amino acids (SEQ ID NO:1, ADS84362). Also described: (1)
CC methods of modulating or activating an endogenous activity of a human EPO
CC receptor in a mammal, comprising administering to the mammal a
CC therapeutic amount of the above antibody or its fragment to modulate or
CC activate the receptor; (2) a method of treating a mammal suffering from
CC aplasia, comprising administering to the mammal a therapeutic amount of
CC the above antibody or its fragment to modulate or activate the receptor;
CC (3) a pharmaceutical composition comprising a therapeutic amount of the
CC above antibody or antibody fragment, and a pharmaceutical excipient; (4)
CC an isolated and purified polynucleotide sequence, and their fragments,
CC complements and degenerate codon equivalents; and (5) an isolated and
CC purified amino acid sequence, and their fragments. The EPO receptor
CC binding antibody has antianaemic, neuroprotective and vulnerary
CC activities, and can be used in gene therapy. The compositions and methods
CC from the present invention can be used for modulating an endogenous
CC activity of a human EPO receptor or for treating mammals suffering from
CC aplasia or anaemia. They may also be used for identifying mammals having
CC a dysfunctional EPO receptor. The composition may also be used in
CC promoting wound healing or in protecting against neural cell and/or
CC tissue damage resulting from brain/spinal cord injury, stroke and the
CC like. The present sequence represents a human anti-EPO-R antibody light
CC chain variable region, which is given in the exemplification of the
CC present invention.
XX
SQ Sequence 107 AA;

Query Match 97.1%; Score 542; DB 8; Length 107;
Best Local Similarity 97.2%; Pred. No. 3.1e-33;
Matches 104; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
||||||||:|||||||||||||||||||| |||||||||||:
Db 61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107

RESULT 8
ADR68556
ID ADR68556 standard; protein; 107 AA.
XX
AC ADR68556;
XX
DT 02-DEC-2004 (first entry)
XX
DE Anti-EPO-R-antibody light chain variable region seqid 53.
XX
KW antianaemic; respiratory; vulnerary; gene therapy; vaccine;
KW erythropoietin receptor; EPO-R; anti-EPO-R-antibody; aplasia; anaemia;
KW hypoxaemia; chronic tissue hypoxia; blood circulation; blood flow;
KW wound healing; neural cell damage; tissue damage; brain injury;
KW spinal cord injury; stroke; anti-EPO-R-antibody; light chain;
KW variable region.
XX
OS Homo sapiens.
XX
PN US2004175379-A1.
XX
PD 09-SEP-2004.
XX
PF 10-OCT-2003; 2003US-00684109.
XX

PR 14-OCT-2002; 2002US-0418031P.
XX
PA (DEVR/) DEVRIES P J.
PA (OSTR/) OSTROW D H.
PA (REIL/) REILLY E B.
PA (GREE/) GREEN L L.
PA (WIEL/) WIELER J.
XX
PI Devries PJ, Ostrow DH, Reilly EB, Green LL, Wieler J;
XX
DR WPI; 2004-661369/64.
DR N-PSDB; ADR68555.
XX
PT New antibody or its antibody fragment that activates an endogenous
PT activity or is capable of binding to a human erythropoietin receptor in a
PT mammal, useful for treating a mammal suffering aplasia or anemia.
XX
PS Claim 10; SEQ ID NO 53; 156pp; English.
XX
CC The invention describes an antibody or its fragment that activates an
CC endogenous activity or capable of binding to a human erythropoietin
CC receptor in a mammal, or that comprises at least one heavy or light chain
CC variable region having a sequence comprising 116 or 107 amino acids (SEQ
CC ID NO: 3 or 5) given in the specification or its fragment, but does not
CC interact with a peptide comprising 30 amino acids (SEQ ID NO: 1) also
CC given in the specification. Also described are: a method of activating or
CC modulating an endogenous activity of a human erythropoietin receptor in a
CC mammal; a pharmaceutical composition comprising a therapeutic amount of
CC an antibody or antibody fragment above and a pharmaceutical excipient; an
CC isolated and purified polynucleotide sequence selected from 28 sequences
CC comprising 322-370 bp (even SEQ ID NOs between SEQ ID NO: 2-56) given in
CC the specification, and their fragments, complements, and degenerate codon
CC equivalents; and an isolated and purified amino acid sequence selected
CC from 39 sequences comprising 27-552 amino acids (odd SEQ ID NOs between
CC SEQ ID NO: 3-57, and SEQ ID NO: 58-68) given in the specification or
CC their fragments. The antibody or its antibody fragment that activates or
CC modulates the activity of the receptor is useful in a method of treating
CC a mammal suffering aplasia or anaemia. The antibodies are also useful for
CC treating disorders characterised by decreased or subnormal levels of
CC oxygen in the blood or tissue such as hypoxaemia or chronic tissue
CC hypoxia and/or diseases characterised by inadequate blood circulation or
CC reduced blood flow. They are also useful for promoting wound healing or
CC for protecting against neural cell and/or tissue damage, resulting from
CC brain/spinal cord injury, stroke and the like. The antibodies are also
CC useful for identifying or diagnosing mammals having dysfunctional
CC erythropoietin receptor. This is the amino acid sequence of an anti-EPO-R
CC -antibody light chain variable region.
XX
SQ Sequence 107 AA;

Query Match 97.1%; Score 542; DB 8; Length 107;
Best Local Similarity 97.2%; Pred. No. 3.1e-33;
Matches 104; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
Db 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
Db 61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107

RESULT 9
ADS84470
ID ADS84470 standard; protein; 234 AA.
XX
AC ADS84470;
XX
DT 18-NOV-2004 (first entry)
XX
DE Human anti-EPO-R antibody Ab467 light chain SEQ ID NO:109.
XX
KW human; erythropoietin receptor; EPO receptor;
KW erythropoietin receptor binding antibody; EPO receptor binding antibody;
KW antianaemic; neuroprotective; vulnerary; gene therapy; aplasia; anaemia;
KW wound healing; neural cell damage protection;
KW neural tissue damage protection; brain injury; spinal cord injury;
KW stroke; anti-erythropoietin receptor antibody; anti-EPO-R antibody.
XX
OS Homo sapiens.
XX
PN WO2004035603-A2.
XX
PD 29-APR-2004.
XX
PF 14-OCT-2003; 2003WO-US032243.
XX
PR 14-OCT-2002; 2002US-00269711.
PR 10-OCT-2003; 2003US-00684109.
XX
PA (ABBO) ABBOTT LAB.
XX
PI Devries PJ, Green LL, Ostrow DH, Reilly EB, Wieler J;
XX
DR WPI; 2004-348433/32.
DR N-PSDB; ADS84468, ADS84469.
XX
PT New antibodies that bind to or activate an endogenous human
PT erythropoietin receptor, useful for diagnosing, preventing or treating
PT disorders associated with dysfunctional erythropoietin receptor; e.g.
PT anemia.
XX
PS Disclosure; SEQ ID NO 109; 192pp; English.
XX
CC The present invention describes an antibody or its fragment that binds to
CC or activates an endogenous activity of a human erythropoietin (EPO)
CC receptor in a mammal, but does not interact with a peptide having a
CC sequence of 30 amino acids (SEQ ID NO:1, ADS84362). Also described: (1)
CC methods of modulating or activating an endogenous activity of a human EPO
CC receptor in a mammal, comprising administering to the mammal a
CC therapeutic amount of the above antibody or its fragment to modulate or
CC activate the receptor; (2) a method of treating a mammal suffering from
CC aplasia, comprising administering to the mammal a therapeutic amount of
CC the above antibody or its fragment to modulate or activate the receptor;
CC (3) a pharmaceutical composition comprising a therapeutic amount of the
CC above antibody or antibody fragment, and a pharmaceutical excipient; (4)
CC an isolated and purified polynucleotide sequence, and their fragments,
CC complements and degenerate codon equivalents; and (5) an isolated and
CC purified amino acid sequence, and their fragments. The EPO receptor
CC binding antibody has antianaemic, neuroprotective and vulnerary
CC activities, and can be used in gene therapy. The compositions and methods
CC from the present invention can be used for modulating an endogenous
CC activity of a human EPO receptor or for treating mammals suffering from
CC aplasia or anaemia. They may also be used for identifying mammals having
CC a dysfunctional EPO receptor. The composition may also be used in
CC promoting wound healing or in protecting against neural cell and/or
CC tissue damage resulting from brain/spinal cord injury, stroke and the
CC like. The present sequence represents a human anti-EPO-R antibody light
CC chain, which is given in the exemplification of the present invention.
XX
SQ Sequence 234 AA;

Query Match 97.1%; Score 542; DB 8; Length 234;
Best Local Similarity 97.2%; Pred. No. 6.4e-33;
Matches 104; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
Db 21 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
Db 81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127

```
RESULT 10
ADR68612
ID   ADR68612 standard; protein; 234 AA.
XX
AC   ADR68612;
XX
DT   02-DEC-2004  (first entry)
XX
DE   Human antibody Ab467 light chain polypeptide seqid 109.
XX
KW   antianaemic; respiratory; vulnerary; gene therapy; vaccine;
KW   erythropoietin receptor; EPO-R; anti-EPO-R-antibody; aplasia; anaemia;
KW   hypoxaemia; chronic tissue hypoxia; blood circulation; blood flow;
KW   wound healing; neural cell damage; tissue damage; brain injury;
KW   spinal cord injury; stroke; human; anti-EPO-R-antibody; light chain;
KW   AB467.
XX
OS   Homo sapiens.
XX
PN   US2004175379-A1.
XX
PD   09-SEP-2004.
XX
PF   10-OCT-2003; 2003US-00684109.
XX
PR   14-OCT-2002; 2002US-0418031P.
XX
PA   (DEVR/) DEVRIES P J.
PA   (OSTR/) OSTROW D H.
PA   (REIL/) REILLY E B.
PA   (GREE/) GREEN L L.
PA   (WIEL/) WIELER J.
XX
PI   Devries PJ,  Ostrow DH,  Reilly EB,  Green LL,  Wieler J;
XX
DR   WPI; 2004-661369/64.
DR   N-PSDB; ADR68610.
XX
PT   New antibody or its antibody fragment that activates an endogenous
PT   activity or is capable of binding to a human erythropoietin receptor in a
PT   mammal, useful for treating a mammal suffering aplasia or anemia.
XX
PS   Disclosure; SEQ ID NO 109; 156pp; English.
XX
CC   The invention describes an antibody or its fragment that activates an
CC   endogenous activity or capable of binding to a human erythropoietin
CC   receptor in a mammal, or that comprises at least one heavy or light chain
CC   variable region having a sequence comprising 116 or 107 amino acids (SEQ
CC   ID NO: 3 or 5) given in the specification or its fragment, but does not
CC   interact with a peptide comprising 30 amino acids (SEQ ID NO: 1) also
CC   given in the specification. Also described are: a method of activating or
CC   modulating an endogenous activity of a human erythropoietin receptor in a
CC   mammal; a pharmaceutical composition comprising a therapeutic amount of
CC   an antibody or antibody fragment above and a pharmaceutical excipient; an
CC   isolated and purified polynucleotide sequence selected from 28 sequences
CC   comprising 322-370 bp (even SEQ ID NOs between SEQ ID NO: 2-56) given in
CC   the specification, and their fragments, complements, and degenerate codon
CC   equivalents; and an isolated and purified amino acid sequence selected
CC   from 39 sequences comprising 27-552 amino acids (odd SEQ ID NOs between
CC   SEQ ID NO: 3-57, and SEQ ID NO: 58-68) given in the specification or
CC   their fragments. The antibody or its antibody fragment that activates or
CC   modulates the activity of the receptor is useful in a method of treating
CC   a mammal suffering aplasia or anaemia. The antibodies are also useful for
CC   treating disorders characterised by decreased or subnormal levels of
CC   oxygen in the blood or tissue such as hypoxaemia or chronic tissue
CC   hypoxia and/or diseases characterised by inadequate blood circulation or
CC   reduced blood flow. They are also useful for promoting wound healing or
CC   for protecting against neural cell and/or tissue damage, resulting from
CC   brain/spinal cord injury, stroke and the like. The antibodies are also
CC   useful for identifying or diagnosing mammals having dysfunctional
CC   erythropoietin receptor. This sequence represents a human Ab467 antibody
CC   light chain polypeptide.
XX
SQ   Sequence 234 AA;

  Query Match             97.1%;  Score 542;  DB 8;  Length 234;
  Best Local Similarity   97.2%;  Pred. No. 6.4e-33;
  Matches  104;  Conservative    2;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         21 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||| ||||||||||||:
Db         81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127


RESULT 11
ADS84402
ID   ADS84402 standard; protein; 107 AA.
XX
AC   ADS84402;
XX
DT   18-NOV-2004  (first entry)
XX
DE   Human anti-EPO-R antibody light chain variable region SEQ ID NO:41.
XX
KW   human; erythropoietin receptor; EPO receptor;
KW   erythropoietin receptor binding antibody; EPO receptor binding antibody;
KW   antianaemic; neuroprotective; vulnerary; gene therapy; aplasia; anaemia;
KW   wound healing; neural cell damage protection;
KW   neural tissue damage protection; brain injury; spinal cord injury;
KW   stroke; anti-erythropoietin receptor antibody; anti-EPO-R antibody.
XX
OS   Homo sapiens.
XX
PN   WO2004035603-A2.
XX
PD   29-APR-2004.
XX
PF   14-OCT-2003; 2003WO-US032243.
XX
PR   14-OCT-2002; 2002US-00269711.
PR   10-OCT-2003; 2003US-00684109.
XX
PA   (ABBO ) ABBOTT LAB.
XX
PI   Devries PJ,  Green LL,  Ostrow DH,  Reilly EB,  Wieler J;
XX
DR   WPI; 2004-348433/32.
DR   N-PSDB; ADS84401.
XX
PT   New antibodies that bind to or activate an endogenous human
PT   erythropoietin receptor, useful for diagnosing, preventing or treating
PT   disorders associated with dysfunctional erythropoietin receptor, e.g.
PT   anemia.
XX
PS   Claim 10; SEQ ID NO 41; 192pp; English.
XX
CC   The present invention describes an antibody or its fragment that binds to
CC   or activates an endogenous activity of a human erythropoietin (EPO)
CC   receptor in a mammal, but does not interact with a peptide having a
CC   sequence of 30 amino acids (SEQ ID NO:1, ADS84362). Also described: (1)
CC   methods of modulating or activating an endogenous activity of a human EPO
CC   receptor in a mammal, comprising administering to the mammal a
CC   therapeutic amount of the above antibody or its fragment to modulate or
CC   activate the receptor; (2) a method of treating a mammal suffering from
CC   aplasia, comprising administering to the mammal a therapeutic amount of
CC   the above antibody or its fragment to modulate or activate the receptor;
CC   (3) a pharmaceutical composition comprising a therapeutic amount of the
CC   above antibody or antibody fragment, and a pharmaceutical excipient; (4)
CC   an isolated and purified polynucleotide sequence, and their fragments,
CC   complements and degenerate codon equivalents; and (5) an isolated and
CC   purified amino acid sequence, and their fragments. The EPO receptor
CC   binding antibody has antianaemic, neuroprotective and vulnerary
```

```
CC   activities, and can be used in gene therapy. The compositions and methods
CC   from the present invention can be used for modulating an endogenous
CC   activity of a human EPO receptor or for treating mammals suffering from
CC   aplasia or anaemia. They may also be used for identifying mammals having
CC   a dysfunctional EPO receptor. The composition may also be used in
CC   promoting wound healing or in protecting against neural cell and/or
CC   tissue damage resulting from brain/spinal cord injury, stroke and the
CC   like. The present sequence represents a human anti-EPO-R antibody light
CC   chain variable region, which is given in the exemplification of the
CC   present invention.
XX
SQ   Sequence 107 AA;

  Query Match             96.6%;  Score 539;  DB 8;  Length 107;
  Best Local Similarity   96.3%;  Pred. No. 5.2e-33;
  Matches  103;  Conservative    3;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| ||||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107


RESULT 12
ADR68544
ID   ADR68544 standard; protein; 107 AA.
XX
AC   ADR68544;
XX
DT   02-DEC-2004  (first entry)
XX
DE   Anti-EPO-R-antibody light chain variable region seqid 41.
XX
KW   antianaemic; respiratory; vulnerary; gene therapy; vaccine;
KW   erythropoietin receptor; EPO-R; anti-EPO-R-antibody; aplasia; anaemia;
KW   hypoxaemia; chronic tissue hypoxia; blood circulation; blood flow;
KW   wound healing; neural cell damage; tissue damage; brain injury;
KW   spinal cord injury; stroke; anti-EPO-R-antibody; light chain;
KW   variable region.
XX
OS   Homo sapiens.
XX
PN   US2004175379-A1.
XX
PD   09-SEP-2004.
XX
PF   10-OCT-2003; 2003US-00684109.
XX
PR   14-OCT-2002; 2002US-0418031P.
XX
PA   (DEVR/) DEVRIES P J.
PA   (OSTR/) OSTROW D H.
PA   (REIL/) REILLY E B.
PA   (GREE/) GREEN L L.
PA   (WIEL/) WIELER J.
XX
PI   Devries PJ,  Ostrow DH,  Reilly EB,  Green LL,  Wieler J;
XX
DR   WPI; 2004-661369/64.
DR   N-PSDB; ADR68543.
XX
PT   New antibody or its antibody fragment that activates an endogenous
PT   activity or is capable of binding to a human erythropoietin receptor in a
PT   mammal, useful for treating a mammal suffering aplasia or anemia.
XX
PS   Claim 10; SEQ ID NO 41; 156pp; English.
XX
CC   The invention describes an antibody or its fragment that activates an
CC   endogenous activity or capable of binding to a human erythropoietin
CC   receptor in a mammal, or that comprises at least one heavy or light chain
CC   variable region having a sequence comprising 116 or 107 amino acids (SEQ
CC   ID NO: 3 or 5) given in the specification or its fragment, but does not
CC   interact with a peptide comprising 30 amino acids (SEQ ID NO: 1) also
CC   given in the specification. Also described are: a method of activating or
CC   modulating an endogenous activity of a human erythropoietin receptor in a
CC   mammal; a pharmaceutical composition comprising a therapeutic amount of
CC   an antibody or antibody fragment above and a pharmaceutical excipient; an
CC   isolated and purified polynucleotide sequence selected from 28 sequences
CC   comprising 322-370 bp (even SEQ ID NOs between SEQ ID NO: 2-56) given in
CC   the specification, and their fragments, complements, and degenerate codon
CC   equivalents; and an isolated and purified amino acid sequence selected
CC   from 39 sequences comprising 27-552 amino acids (odd SEQ ID NOs between
CC   SEQ ID NO: 3-57, and SEQ ID NO: 58-68) given in the specification or
CC   their fragments. The antibody or its antibody fragment that activates or
CC   modulates the activity of the receptor is useful in a method of treating
CC   a mammal suffering aplasia or anaemia. The antibodies are also useful for
CC   treating disorders characterised by decreased or subnormal levels of
CC   oxygen in the blood or tissue such as hypoxaemia or chronic tissue
CC   hypoxia and/or diseases characterised by inadequate blood circulation or
CC   reduced blood flow. They are also useful for promoting wound healing or
CC   for protecting against neural cell and/or tissue damage, resulting from
CC   brain/spinal cord injury, stroke and the like. The antibodies are also
CC   useful for identifying or diagnosing mammals having dysfunctional
CC   erythropoietin receptor. This is the amino acid sequence of an anti-EPO-R
CC   -antibody light chain variable region.
XX
SQ   Sequence 107 AA;

  Query Match             96.6%;  Score 539;  DB 8;  Length 107;
  Best Local Similarity   96.3%;  Pred. No. 5.2e-33;
  Matches  103;  Conservative    3;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| ||||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107


RESULT 13
ADS84452
ID   ADS84452 standard; protein; 234 AA.
XX
AC   ADS84452;
XX
DT   18-NOV-2004  (first entry)
XX
DE   Human anti-EPO-R antibody Ab390 light chain SEQ ID NO:91.
XX
KW   human; erythropoietin receptor; EPO receptor;
KW   erythropoietin receptor binding antibody; EPO receptor binding antibody;
KW   antianaemic; neuroprotective; vulnerary; gene therapy; aplasia; anaemia;
KW   wound healing; neural cell damage protection;
KW   neural tissue damage protection; brain injury; spinal cord injury;
KW   stroke; anti-erythropoietin receptor antibody; anti-EPO-R antibody.
XX
OS   Homo sapiens.
XX
PN   WO2004035603-A2.
XX
PD   29-APR-2004.
XX
PF   14-OCT-2003; 2003WO-US032243.
XX
PR   14-OCT-2002; 2002US-00269711.
PR   10-OCT-2003; 2003US-00684109.
XX
PA   (ABBO ) ABBOTT LAB.
XX
PI   Devries PJ,  Green LL,  Ostrow DH,  Reilly EB,  Wieler J;
XX
```

DR WPI; 2004-348433/32.
DR N-PSDB; ADS84450, ADS84451.
XX
PT New antibodies that bind to or activate an endogenous human
PT erythropoietin receptor, useful for diagnosing, preventing or treating
PT disorders associated with dysfunctional erythropoietin receptor, e.g.
PT anemia.
XX
PS Disclosure; SEQ ID NO 91; 192pp; English.
XX
CC The present invention describes an antibody or its fragment that binds to
CC or activates an endogenous activity of a human erythropoietin (EPO)
CC receptor in a mammal, but does not interact with a peptide having a
CC sequence of 30 amino acids (SEQ ID NO:1, ADS84362). Also described: (1)
CC methods of modulating or activating an endogenous activity of a human EPO
CC receptor in a mammal, comprising administering to the mammal a
CC therapeutic amount of the above antibody or its fragment to modulate or
CC activate the receptor; (2) a method of treating a mammal suffering from
CC aplasia, comprising administering to the mammal a therapeutic amount of
CC the above antibody or its fragment to modulate or activate the receptor;
CC (3) a pharmaceutical composition comprising a therapeutic amount of the
CC above antibody or antibody fragment, and a pharmaceutical excipient; (4)
CC an isolated and purified polynucleotide sequence, and their fragments,
CC complements and degenerate codon equivalents; and (5) an isolated and
CC purified amino acid sequence, and their fragments. The EPO receptor
CC binding antibody has antianaemic, neuroprotective and vulnerary
CC activities, and can be used in gene therapy. The compositions and methods
CC from the present invention can be used for modulating an endogenous
CC activity of a human EPO receptor or for treating mammals suffering from
CC aplasia or anaemia. They may also be used for identifying mammals having
CC a dysfunctional EPO receptor. The composition may also be used in
CC promoting wound healing or in protecting against neural cell and/or
CC tissue damage resulting from brain/spinal cord injury, stroke and the
CC like. The present sequence represents a human anti-EPO-R antibody light
CC chain, which is given in the exemplification of the present invention.
XX
SQ Sequence 234 AA;

Query Match 96.6%; Score 539; DB 8; Length 234;
Best Local Similarity 96.3%; Pred. No. 1.1e-32;
Matches 103; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db 21 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
||||||||:|||||||||||||||||||||| ||||||||||:
Db 81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127

RESULT 14
ADR68594
ID ADR68594 standard; protein; 234 AA.
XX
AC ADR68594;
XX
DT 02-DEC-2004 (first entry)
XX
DE Human antibody Ab390 light chain polypeptide seqid 91.
XX
KW antianaemic; respiratory; vulnerary; gene therapy; vaccine;
KW erythropoietin receptor; EPO-R; anti-EPO-R-antibody; aplasia; anaemia;
KW hypoxaemia; chronic tissue hypoxia; blood circulation; blood flow;
KW wound healing; neural cell damage; tissue damage; brain injury;
KW spinal cord injury; stroke; human; anti-EPO-R-antibody; light chain;
KW AB390; ds.
XX
OS Homo sapiens.
XX
PN US2004175379-A1.
XX
PD 09-SEP-2004.
XX
PF 10-OCT-2003; 2003US-00684109.
XX
PR 14-OCT-2002; 2002US-0418031P.
XX
PA (DEVR/) DEVRIES P J.
PA (OSTR/) OSTROW D H.
PA (REIL/) REILLY E B.
PA (GREE/) GREEN L L.
PA (WIEL/) WIELER J.
XX
PI Devries PJ, Ostrow DH, Reilly EB, Green LL, Wieler J;
XX
DR WPI; 2004-661369/64.
DR N-PSDB; ADR68592.
XX
PT New antibody or its antibody fragment that activates an endogenous
PT activity or is capable of binding to a human erythropoietin receptor in a
PT mammal, useful for treating a mammal suffering aplasia or anemia.
XX
PS Disclosure; SEQ ID NO 91; 156pp; English.
XX
CC The invention describes an antibody or its fragment that activates an
CC endogenous activity or capable of binding to a human erythropoietin
CC receptor in a mammal, or that comprises at least one heavy or light chain
CC variable region having a sequence comprising 116 or 107 amino acids (SEQ
CC ID NO: 3 or 5) given in the specification or its fragment, but does not
CC interact with a peptide comprising 30 amino acids (SEQ ID NO: 1) also
CC given in the specification. Also described are: a method of activating or
CC modulating an endogenous activity of a human erythropoietin receptor in a
CC mammal; a pharmaceutical composition comprising a therapeutic amount of
CC an antibody or antibody fragment above and a pharmaceutical excipient; an
CC isolated and purified polynucleotide sequence selected from 28 sequences
CC comprising 322-370 bp (even SEQ ID NOs between SEQ ID NO: 2-56) given in
CC the specification, and their fragments, complements, and degenerate codon
CC equivalents; and an isolated and purified amino acid sequence selected
CC from 39 sequences comprising 27-552 amino acids (odd SEQ ID NOs between
CC SEQ ID NO: 3-57, and SEQ ID NO: 58-68) given in the specification or
CC their fragments. The antibody or its antibody fragment that activates or
CC modulates the activity of the receptor is useful in a method of treating
CC a mammal suffering aplasia or anaemia. The antibodies are also useful for
CC treating disorders characterised by decreased or subnormal levels of
CC oxygen in the blood or tissue such as hypoxaemia or chronic tissue
CC hypoxia and/or diseases characterised by inadequate blood circulation or
CC reduced blood flow. They are also useful for promoting wound healing or
CC for protecting against neural cell and/or tissue damage, resulting from
CC brain/spinal cord injury, stroke and the like. The antibodies are also
CC useful for identifying or diagnosing mammals having dysfunctional
CC erythropoietin receptor. This sequence represents a human Ab390 antibody
CC heavy chain polynucleotide.
XX
SQ Sequence 234 AA;

Query Match 96.6%; Score 539; DB 8; Length 234;
Best Local Similarity 96.3%; Pred. No. 1.1e-32;
Matches 103; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db 21 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy 61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
||||||||:|||||||||||||||||||||| ||||||||||:
Db 81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127

RESULT 15
ADK18841
ID ADK18841 standard; protein; 107 AA.
XX
AC ADK18841;
XX
DT 06-MAY-2004 (first entry)

XX
DE Anti-human PDGF-D antibody protein related sequence #67.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 265; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 107 AA;

Query Match 94.6%; Score 528; DB 7; Length 107;
Best Local Similarity 95.3%; Pred. No. 3.5e-32;
Matches 102; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :|||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKLEIK 107
```

Search completed: April 25, 2007, 04:05:19
Job time : 93.7938 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 8 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	501	89.8	125	2	S40353	Ig kappa chain V-J
2	494	88.5	108	1	K1HUGL	Ig kappa chain V-I
3	489	87.6	108	1	K1HUWE	Ig kappa chain V-I
4	488	87.5	123	2	S40313	Ig kappa chain V-J
5	484	86.7	107	2	S36269	Ig lambda chain V
6	481	86.2	117	2	S41809	Ig kappa chain V r
7	480	86.0	107	2	S36262	Ig lambda chain V
8	471	84.4	129	2	S40369	Ig kappa chain - h
9	468	83.9	123	2	S40331	Ig kappa chain - h
10	467	83.7	127	2	S40367	Ig kappa chain V-J
11	466	83.5	126	2	S40335	Ig kappa chain V-J
12	463	83.0	108	2	S36279	Ig lambda chain V
13	463	83.0	108	2	B49047	Ig kappa chain V r
14	461	82.6	131	2	S40352	Ig kappa chain V-J
15	460	82.4	114	2	S46377	Ig kappa chain V-J
16	459	82.3	125	2	S40333	Ig kappa chain V-J
17	456	81.7	108	2	S19674	Ig kappa chain V r
18	455.5	81.6	107	2	S36275	Ig lambda chain V
19	455	81.5	108	1	K1HUHU	Ig kappa chain V-I
20	455	81.5	125	2	S40349	Ig kappa chain V-J
21	454	81.4	95	2	S69898	Ig kappa chain V r
22	453	81.2	132	2	S40334	Ig kappa chain - h
23	452	81.0	117	2	S42264	Ig kappa chain V r
24	451	80.8	117	2	S46376	Ig kappa chain V-J
25	450.5	80.7	107	2	S47183	Ig kappa chain - h
26	449	80.5	107	2	I69017	anti-HIV1 envelope
27	449	80.5	129	1	K1HUWK	Ig kappa chain pre
28	447.5	80.2	124	2	S40336	Ig kappa chain V-J
29	447	80.1	107	2	S36264	Ig lambda chain V
30	447	80.1	108	1	K1HUEU	Ig kappa chain V-I
31	447	80.1	108	2	S47182	Ig kappa chain - h
32	447	80.1	129	2	S52793	Ig kappa chain V r
33	446	79.9	108	1	K1HUBN	Ig kappa chain V-I
34	446	79.9	129	2	S40317	Ig kappa chain - h
35	445	79.7	105	2	S36266	Ig lambda chain V
36	445	79.7	117	2	S46371	Ig kappa chain V-J
37	444	79.6	108	2	S44122	Ig kappa chain V r
38	444	79.6	122	2	S40314	Ig kappa chain - h
39	443.5	79.5	108	2	S30521	Ig kappa chain V r
40	443	79.4	120	2	S46370	Ig kappa chain V-J
41	442	79.2	117	2	C21056	Ig kappa chain pre
42	441	79.0	124	2	S40318	Ig kappa chain V r
43	441	79.0	128	2	S46372	IG light chain var
44	438	78.5	129	2	S52789	Ig kappa chain V r
45	437	78.3	109	2	S31998	Ig kappa chain - h

ALIGNMENTS

RESULT 1
S40353
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40353
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40353
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-125 <KLE>
A;Cross-references: UNIPARC:UPI0000176CAE; EMBL:X72463
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;30-104/Domain: immunoglobulin homology <IMM>

Query Match 89.8%; Score 501; DB 2; Length 125;
Best Local Similarity 89.7%; Pred. No. 3.2e-36;
Matches 96; Conservative 5; Mismatches 6; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||| |||||||||||||||||||||| ||||||
Db         15 DIQMTQSPSSLSASVGDRVTITCRASQGIGNDLGWYQQKPGKAPKRLIYAASSFQSGVPS 74

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||| |||||||||||||| | :|| ||::||:
Db         75 RFSGSGSGTEFTLTISGLQPEDFATYYCLQHNSYPLTFGGGTRVEIK 121
```

RESULT 2
K1HUGL
Ig kappa chain V-I region (Gal) - human (tentative sequence)
C;Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
C;Accession: A01867
R;Laure, C.J.; Watanabe, S.; Hilschmann, N.
Hoppe-Seyler's Z. Physiol. Chem. 354, 1503-1504, 1973
A;Title: The primary structure of a monoclonal IgM-immunoglobulin (macroglobulin Gal), I.
A;Reference number: A01867; MUID:75059122; PMID:4215718
A;Accession: A01867
A;Molecule type: protein
A;Residues: 1-108 <LAU>
A;Cross-references: UNIPROT:P01599; UNIPARC:UPI000012E142
A;Note: the C region of this chain has the Inv (3) marker
C;Comment: This chain was isolated from a Waldenstrom's macroglobulin.
C;Genetics:
A;Gene: GDB:IGKV1
A;Cross-references: GDB:136264
A;Map position: 2p12-2p12

```
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

  Query Match             88.5%;  Score 494;  DB 1;  Length 108;
  Best Local Similarity   89.7%;  Pred. No. 1.1e-35;
  Matches   96;  Conservative    5;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||| |||||||||| |||||||||| ||||||:|||||||
Db          1 DIQMTQSPSSLSASVGDRVTIICRASQGIRNDLTWYQQKPGKAPKELIYAASNLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||:||:||||||||||||||||||| || | |||||||:||:
Db         61 RFSGSGAGTEFTLTISSLQPEDFATYYCLQQNSYPRSFGQGTKVEIK 107


RESULT 3
K1HUWE
Ig kappa chain V-I region (WEA) - human
C;Species: Homo sapiens (man)
C;Date: 03-Aug-1984 #sequence_revision 03-Aug-1984 #text_change 09-Jul-2004
C;Accession: A01876
R;Goni, F.; Frangione, B.
Proc. Natl. Acad. Sci. U.S.A. 80, 4837-4841, 1983
A;Title: Amino acid sequence of the Fv region of a human monoclonal IgM (protein WEA) wi
A;Reference number: A93964; MUID:83273707; PMID:6410398
A;Accession: A01876
A;Molecule type: protein
A;Residues: 1-108 <GON>
A;Cross-references: UNIPROT:P01610; UNIPARC:UPI000012E14C
C;Comment: This chain was obtained from a monoclonal antibody against 3,4-pyruvylated ga
C;Genetics:
A;Gene: GDB:IGKV1
A;Cross-references: GDB:136264
A;Map position: 2p12-2p12
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer
F;16-90/Domain: immunoglobulin homology <IMM>
F;23-88/Disulfide bonds: #status predicted

  Query Match             87.6%;  Score 489;  DB 1;  Length 108;
  Best Local Similarity   86.9%;  Pred. No. 3e-35;
  Matches   93;  Conservative    9;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||||||| ||||||| ||||||| |:|||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLTWYQQKPGTAPKRLIYGATSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||:|||||||||||||::| | :||||||:|::
Db         61 RFSGSGSGTEFTLTINSLQPEDFATYYCLQYSSFPWTFGQGTKVEVK 107


RESULT 4
S40313
Ig kappa chain V-J region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40313
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40313
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-123 <KLE>
A;Cross-references: UNIPARC:UPI000011613F; EMBL:X72423; NID:g441314; PIDN:CAA51091.1; PII
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-106/Domain: immunoglobulin homology <IMM>

  Query Match             87.5%;  Score 488;  DB 2;  Length 123;
  Best Local Similarity   87.9%;  Pred. No. 4.1e-35;
  Matches   94;  Conservative    7;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||||||| |:|||||||||||| |:|| |||||
Db         17 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLAWPQQKPGKAPKRLIYDAASLLSGVPS 76

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||:|   | :||||||:||:
Db         77 RFSGSGSGTEFTLTISSLQPEDFATYYCLQYNGYPRTFGQGTKVEIK 123


RESULT 5
S36269
Ig lambda chain V region (clone alpha-TNF-A1) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 21-Jan-2000
C;Accession: S36269
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.;
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36269
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-107 <GRI>
A;Cross-references: UNIPARC:UPI0000118DF1; EMBL:Z18838; NID:g33422; PIDN:CAA79290.1; PID:
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

  Query Match             86.7%;  Score 484;  DB 2;  Length 107;
  Best Local Similarity   88.8%;  Pred. No. 8e-35;
  Matches   95;  Conservative    2;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||| |||||||||||||||||| |||  |||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRESQGIRNDLGWYQQKPGKAPKLLIYGTSSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||| |  | | :|| ||||||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQTTSFPLTFGGGTKLEIK 107


RESULT 6
S41809
Ig kappa chain V region A30 - human
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 21-Jan-2000
C;Accession: S41809
R;Huber, C.; Schaeble, K.F.; Huber, E.; Klein, R.; Meindl, A.; Thiebe, R.; Lamm, R.; Zach
Eur. J. Immunol. 23, 2868-2875, 1993
A;Title: The V(kappa) genes of the L regions and the repertoire of V(kappa) gene sequence
A;Reference number: S41809; MUID:94039386; PMID:8223863
A;Accession: S41809
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-117 <HUB>
A;Cross-references: UNIPARC:UPI000011618B; EMBL:X72808; NID:g415383; PIDN:CAA51328.1; PII
C;Genetics:
A;Introns: 19/1
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;38-112/Domain: immunoglobulin homology <IMM>

  Query Match             86.2%;  Score 481;  DB 2;  Length 117;
  Best Local Similarity   97.9%;  Pred. No. 1.6e-34;
```

```
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              |||||||||:|||||||||||||||||||||||| |
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 117


RESULT 7
S36262
Ig lambda chain V region (clone alpha-TNF-E7) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 21-Jan-2000
C;Accession: S36262
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36262
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-107 <GRI>
A;Cross-references: UNIPARC:UPI0000176D2C; EMBL:Z18842
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

  Query Match             86.0%;  Score 480;  DB 2;  Length 107;
  Best Local Similarity   87.9%;  Pred. No. 1.8e-34;
  Matches   94;  Conservative    5;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              || |||||||||||:||||||| |||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPSSLSASIGDRVTITCRESQGIRNDLGWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||:| | || | :|| |||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYFCQQANSLPPTFGGGTKVEIK 107


RESULT 8
S40369
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40369
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40369
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-129 <KLE>
A;Cross-references: UNIPARC:UPI0000116177; EMBL:X72479; NID:g441426; PIDN:CAA51147.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;37-111/Domain: immunoglobulin homology <IMM>

  Query Match             84.4%;  Score 471;  DB 2;  Length 129;
  Best Local Similarity   86.9%;  Pred. No. 1.2e-33;
  Matches   93;  Conservative    5;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||  | | | |:|||||||| ||||||||||||||
Db         22 DIQMTQSPSSLSASVGDRVTITCRASHVISNHLVWFQQKPGKAPKSLIYAASSLQSGVPS 81

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              :|||||||||||||||||||||||||||||||| |:|| | :|||||||||:
Db         82 KFSGSGSGTDFTLTISSLQPEDFATYYCQQYNSYPYTFGQGTKLEIK 128


RESULT 9
S40331
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40331
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40331
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-123 <KLE>
A;Cross-references: UNIPARC:UPI0000116151; EMBL:X72441; NID:g441350; PIDN:CAA51109.1; PII
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-106/Domain: immunoglobulin homology <IMM>

  Query Match             83.9%;  Score 468;  DB 2;  Length 123;
  Best Local Similarity   86.9%;  Pred. No. 2.1e-33;
  Matches   93;  Conservative    4;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||| | : | |||||||||| ||||||||||||
Db         17 DIQMTQSPSSLSASVGDRVTITCRASQSISSYLNWYQQKPGKAPKLLIYAASSLQSGVPS 76

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||| |  | | :||||||:||:
Db         77 RFSGSGSGTDFTLTISSLQPEDFATYYCQQSYSTPRTFGQGTKVEIK 123


RESULT 10
S40367
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40367
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40367
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-127 <KLE>
A;Cross-references: UNIPARC:UPI0000176CB4; EMBL:X72477
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;33-107/Domain: immunoglobulin homology <IMM>

  Query Match             83.7%;  Score 467;  DB 2;  Length 127;
  Best Local Similarity   86.0%;  Pred. No. 2.7e-33;
  Matches   92;  Conservative    5;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||| | | | |||:||||||| ||||||||||||||
Db         18 DIQMTQSPSSLSASVGDRVTITCRASQSISNYLNWYQRKPGKAPKLLIYAASSLQSGVPS 77

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||| |  : | :||||||:||:
Db         78 RFSGSGSGTDFTLTISSLQPEDFATYYCQQSYNTPWTFGQGTKVEIK 124


RESULT 11
S40335
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40335
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
```

```
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40335
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-126 <KLE>
A;Cross-references: UNIPARC:UPI0000176CB5; EMBL:X72445
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;31-105/Domain: immunoglobulin homology <IMM>

  Query Match             83.5%;  Score 466;  DB 2;  Length 126;
  Best Local Similarity   84.9%;  Pred. No. 3.2e-33;
  Matches   90;  Conservative    8;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          2 IQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPSR 61
              |||||||||||||||||||| ||||||||:|| |||||||||||| ||:|||:| ||||||
Db         17 IQMTQSPSSLSASVGDRVTIACRASQGIRSDLSWYQQKPGKAPKLLIFAASTLHSGVPSR 76

Qy         62 FSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||:||||||||||||:|||  | | :||||||||::
Db         77 FSGSGSGTDFTLTVSSLQPEDFATYFCLQDYSYPYTFGQGTKLEMK 122


RESULT 12
S36279
Ig lambda chain V region (clone alpha-THY-23) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 21-Jan-2000
C;Accession: S36279
R;Griffiths, A.D.; Malmqvist, M.; Marks, J.D.; Bye, J.M.; Embleton, M.J.; McCafferty, J.
EMBO J. 12, 725-734, 1993
A;Title: Human anti-self antibodies with high specificity from phage display libraries.
A;Reference number: S36256; MUID:93178448; PMID:7679990
A;Accession: S36279
A;Status: preliminary; nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-108 <GRI>
A;Cross-references: UNIPARC:UPI0000118DEF; EMBL:Z18831; NID:g33418; PIDN:CAA79283.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-90/Domain: immunoglobulin homology <IMM>

  Query Match             83.0%;  Score 463;  DB 2;  Length 108;
  Best Local Similarity   84.1%;  Pred. No. 5.1e-33;
  Matches   90;  Conservative    7;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||| |||||:||||||||| |||||||||| |||||||:|||||||
Db          1 DIQMTQSPSSLSASVGDSVTITCQASQGIRNDLAWYQQKPGKAPKLLIYAASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||: |||||||||||  |  : | :|| |||||||:
Db         61 RFSGSGSGTEFTLTINGLQPEDFATYYCQQLGAYPLTFGGGTKLEIK 107


RESULT 13
B49047
Ig kappa chain V region (monoclonal striational autoantibody StrAB SA-1A) - human (fragm
C;Species: Homo sapiens (man)
C;Date: 19-Dec-1993 #sequence_revision 18-Nov-1994 #text_change 09-Jul-2004
C;Accession: B49047
R;Victor, K.D.; Pascual, V.; Williams, C.L.; Lennon, V.A.; Capra, J.D.
Eur. J. Immunol. 22, 2231-2236, 1992
A;Title: Human monoclonal striational autoantibodies isolated from thymic B lymphocytes
A;Reference number: A49047; MUID:92387224; PMID:1516616
A;Accession: B49047
A;Status: preliminary
A;Molecule type: nucleic acid
A;Residues: 1-108 <VIC>
A;Cross-references: UNIPROT:Q96SA9; UNIPROT:Q9UL77; UNIPARC:UPI0000176B44
A;Experimental source: thymic B lymphocytes
A;Note: sequence extracted from NCBI backbone (NCBIN:113208, NCBIP:113209)
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;16-90/Domain: immunoglobulin homology <IMM>

  Query Match             83.0%;  Score 463;  DB 2;  Length 108;
  Best Local Similarity   86.0%;  Pred. No. 5.1e-33;
  Matches   92;  Conservative    4;  Mismatches   11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||| | : | |||||||||| ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQSISSYLNWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||| |  | | :|| |||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQSYSTPLTFGGGTKVEIK 107


RESULT 14
S40352
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40352
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40352
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-131 <KLE>
A;Cross-references: UNIPARC:UPI0000116166; EMBL:X72462; NID:g441392; PIDN:CAA51130.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-110/Domain: immunoglobulin homology <IMM>

  Query Match             82.6%;  Score 461;  DB 2;  Length 131;
  Best Local Similarity   84.1%;  Pred. No. 9e-33;
  Matches   90;  Conservative    8;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||:|||||||||||| | | |||||||| || |||||||:|||||||
Db         21 DIQMTQSPSSLSASVGNRVTITCRASQGISNYLAWYQQKPGKVPKLLIYAASTLQSGVPS 80

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||:|||||||||| ||||| ::|| | :||||||:||:
Db         81 RFSGSGSGTDFSLTISSLQPEDVATYYCQKYNSVPRTFGQGTKVEIK 127


RESULT 15
S46377
Ig kappa chain V-J region (T33-17) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 27-Jan-1995 #sequence_revision 01-Sep-1995 #text_change 21-Jan-2000
C;Accession: S46377; S38650
R;Bensimon, C.; Chastagner, P.; Zouali, M.
EMBO J. 13, 2951-2962, 1994
A;Title: Human lupus anti-DNA autoantibodies undergo essentially primary V(chi) gene rea
A;Reference number: S46369; MUID:94313975; PMID:8039491
A;Accession: S46377
A;Molecule type: mRNA
A;Residues: 1-114 <BEN>
A;Cross-references: UNIPARC:UPI00001165AA; EMBL:Z27178; NID:g415971; PIDN:CAA81702.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;22-96/Domain: immunoglobulin homology <IMM>

  Query Match             82.4%;  Score 460;  DB 2;  Length 114;
  Best Local Similarity   87.6%;  Pred. No. 9.6e-33;
  Matches   92;  Conservative    3;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          2 IQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPSR 61
              ||| |||||||||||||||||||||||||||||| ||||||||| |||||||:||||||
```

```
Db          8 IQMRQSPSSLSASVGDRVTITCRASQGIRNDLGWNQQKPGKAPKLLIYAASSLESGVPSR 67

Qy         62 FSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEI 106
              ||||| |||||||||||||||||||||||  | | :|| |||: |
Db         68 FSGSGFGTDFTLTISSLQPEDFATYYCLQDYSYPLTFGGGTKVVI 112
```

Search completed: April 25, 2007, 04:06:39
Job time : 9.16102 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 73 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	511	91.6	236	2	Q502W4_HUMAN	Q502w4 homo sapien
2	494	88.5	108	1	KV1G_HUMAN	P01599 homo sapien
3	490	87.8	236	2	Q6GMW1_HUMAN	Q6gmw1 homo sapien
4	489	87.6	108	1	KV1R_HUMAN	P01610 homo sapien
5	469	84.1	108	2	Q9UL70_HUMAN	Q9ul70 homo sapien
6	462	82.8	236	2	Q6GMX8_HUMAN	Q6gmx8 homo sapien
7	456	81.7	236	2	Q7Z3Y4_HUMAN	Q7z3y4 homo sapien
8	455	81.5	108	1	KV1H_HUMAN	P01600 homo sapien
9	453	81.2	108	2	Q9UL77_HUMAN	Q9ul77 homo sapien
10	453	81.2	236	2	Q6PIH7_HUMAN	Q6pih7 homo sapien
11	449	80.5	129	1	KV1W_HUMAN	P04431 homo sapien
12	447	80.1	108	1	KV1F_HUMAN	P01598 homo sapien
13	446	79.9	108	1	KV1V_HUMAN	P04430 homo sapien
14	445.5	79.8	107	2	Q96SA9_HUMAN	Q96sa9 homo sapien
15	445	79.7	244	2	Q65ZC8_HUMAN	Q65zc8 homo sapien
16	440	78.9	236	2	Q6GMX9_HUMAN	Q6gmx9 homo sapien
17	440	78.9	236	2	Q6GMX0_HUMAN	Q6gmx0 homo sapien
18	437	78.3	240	2	Q65ZC9_HUMAN	Q65zc9 homo sapien
19	434.5	77.9	107	2	Q9UL81_HUMAN	Q9ul81 homo sapien
20	431	77.2	108	1	KV1O_HUMAN	P01607 homo sapien
21	430	77.1	234	2	Q5EFE6_HUMAN	Q5efe6 homo sapien
22	429	76.9	108	2	Q9UL79_HUMAN	Q9ul79 homo sapien
23	429	76.9	236	2	Q6PIT5_HUMAN	Q6pit5 homo sapien
24	427	76.5	108	1	KV1N_HUMAN	P01606 homo sapien
25	427	76.5	117	1	KV1I_HUMAN	P01601 homo sapien
26	426	76.3	108	1	KV1C_HUMAN	P01595 homo sapien
27	426	76.3	108	1	KV1E_HUMAN	P01597 homo sapien
28	426	76.3	236	2	Q6PIH4_HUMAN	Q6pih4 homo sapien
29	425	76.2	108	1	KV1M_HUMAN	P01605 homo sapien
30	425	76.2	108	1	KV1Q_HUMAN	P01609 homo sapien
31	424	76.0	108	1	KV1S_HUMAN	P01611 homo sapien
32	423	75.8	108	1	KV1B_HUMAN	P01594 homo sapien
33	423	75.8	108	1	KV1Y_HUMAN	P80362 homo sapien
34	419.5	75.2	107	1	KV1D_HUMAN	P01596 homo sapien
35	418	74.9	108	1	KV1L_HUMAN	P01604 homo sapien
36	418	74.9	234	2	Q7Z473_HUMAN	Q7z473 homo sapien
37	416	74.6	108	1	KV1A_HUMAN	P01593 homo sapien
38	416	74.6	108	1	KV1K_HUMAN	P01603 homo sapien
39	415	74.4	108	1	KV1P_HUMAN	P01608 homo sapien
40	410	73.5	117	1	KV1J_HUMAN	P01602 homo sapien
41	410	73.5	129	1	KV1X_HUMAN	P04432 homo sapien
42	405	72.6	189	2	Q569I7_HUMAN	Q569i7 homo sapien
43	397	71.1	108	1	KV5S_MOUSE	P01652 mus musculu
44	396	71.0	116	2	Q96PF6_HUMAN	Q96pf6 homo sapien
45	395.5	70.9	109	1	KV1T_HUMAN	P01612 homo sapien

ALIGNMENTS

RESULT 1
Q502W4_HUMAN
ID Q502W4_HUMAN PRELIMINARY; PRT; 236 AA.
AC Q502W4;
DT 07-JUN-2005, integrated into UniProtKB/TrEMBL.
DT 07-JUN-2005, sequence version 1.
DT 11-JUL-2006, entry version 13.
DE IGKC protein.
GN Name=IGKC;
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RC TISSUE=Glandular pool- thyroid;
RX MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT "Generation and initial analysis of more than 15,000 full-length human
RT and mouse cDNA sequences.";
RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN [2]
RP NUCLEOTIDE SEQUENCE.
RC TISSUE=Glandular pool- thyroid;
RG NIH MGC Project;
RL Submitted (MAY-2005) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC histocompatibility complex class I molecules (By similarity).
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; BC095489; AAH95489.1; -; mRNA.
DR SMR; Q502W4; 23-236.
DR Ensembl; ENSG00000163245; Homo sapiens.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0016020; C:membrane; IEA.

```
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   236 AA;  25936 MW;  E2DF79AC18756AA9 CRC64;

  Query Match             91.6%;  Score 511;  DB 2;  Length 236;
  Best Local Similarity   91.6%;  Pred. No. 2.1e-44;
  Matches   98;  Conservative    7;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||:||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIFAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||:|||||||||||||||:|| | :|||||:||:
Db         83 RFSGSGSGTEFTLTINSLQPEDFATYYCLQYNSYPRTFGQGTKVEIK 129


RESULT 2
KV1G_HUMAN
ID   KV1G_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01599;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   25-JUL-2006, entry version 43.
DE   Ig kappa chain V-I region Gal.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=75059122; PubMed=4215718;
RA   Laure C.J., Watanabe S., Hilschmann N.;
RT   "The primary structure of a monoclonal IgM-immunoglobulin
RT   (macroglobulin Gal.), I. The amino acid sequence of the L-chain of
RT   kappa-type, subgroup I.";
RL   Hoppe-Seyler's Z. Physiol. Chem. 354:1503-1504(1973).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This chain was isolated from a Waldenstrom's
CC       macroglobulin.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01867; K1HUGL.
DR   HSSP; P01607; 1BWW.
DR   SMR; P01599; 1-108.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1    >108       Ig kappa chain V-I region Gal.
FT                                 /FTId=PRO_0000059743.
FT   REGION        1      23       Framework-1.
FT   REGION       24      34       Complementarity-determining-1.
FT   REGION       35      49       Framework-2.
FT   REGION       50      56       Complementarity-determining-2.
FT   REGION       57      88       Framework-3.
FT   REGION       89      97       Complementarity-determining-3.
FT   REGION       98     107       Framework-4.
FT   DISULFID     23      88       By similarity.
FT   NON_TER     108     108
SQ   SEQUENCE   108 AA;  11814 MW;  C1AD3CB0F600FF73 CRC64;

  Query Match             88.5%;  Score 494;  DB 1;  Length 108;
  Best Local Similarity   89.7%;  Pred. No. 4.9e-43;
  Matches   96;  Conservative    5;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||| |||||||||| |||||||||| |||||:|||||||
Db          1 DIQMTQSPSSLSASVGDRVTIICRASQGIRNDLTWYQQKPGKAPKELIYAASNLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||:||:|||||||||||||||||| || | |||||||:||:
Db         61 RFSGSGAGTEFTLTISSLQPEDFATYYCLQQNSYPRSFGQGTKVEIK 107


RESULT 3
Q6GMW1_HUMAN
ID   Q6GMW1_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q6GMW1;
DT   19-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   19-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 22.
DE   IGKC protein.
GN   Name=IGKC;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Spleen;
RG   NIH MGC Project;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
```

```
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC073791; AAH73791.1; -; mRNA.
DR   SMR; Q6GMW1; 24-236.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   236 AA;  25751 MW;  5BFE6A087AFAC437 CRC64;

  Query Match             87.8%;  Score 490;  DB 2;  Length 236;
  Best Local Similarity   90.6%;  Pred. No. 3.1e-42;
  Matches   96;  Conservative    4;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          2 IQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPSR 61
              |||||||||||||||||||||||||||| ||||||||||||||| |||||||||||||||
Db         24 IQMTQSPSSLSASVGDRVTITCRASQGISNDLGWYQQKPGKAPKLLIYAASSLQSGVPSR 83

Qy         62 FSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||  : | :||||||:||:
Db         84 FSGSGSGTDFTLTISSLQPEDFATYYCLQDYNYPWTFGQGTKVEIK 129


RESULT 4
KV1R_HUMAN
ID   KV1R_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01610;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 39.
DE   Ig kappa chain V-I region WEA.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=83273707; PubMed=6410398;
RA   Goni F., Frangione B.;
RT   "Amino acid sequence of the Fv region of a human monoclonal IgM
RT   (protein WEA) with antibody activity against 3,4-pyruvylated galactose
RT   in Klebsiella polysaccharides K30 and K33.";
RL   Proc. Natl. Acad. Sci. U.S.A. 80:4837-4841(1983).
CC   -!- MISCELLANEOUS: This chain was obtained from a monoclonal antibody
CC       against 3,4-pyruvylated galactose and isolated from a patient with
CC       Waldenstrom's macroglobulinemia.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01876; K1HUWE.
DR   HSSP; P80362; 1WTL.
DR   SMR; P01610; 1-108.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region; Monoclonal antibody.
FT   CHAIN         1    >108       Ig kappa chain V-I region WEA.
FT                                 /FTId=PRO_0000059752.
FT   REGION        1     23       Framework-1.
FT   REGION       24     34       Complementarity-determining-1.
FT   REGION       35     49       Framework-2.
FT   REGION       50     56       Complementarity-determining-2.
FT   REGION       57     88       Framework-3.
FT   REGION       89     97       Complementarity-determining-3.
FT   REGION       98    107       Framework-4.
FT   DISULFID     23     88       By similarity.
FT   NON_TER     108    108
SQ   SEQUENCE   108 AA;  11840 MW;  9249B61F0945618C CRC64;

  Query Match             87.6%;  Score 489;  DB 1;  Length 108;
  Best Local Similarity   86.9%;  Pred. No. 1.6e-42;
  Matches   93;  Conservative    9;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||||||||||||| ||||||| ||||||| |:||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLTWYQQKPGTAPKRLIYGATSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||:||||||||||||||::| | :||||||:|::
Db         61 RFSGSGSGTEFTLTINSLQPEDFATYYCLQYSSFPWTFGQGTKVEVK 107


RESULT 5
Q9UL70_HUMAN
ID   Q9UL70_HUMAN   PRELIMINARY;   PRT;   108 AA.
AC   Q9UL70;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 23.
DE   Myosin-reactive immunoglobulin light chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92078875; PubMed=1660528; DOI=10.1084/jem.174.6.1639;
RA   Manheimer-Lory A., Katz J.B., Pillinger M., Ghossein C., Smith A.,
RA   Diamond B.;
RT   "Molecular characteristics of antibodies bearing an anti-DNA-
RT   associated idiotype.";
RL   J. Exp. Med. 174:1639-1652(1991).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035044; AAD56280.1; -; mRNA.
```

```
DR   PIR; PH0863; PH0863.
DR   HSSP; P01607; 1BWW.
DR   SMR; Q9UL70; 1-108.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     108    108
SQ   SEQUENCE   108 AA;  11633 MW;  B7BEDC3E41FCCA37 CRC64;

  Query Match             84.1%;  Score 469;  DB 2;  Length 108;
  Best Local Similarity   86.0%;  Pred. No. 1.9e-40;
  Matches   92;  Conservative    5;  Mismatches   10;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||| | | |||||||| || ||||||:|||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGISNYLAWYQQKPGKVPKSLIYAASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||| ||||| ::|| | :|| ||||||:
Db         61 RFSGSGSGTDFTLTISSLQPEDVATYYCQKYNSAPRTFGPGTKLEIK 107


RESULT 6
Q6GMX8_HUMAN
ID   Q6GMX8_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q6GMX8;
DT   19-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   19-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 22.
DE   IGKC protein.
GN   Name=IGKC;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Primary B-Cells;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Primary B-Cells;
RG   NIH MGC Project;
RL   Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC073764; AAH73764.1; -; mRNA.
DR   SMR; Q6GMX8; 24-235.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   236 AA;  25707 MW;  4FC8E14B6559EFC9 CRC64;

  Query Match             82.8%;  Score 462;  DB 2;  Length 236;
  Best Local Similarity   85.0%;  Pred. No. 2.5e-39;
  Matches   91;  Conservative    7;  Mismatches    9;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||:|||||||||||||||||| : | ||||||||||| ||||||||||||
Db         23 DIQMTQSPSSVSASVGDRVTITCRASQGISSWLAWYQQKPGKAPKLLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||| | :| | :|| |||::|:
Db         83 RFSGSGSGTDFTLTISSLQPEDFATYYCQQAHSFPFTFGPGTKVDIK 129


RESULT 7
Q7Z3Y4_HUMAN
ID   Q7Z3Y4_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q7Z3Y4;
DT   01-OCT-2003, integrated into UniProtKB/TrEMBL.
DT   01-OCT-2003, sequence version 1.
DT   27-JUN-2006, entry version 25.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Skeletal Muscle;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
```

```
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Skeletal Muscle;
RA   Strausberg R.;
RL   Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC005332; AAH05332.1; -; mRNA.
DR   HSSP; P01834; 1HEZ.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   236 AA;  25702 MW;  7FBFE4ED23084BC6 CRC64;

  Query Match           81.7%;  Score 456;  DB 2;  Length 236;
  Best Local Similarity   84.1%;  Pred. No. 1e-38;
  Matches   90;  Conservative    5;  Mismatches   12;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||| ||||||||| | | | |:||||||||| ||| |||||||| |
Db         23 DIQMTQSPSSLSASVGDTVTITCRASQDISNYLAWFQQKPGKAPKSLIYGASSLQSGVQS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
                :|||||||||||||||||||||||||| |: | | :|||||||||:
Db         83 KFSGSGSGTDFTLTISSLQPEDFATYYCQQYKSYPVTFGQGTKLEIK 129


RESULT 8
KV1H_HUMAN
ID   KV1H_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01600;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   25-JUL-2006, entry version 47.
DE   Ig kappa chain V-I region Hau.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=71032830; PubMed=4097974;
RA   Watanabe S., Hilschmann N.;
RT   "The primary structure of a monoclonal kappa-type immunoglobulin L-
RT   chain of subgroup I (Bence-Jones protein Hau): subdivision within
RT   subgroups.";
RL   Hoppe-Seyler's Z. Physiol. Chem. 351:1291-1295(1970).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01868; K1HUHU.
DR   PDB; 1F6L; X-ray; L=1-89.
DR   SMR; P01600; 1-108.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   3D-structure; Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin domain; Immunoglobulin V region.
FT   CHAIN         1    >108       Ig kappa chain V-I region Hau.
FT                                 /FTId=PRO_0000059744.
FT   REGION        1      23       Framework-1.
FT   REGION       24      34       Complementarity-determining-1.
FT   REGION       35      49       Framework-2.
FT   REGION       50      56       Complementarity-determining-2.
FT   REGION       57      88       Framework-3.
FT   REGION       89      97       Complementarity-determining-3.
FT   REGION       98     107       Framework-4.
FT   DISULFID     23      88       By similarity.
FT   NON_TER     108     108
FT   STRAND        4       7
FT   STRAND        9      12
FT   TURN         15      16
FT   STRAND       19      27
FT   TURN         30      31
FT   STRAND       33      38
FT   TURN         40      41
FT   STRAND       45      49
FT   TURN         50      52
FT   STRAND       53      54
FT   TURN         56      57
FT   TURN         60      61
FT   STRAND       62      67
FT   TURN         68      69
FT   STRAND       70      75
FT   STRAND       77      77
FT   HELIX        80      82
FT   STRAND       84      90
FT   STRAND       92      95
FT   STRAND       98      98
FT   STRAND      102     105
SQ   SEQUENCE   108 AA;  11671 MW;  08D3A6160D8D0618 CRC64;

  Query Match           81.5%;  Score 455;  DB 1;  Length 108;
  Best Local Similarity   84.1%;  Pred. No. 5.3e-39;
  Matches   90;  Conservative    6;  Mismatches   11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||| | : | ||||||||||: |||||||| |||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQSISSYLSWYQQKPGKAPQVLIYAASSLPSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
                |||||||||||||||||||||||||| |:   | ||||||::||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQNYITPTSFGQGTRVEIK 107


RESULT 9
```

```
Q9UL77_HUMAN
ID   Q9UL77_HUMAN   PRELIMINARY;   PRT;   108 AA.
AC   Q9UL77;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   13-JUN-2006, entry version 23.
DE   Myosin-reactive immunoglobulin light chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92387224; PubMed=1516616;
RA   Victor K.D., Pascual V., Williams C.L., Lennon V.A., Capra J.D.;
RT   "Human monoclonal striational autoantibodies isolated from thymic B
RT   lymphocytes of patients with myasthenia gravis use VH and VL gene
RT   segments associated with the autoimmune repertoire.";
RL   Eur. J. Immunol. 22:2231-2236(1992).
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035037; AAD56273.1; -; mRNA.
DR   PIR; B49047; B49047.
DR   PIR; S34083; S34083.
DR   HSSP; P01607; 1BWW.
DR   SMR; Q9UL77; 1-108.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   RZPD-ProtExp; IOH14191; -.
DR   RZPD-ProtExp; IOH21663; -.
DR   RZPD-ProtExp; IOH23035; -.
DR   RZPD-ProtExp; IOH23055; -.
DR   RZPD-ProtExp; IOH23077; -.
DR   RZPD-ProtExp; IOH23168; -.
DR   RZPD-ProtExp; IOH23177; -.
DR   RZPD-ProtExp; IOH23178; -.
DR   RZPD-ProtExp; IOH23179; -.
DR   RZPD-ProtExp; IOH29440; -.
DR   RZPD-ProtExp; IOH40810; -.
DR   RZPD-ProtExp; IOH7177; -.
DR   RZPD-ProtExp; T2893; -.
DR   RZPD-ProtExp; T2896; -.
DR   RZPD-ProtExp; T2901; -.
DR   RZPD-ProtExp; T2902; -.
DR   RZPD-ProtExp; W0370; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1       1
FT   NON_TER     108     108
SQ   SEQUENCE   108 AA;  11738 MW;  C06681716C4D16F3 CRC64;

  Query Match             81.2%;  Score 453;  DB 2;  Length 108;
  Best Local Similarity   84.1%;  Pred. No. 8.6e-39;
  Matches   90;  Conservative    5;  Mismatches   12;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||| | : | ||||||||||  ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQSISSYLNWYQQKPGKAPNLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||||||||||||||||| |  |   :||:|||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQSYSTSWTFGEGTKVEIK 107


RESULT 10
Q6PIH7_HUMAN
ID   Q6PIH7_HUMAN   PRELIMINARY;   PRT;   236 AA.
AC   Q6PIH7;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   25-JUL-2006, entry version 23.
DE   IGKC protein.
GN   Name=IGKC;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RG   NIH MGC Project;
RL   Submitted (JUL-2002) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC034141; AAH34141.1; -; mRNA.
DR   PDB; 2AJ3; X-ray; A/C/E=25-236.
DR   SMR; Q6PIH7; 23-236.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
```

```
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   236 AA;  25603 MW;  8BC561106861213F CRC64;

  Query Match             81.2%;  Score 453;  DB 2;  Length 236;
  Best Local Similarity   83.2%;  Pred. No. 2.1e-38;
  Matches   89;  Conservative    7;  Mismatches   11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||:||||| |||||||||||||||||| : | |||||||||| ||||||:|||||||
Db         23 DIQLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPNLLIYAASTLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| | || | :|| |||:||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCQQLNSSPPTFGGGTKVEIK 129


RESULT 11
KV1W_HUMAN
ID   KV1W_HUMAN     STANDARD;      PRT;   129 AA.
AC   P04431;
DT   13-AUG-1987, integrated into UniProtKB/Swiss-Prot.
DT   13-AUG-1987, sequence version 1.
DT   27-JUN-2006, entry version 43.
DE   Ig kappa chain V-I region Walker precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=85014148; PubMed=6091049;
RA   Klobeck H.G., Combriato G., Zachau H.G.;
RT   "Immunoglobulin genes of the kappa light chain type from two human
RT   lymphoid cell lines are closely related.";
RL   Nucleic Acids Res. 12:6995-7006(1984).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; X00965; CAA25477.1; ALT_TERM; Genomic_DNA.
DR   PIR; A01883; K1HUWK.
DR   HSSP; P01607; 1BWW.
DR   SMR; P04431; 23-129.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   LinkHub; P04431; -.
DR   RZPD-ProtExp; IOH14191; -.
DR   RZPD-ProtExp; IOH21663; -.
DR   RZPD-ProtExp; IOH23035; -.
DR   RZPD-ProtExp; IOH23055; -.
DR   RZPD-ProtExp; IOH23077; -.
DR   RZPD-ProtExp; IOH23168; -.
DR   RZPD-ProtExp; IOH23177; -.
DR   RZPD-ProtExp; IOH23178; -.
DR   RZPD-ProtExp; IOH23179; -.
DR   RZPD-ProtExp; IOH29440; -.
DR   RZPD-ProtExp; IOH40810; -.
DR   RZPD-ProtExp; IOH7177; -.
DR   RZPD-ProtExp; T2893; -.
DR   RZPD-ProtExp; T2896; -.
DR   RZPD-ProtExp; T2901; -.
DR   RZPD-ProtExp; T2902; -.
DR   RZPD-ProtExp; W0370; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL       1     22
FT   CHAIN       23    129       Ig kappa chain V-I region Walker.
FT                               /FTId=PRO_0000015170.
FT   REGION      23     45       Framework-1.
FT   REGION      46     56       Complementarity-determining-1.
FT   REGION      57     71       Framework-2.
FT   REGION      72     78       Complementarity-determining-2.
FT   REGION      79    110       Framework-3.
FT   REGION     111    119       Complementarity-determining-3.
FT   REGION     120    129       Framework-4.
FT   DISULFID    45    110       By similarity.
FT   NON_TER    129    129
SQ   SEQUENCE   129 AA;  14069 MW;  F941FA07D4AFC2F9 CRC64;

  Query Match             80.5%;  Score 449;  DB 1;  Length 129;
  Best Local Similarity   85.0%;  Pred. No. 2.7e-38;
  Matches   91;  Conservative    3;  Mismatches   13;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||| | | | |||||||||||| |||||||||||| |
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQSISNYLNWYQQKPGKAPKLLIYAASSLQSGVTS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||| ||||| |  |   :|||||:|||:
Db         83 RFSGSGSGTDFTLTISSLQPEDSATYYCQQSYSTLITFGQGTRLEIK 129


RESULT 12
KV1F_HUMAN
ID   KV1F_HUMAN     STANDARD;      PRT;   108 AA.
AC   P01598;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 40.
DE   Ig kappa chain V-I region EU.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=71064023; PubMed=5489770;
RA   Gottlieb P.D., Cunningham B.A., Rutishauser U., Edelman G.M.;
RT   "The covalent structure of a human gamma G-immunoglobulin. VI. Amino
RT   acid sequence of the light chain.";
RL   Biochemistry 9:3155-3161(1970).
RN   [2]
RP   DISULFIDE BOND.
RX   MEDLINE=71064027; PubMed=4923144;
RA   Gall W.E., Edelman G.M.;
RT   "The covalent structure of a human gamma G-immunoglobulin. X.
RT   Intrachain disulfide bonds.";
RL   Biochemistry 9:3188-3196(1970).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This chain was isolated from a myeloma protein.
CC   ---------------------------------------------------------------------
```

```
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A90562; K1HUEU.
DR   HSSP; P01607; 1BWW.
DR   SMR; P01598; 1-107.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >108       Ig kappa chain V-I region EU.
FT                                 /FTId=PRO_0000059742.
FT   REGION        1     23       Framework-1.
FT   REGION       24     34       Complementarity-determining-1.
FT   REGION       35     49       Framework-2.
FT   REGION       50     56       Complementarity-determining-2.
FT   REGION       57     88       Framework-3.
FT   REGION       89     97       Complementarity-determining-3.
FT   REGION       98    107       Framework-4.
FT   DISULFID     23     88
FT   NON_TER     108    108
SQ   SEQUENCE   108 AA;  11788 MW;  9CD294F2F4D88823 CRC64;

  Query Match             80.1%;  Score 447;  DB 1;  Length 108;
  Best Local Similarity   80.4%;  Pred. No. 3.6e-38;
  Matches   86;  Conservative    9;  Mismatches   12;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||:||||||||||||||||| |    | |||||||||| |:| ||||:|||||
Db          1 DIQMTQSPSTLSASVGDRVTITCRASQSINTWLAWYQQKPGKAPKLLMYKASSLESGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              || |||||:||||||||||:||||||| |:|||   ||||||:|::
Db         61 RFIGSGSGTEFTLTISSLQPDDFATYYCQQYNSDSKMFGQGTKVEVK 107


RESULT 13
KV1V_HUMAN
ID   KV1V_HUMAN     STANDARD;      PRT;   108 AA.
AC   P04430;
DT   13-AUG-1987, integrated into UniProtKB/Swiss-Prot.
DT   13-AUG-1987, sequence version 1.
DT   30-MAY-2006, entry version 41.
DE   Ig kappa chain V-I region BAN.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=86174817; PubMed=3083240; DOI=10.1016/0161-5890(86)90173-2;
RA   Dwulet F.E., O'Connor T.P., Benson M.D.;
RT   "Polymorphism in a kappa I primary (AL) amyloid protein (BAN).";
RL   Mol. Immunol. 23:73-78(1986).
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A01878; K1HUBN.
DR   HSSP; P80362; 1WTL.
DR   SMR; P04430; 1-108.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Amyloid; Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >108       Ig kappa chain V-I region BAN.
FT                                 /FTId=PRO_0000059756.
FT   REGION        1     23       Framework-1.
FT   REGION       24     34       Complementarity-determining-1.
FT   REGION       35     49       Framework-2.
FT   REGION       50     56       Complementarity-determining-2.
FT   REGION       57     88       Framework-3.
FT   REGION       89     97       Complementarity-determining-3.
FT   REGION       98    107       Framework-4.
FT   DISULFID     23     88       By similarity.
FT   NON_TER     108    108
SQ   SEQUENCE   108 AA;  11840 MW;  CD3FD944FE96FD37 CRC64;

  Query Match             79.9%;  Score 446;  DB 1;  Length 108;
  Best Local Similarity   79.4%;  Pred. No. 4.6e-38;
  Matches   85;  Conservative   11;  Mismatches   11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||:|||||||||||||||||||||| : | : |:|||||||| ||| ||:|||||||
Db          1 DIQLTQSPSSLSASVGDRVTITCRASQSVYNYVAWFQQKPGKAPKSLIYDASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |:|||||||| |||||||||||||||| |:|| | :||||||:|:
Db         61 NFTGSGSGTDFILTISSLQPEDFATYYCQQYNSYPYTFGQGTKVQIK 107


RESULT 14
Q96SA9_HUMAN
ID   Q96SA9_HUMAN   PRELIMINARY;   PRT;   107 AA.
AC   Q96SA9;
DT   01-DEC-2001, integrated into UniProtKB/TrEMBL.
DT   01-DEC-2001, sequence version 1.
DT   18-APR-2006, entry version 19.
DE   Anti-streptococcal/anti-myosin immunoglobulin kappa light chain
DE   variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98375893; PubMed=9712075;
RA   Adderson E.E., Shikhman A.R., Ward K.E., Cunningham M.W.;
RT   "Molecular analysis of polyreactive monoclonal antibodies from
RT   rheumatic carditis: human anti-N-acetylglucosamine/anti-myosin
RT   antibody V region genes.";
RL   J. Immunol. 161:2020-2031(1998).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92387224; PubMed=1516616;
RA   Victor K.D., Pascual V., Williams C.L., Lennon V.A., Capra J.D.;
RT   "Human monoclonal striational autoantibodies isolated from thymic B
RT   lymphocytes of patients with myasthenia gravis use VH and VL gene
RT   segments associated with the autoimmune repertoire.";
RL   Eur. J. Immunol. 22:2231-2236(1992).
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
```

```
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
RN   [4]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92078875; PubMed=1660528; DOI=10.1084/jem.174.6.1639;
RA   Manheimer-Lory A., Katz J.B., Pillinger M., Ghossein C., Smith A.,
RA   Diamond B.;
RT   "Molecular characteristics of antibodies bearing an anti-DNA-
RT   associated idiotype.";
RL   J. Exp. Med. 174:1639-1652(1991).
RN   [5]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=91243737; PubMed=1903706;
RA   Blaison G., Kuntz J.L., Pasquali J.L.;
RT   "Molecular analysis of V kappa III variable regions of polyclonal
RT   rheumatoid factors during rheumatoid arthritis.";
RL   Eur. J. Immunol. 21:1221-1227(1991).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; U96396; AAB68785.1; -; mRNA.
DR   PIR; B49047; B49047.
DR   PIR; PH0867; PH0867.
DR   PIR; S16840; S16840.
DR   PIR; S31977; S31977.
DR   PIR; S34083; S34083.
DR   PIR; S34086; S34086.
DR   HSSP; P01607; 1BWW.
DR   SMR; Q96SA9; 1-107.
DR   Ensembl; ENSG00000163245; Homo sapiens.
DR   LinkHub; Q96SA9; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     107    107
SQ   SEQUENCE   107 AA;  11520 MW;  4BB43E9C5B577F16 CRC64;

  Query Match             79.8%;  Score 445.5;  DB 2;  Length 107;
  Best Local Similarity   84.1%;  Pred. No. 5.1e-38;
  Matches   90;  Conservative    5;  Mismatches   11;  Indels    1;  Gaps    1;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||| | : | |||||||||||| ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQSISSYLNWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||| | :    :|| |||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYC-QQSYSTLTFGGGTKVEIK 106


RESULT 15
Q65ZC8_HUMAN
ID   Q65ZC8_HUMAN   PRELIMINARY;   PRT;   244 AA.
AC   Q65ZC8;
DT   11-OCT-2004, integrated into UniProtKB/TrEMBL.
DT   11-OCT-2004, sequence version 1.
DT   18-APR-2006, entry version 10.
DE   Single-chain Fv (Fragment).
GN   Name=scFv;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=97362799; PubMed=9219263; DOI=10.1038/nbt0797-629;
RA   Kontermann R.E., Wing M.G., Winter G.;
RT   "Complement recruitment using bispecific diabodies.";
RL   Nat. Biotechnol. 15:629-631(1997).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; Y13057; CAA73500.1; -; mRNA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 2.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00406; IGv; 2.
DR   PROSITE; PS50835; IG_LIKE; 2.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     244    244
SQ   SEQUENCE   244 AA;  26127 MW;  4B1F17868338F2BF CRC64;

  Query Match             79.7%;  Score 445;  DB 2;  Length 244;
  Best Local Similarity   80.4%;  Pred. No. 1.5e-37;
  Matches   86;  Conservative   10;  Mismatches   11;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||:||||:||||||||||:|| : | |||||||||| ||| |||| || ||
Db        137 DIQMTQSPSTLSASIGDRVTITCRASEGIYHWLAWYQQKPGKAPKFLIYKASSLASGAPS 196

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||:||||||| |::: | :|| ||||||:
Db        197 RFSGSGSGTDFTLTISSLQPDDFATYYCQQYSNYPLTFGGGTKLEIK 243


Search completed: April 25, 2007, 04:06:33
Job time : 73.8446 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 13 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	525	94.1	107	2	US-10-330-613A-18	Sequence 18, Appl
2	519	93.0	107	2	US-10-330-613A-14	Sequence 14, Appl
3	490	87.8	107	2	US-09-240-274-29	Sequence 29, Appl
4	490	87.8	107	2	US-09-848-798-29	Sequence 29, Appl
5	481	86.2	95	2	US-10-194-975-59	Sequence 59, Appl
6	481	86.2	95	2	US-10-330-613A-47	Sequence 47, Appl
7	481	86.2	95	2	US-10-330-613A-48	Sequence 48, Appl
8	481	86.2	95	2	US-10-330-613A-51	Sequence 51, Appl
9	481	86.2	95	2	US-10-330-613A-52	Sequence 52, Appl
10	481	86.2	107	2	US-08-599-226-9	Sequence 9, Appli
11	481	86.2	107	2	US-09-125-098-9	Sequence 9, Appli
12	481	86.2	107	2	US-09-540-018-9	Sequence 9, Appli
13	480	86.0	109	2	US-09-025-769B-28	Sequence 28, Appl
14	480	86.0	109	2	US-09-025-769B-43	Sequence 43, Appl
15	480	86.0	109	2	US-09-490-070A-28	Sequence 28, Appl
16	480	86.0	109	2	US-09-490-070A-43	Sequence 43, Appl
17	480	86.0	109	2	US-09-490-153-28	Sequence 28, Appl
18	480	86.0	109	2	US-09-490-153-43	Sequence 43, Appl
19	480	86.0	109	2	US-09-490-324-28	Sequence 28, Appl
20	480	86.0	109	2	US-09-490-324-43	Sequence 43, Appl
21	479	85.8	107	1	US-07-934-373C-18	Sequence 18, Appl
22	479	85.8	107	2	US-08-437-642B-18	Sequence 18, Appl
23	479	85.8	107	2	US-08-146-206C-18	Sequence 18, Appl
24	479	85.8	107	2	US-09-648-067A-14	Sequence 14, Appl
25	479	85.8	107	2	US-09-705-686-18	Sequence 18, Appl
26	479	85.8	107	2	US-09-705-392A-18	Sequence 18, Appl
27	479	85.8	107	2	US-09-705-398-18	Sequence 18, Appl
28	479	85.8	107	2	US-09-602-812A-5	Sequence 5, Appli
29	479	85.8	107	5	PCT-US93-07832-18	Sequence 18, Appl
30	479	85.8	108	2	US-08-974-899-3	Sequence 3, Appli
31	479	85.8	108	2	US-09-795-798-3	Sequence 3, Appli
32	479	85.8	108	2	US-08-908-469-12	Sequence 12, Appl
33	477	85.5	107	2	US-08-599-226-1	Sequence 1, Appli
34	477	85.5	107	2	US-09-125-098-1	Sequence 1, Appli
35	477	85.5	107	2	US-09-540-018-1	Sequence 1, Appli
36	476	85.3	109	2	US-10-330-613A-10	Sequence 10, Appl
37	475	85.1	107	2	US-09-644-668A-13	Sequence 13, Appl
38	474	84.9	108	1	US-08-378-939-32	Sequence 32, Appl
39	474	84.9	108	1	US-08-378-939-34	Sequence 34, Appl
40	473	84.8	108	2	US-09-920-262A-8	Sequence 8, Appli
41	472	84.6	108	1	US-08-378-939-24	Sequence 24, Appl
42	472	84.6	109	1	US-07-934-373C-3	Sequence 3, Appli
43	472	84.6	109	2	US-08-437-642B-3	Sequence 3, Appli
44	472	84.6	109	2	US-08-146-206C-3	Sequence 3, Appli
45	472	84.6	109	2	US-09-705-686-3	Sequence 3, Appli

ALIGNMENTS

RESULT 1
US-10-330-613A-18
; Sequence 18, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
; APPLICANT: Gudas, Jean
; TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
; FILE REFERENCE: ABGENIX.022A
; CURRENT APPLICATION NUMBER: US/10/330,613A
; CURRENT FILING DATE: 2002-12-26
; PRIOR APPLICATION NUMBER: 60/346299
; PRIOR FILING DATE: 2001-12-18
; NUMBER OF SEQ ID NOS: 90
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
; LENGTH: 107
; TYPE: PRT
; ORGANISM: Homo Sapiens
US-10-330-613A-18

Query Match 94.1%; Score 525; DB 2; Length 107;
Best Local Similarity 94.4%; Pred. No. 8.4e-42;
Matches 101; Conservative 4; Mismatches 2; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :||||||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKVEIK 107
```

RESULT 2
US-10-330-613A-14
; Sequence 14, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
; APPLICANT: Gudas, Jean
; TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
; FILE REFERENCE: ABGENIX.022A
; CURRENT APPLICATION NUMBER: US/10/330,613A
; CURRENT FILING DATE: 2002-12-26
; PRIOR APPLICATION NUMBER: 60/346299
; PRIOR FILING DATE: 2001-12-18
; NUMBER OF SEQ ID NOS: 90
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 14
; LENGTH: 107

```
;   TYPE: PRT
;   ORGANISM: Homo Sapiens
US-10-330-613A-14

  Query Match             93.0%;  Score 519;  DB 2;  Length 107;
  Best Local Similarity   93.5%;  Pred. No. 3e-41;
  Matches  100;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||:|||||||||||||||||||||| | :|| |||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPLTFGGGTKVEIK 107


RESULT 3
US-09-240-274-29
; Sequence 29, Application US/09240274
; Patent No. 6255455
; GENERAL INFORMATION:
;  APPLICANT: Siegel, Donald L.
;  TITLE OF INVENTION: Rh(D)-BINDING PROTEINS AND MAGNETICALLY ACTIVATED CELL
;  TITLE OF INVENTION: SORTING METHOD FOR PRODUCTION THEREOF
;  FILE REFERENCE: 09596-42U2
;  CURRENT APPLICATION NUMBER: US/09/240,274
;  CURRENT FILING DATE: 1999-01-29
;  EARLIER APPLICATION NUMBER: 60/081,380
;  EARLIER FILING DATE: 1998-04-10
;  EARLIER APPLICATION NUMBER: 60/028,550
;  EARLIER FILING DATE: 1996-10-11
;  NUMBER OF SEQ ID NOS: 224
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 29
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: anti-Rh(D) chain F01
US-09-240-274-29

  Query Match             87.8%;  Score 490;  DB 2;  Length 107;
  Best Local Similarity   88.6%;  Pred. No. 1.5e-38;
  Matches   93;  Conservative    7;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          3 QMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPSRF 62
              ::|||||||||||||||||||||||| |||||||||||||||||| ||||||||||
Db          2 ELTQSPSSLSASVGDRVTITCRASQGFRNDLGWYQQKPGKAPKRLIYATSSLQSGVPSRF 61

Qy         63 SGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||-|||:|||||:|||||| |||||||||| | :|||||:||:
Db         62 SGSGSGTEFTLTINSLQPEDSATYYCLQHNSFPWTFGQGTKVEIK 106


RESULT 4
US-09-848-798-29
; Sequence 29, Application US/09848798
; Patent No. 6858719
; GENERAL INFORMATION:
;  APPLICANT: Siegel, Donald L.
;  TITLE OF INVENTION: Rh(D)-BINDING PROTEINS AND MAGNETICALLY ACTIVATED CELL
;  TITLE OF INVENTION:  SORTING METHOD FOR PRODUCTION THEREOF
;  FILE REFERENCE: 09596-42U2
;  CURRENT APPLICATION NUMBER: US/09/848,798
;  CURRENT FILING DATE:  2001-05-04
;  PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 09/240,274
;  PRIOR FILING DATE: EARLIER FILING DATE: 1999-01-29
;  PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 60/028,550
;  PRIOR FILING DATE: EARLIER FILING DATE: 1996-10-11
;  NUMBER OF SEQ ID NOS: 224
;  SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 29
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: anti-Rh(D) chain F01
US-09-848-798-29

  Query Match             87.8%;  Score 490;  DB 2;  Length 107;
  Best Local Similarity   88.6%;  Pred. No. 1.5e-38;
  Matches   93;  Conservative    7;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          3 QMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPSRF 62
              ::|||||||||||||||||||||||| |||||||||||||||||| ||||||||||
Db          2 ELTQSPSSLSASVGDRVTITCRASQGFRNDLGWYQQKPGKAPKRLIYATSSLQSGVPSRF 61

Qy         63 SGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||-|||:|||||:|||||| |||||||||| | :|||||:||:
Db         62 SGSGSGTEFTLTINSLQPEDSATYYCLQHNSFPWTFGQGTKVEIK 106


RESULT 5
US-10-194-975-59
; Sequence 59, Application US/10194975
; Patent No. 6881557
; GENERAL INFORMATION:
;  APPLICANT: Foote, Jefferson
;  TITLE OF INVENTION: Super Humanized Antibodies
;  FILE REFERENCE: 501231.01
;  CURRENT APPLICATION NUMBER: US/10/194,975
;  CURRENT FILING DATE:  2002-10-10
;  PRIOR APPLICATION NUMBER: US 60/305,111
;  PRIOR FILING DATE: 2001-07-12
;  NUMBER OF SEQ ID NOS: 122
;  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 59
;   LENGTH: 95
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-194-975-59

  Query Match             86.2%;  Score 481;  DB 2;  Length 95;
  Best Local Similarity   97.9%;  Pred. No. 9.3e-38;
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              ||||||||||:|||||||||||||||||||||||| |
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 95


RESULT 6
US-10-330-613A-47
; Sequence 47, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
;  FILE REFERENCE: ABGENIX.022A
;  CURRENT APPLICATION NUMBER: US/10/330,613A
;  CURRENT FILING DATE:  2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346299
;  PRIOR FILING DATE: 2001-12-18
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 47
;   LENGTH: 95
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-330-613A-47
```

```
  Query Match             86.2%;  Score 481;  DB 2;  Length 95;
  Best Local Similarity   97.9%;  Pred. No. 9.3e-38;
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              |||||||||:|||||||||||||||||||||| |
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 95


RESULT 7
US-10-330-613A-48
; Sequence 48, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
;  FILE REFERENCE: ABGENIX.022A
;  CURRENT APPLICATION NUMBER: US/10/330,613A
;  CURRENT FILING DATE:  2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346299
;  PRIOR FILING DATE: 2001-12-18
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 48
;   LENGTH: 95
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-330-613A-48

  Query Match             86.2%;  Score 481;  DB 2;  Length 95;
  Best Local Similarity   97.9%;  Pred. No. 9.3e-38;
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              |||||||||:|||||||||||||||||||||| |
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 95


RESULT 8
US-10-330-613A-51
; Sequence 51, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
;  FILE REFERENCE: ABGENIX.022A
;  CURRENT APPLICATION NUMBER: US/10/330,613A
;  CURRENT FILING DATE:  2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346299
;  PRIOR FILING DATE: 2001-12-18
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 51
;   LENGTH: 95
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-330-613A-51

  Query Match             86.2%;  Score 481;  DB 2;  Length 95;
  Best Local Similarity   97.9%;  Pred. No. 9.3e-38;
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              |||||||||:|||||||||||||||||||||| |
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 95


RESULT 9
US-10-330-613A-52
; Sequence 52, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
;  FILE REFERENCE: ABGENIX.022A
;  CURRENT APPLICATION NUMBER: US/10/330,613A
;  CURRENT FILING DATE:  2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346299
;  PRIOR FILING DATE: 2001-12-18
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 52
;   LENGTH: 95
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-330-613A-52

  Query Match             86.2%;  Score 481;  DB 2;  Length 95;
  Best Local Similarity   97.9%;  Pred. No. 9.3e-38;
  Matches   93;  Conservative    1;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDP 95
              |||||||||:|||||||||||||||||||||| |
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYP 95


RESULT 10
US-08-599-226-9
; Sequence 9, Application US/08599226
; Patent No. 6090382
;  GENERAL INFORMATION:
;    APPLICANT:  Salfeld, Jochen G.
;    APPLICANT:  Allen, Deborah J.
;    APPLICANT:  Hoogenboom, Hendricus R.J.M.
;    APPLICANT:  Kaymakcalan, Zehra
;    APPLICANT:  Labkovsky, Boris
;    APPLICANT:  Mankovich, John A.
;    APPLICANT:  McGuinness, Brian T.
;    APPLICANT:  Roberts, Andrew J.
;    APPLICANT:  Sakorafas, Paul
;    APPLICANT:  Schoenhaut, David
;    APPLICANT:  Vaughan, Tristan J.
;    APPLICANT:  White, Michael
;    APPLICANT:  Wilton, Andrew J.
;    TITLE OF INVENTION:  Human Antibodies that Bind Human TNFa
;    NUMBER OF SEQUENCES:  37
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  LAHIVE & COCKFIELD
;      STREET:  60 State Street, suite 510
;      CITY:  Boston
;      STATE:  Massachusetts
;      COUNTRY:  USA
;      ZIP:  02109-1875
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/599,226
```

```
;      FILING DATE:  08-FEB-1996
;      CLASSIFICATION:  424
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  DeConti, Giulio A., Jr.
;      REGISTRATION NUMBER:  31,503
;      REFERENCE/DOCKET NUMBER:  BBI-043
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (617)227-7400
;      TELEFAX:  (617)227-5941
;  INFORMATION FOR SEQ ID NO:  9:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  107 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
;    FRAGMENT TYPE:  internal
US-08-599-226-9

  Query Match             86.2%;  Score 481;  DB 2;  Length 107;
  Best Local Similarity   86.9%;  Pred. No. 1.1e-37;
  Matches   93;  Conservative    7;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||:|||||||||||||||| | |||||||||| ||||||:|||||||
Db          1 DIQMTQSPSSLSASIGDRVTITCRASQGIRNYLAWYQQKPGKAPKLLIYAASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||||||||||||| ||||| ::|| | :||||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDVATYYCQKYNSAPYAFGQGTKVEIK 107


RESULT 11
US-09-125-098-9
; Sequence 9, Application US/09125098
; Patent No. 6258562
;  GENERAL INFORMATION:
;    APPLICANT:  Salfeld, Jochen G.
;    APPLICANT:  Allen, Deborah J.
;    APPLICANT:  Hoogenboom, Hendricus R.J.M.
;    APPLICANT:  Kaymakcalan, Zehra
;    APPLICANT:  Labkovsky, Boris
;    APPLICANT:  Mankovich, John A.
;    APPLICANT:  McGuinness, Brian T.
;    APPLICANT:  Roberts, Andrew J.
;    APPLICANT:  Sakorafas, Paul
;    APPLICANT:  Schoenhaut, David
;    APPLICANT:  Vaughan, Tristan J.
;    APPLICANT:  White, Michael
;    APPLICANT:  Wilton, Andrew J.
;    TITLE OF INVENTION:  Human Antibodies that Bind Human TNFa
;    NUMBER OF SEQUENCES:  37
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  LAHIVE & COCKFIELD
;      STREET:  60 State Street, suite 510
;      CITY:  Boston
;      STATE:  Massachusetts
;      COUNTRY:  USA
;      ZIP:  02109-1875
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/125,098
;      FILING DATE:
;      CLASSIFICATION:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  08/599,226
;      FILING DATE:
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  DeConti, Giulio A., Jr.
;      REGISTRATION NUMBER:  31,503
;      REFERENCE/DOCKET NUMBER:  BBI-043
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (617)227-7400
;      TELEFAX:  (617)227-5941
;  INFORMATION FOR SEQ ID NO:  9:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  107 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
;    FRAGMENT TYPE:  internal
US-09-125-098-9

  Query Match             86.2%;  Score 481;  DB 2;  Length 107;
  Best Local Similarity   86.9%;  Pred. No. 1.1e-37;
  Matches   93;  Conservative    7;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||:|||||||||||||||| | |||||||||| ||||||:|||||||
Db          1 DIQMTQSPSSLSASIGDRVTITCRASQGIRNYLAWYQQKPGKAPKLLIYAASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||||||||||||| ||||| ::|| | :||||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDVATYYCQKYNSAPYAFGQGTKVEIK 107


RESULT 12
US-09-540-018-9
; Sequence 9, Application US/09540018
; Patent No. 6509015
;  GENERAL INFORMATION:
;    APPLICANT:  Salfeld, Jochen G.
;    APPLICANT:  Allen, Deborah J.
;    APPLICANT:  Hoogenboom, Hendricus R.J.M.
;    APPLICANT:  Kaymakcalan, Zehra
;    APPLICANT:  Labkovsky, Boris
;    APPLICANT:  Mankovich, John A.
;    APPLICANT:  McGuinness, Brian T.
;    APPLICANT:  Roberts, Andrew J.
;    APPLICANT:  Sakorafas, Paul
;    APPLICANT:  Schoenhaut, David
;    APPLICANT:  Vaughan, Tristan J.
;    APPLICANT:  White, Michael
;    APPLICANT:  Wilton, Andrew J.
;    TITLE OF INVENTION:  Human Antibodies that Bind Human TNFa
;    NUMBER OF SEQUENCES:  37
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  LAHIVE & COCKFIELD
;      STREET:  60 State Street, suite 510
;      CITY:  Boston
;      STATE:  Massachusetts
;      COUNTRY:  USA
;      ZIP:  02109-1875
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/540,018
;      FILING DATE:  31-MARCH-2000
;      CLASSIFICATION:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/599,226
;      FILING DATE:  08-FEB-1996
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  DeConti, Giulio A., Jr.
;      REGISTRATION NUMBER:  31,503
;      REFERENCE/DOCKET NUMBER:  BBI-043
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (617)227-7400
;      TELEFAX:  (617)227-5941
;  INFORMATION FOR SEQ ID NO:  9:
```

```
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  107 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
;    FRAGMENT TYPE:  internal
US-09-540-018-9

  Query Match             86.2%;  Score 481;  DB 2;  Length 107;
  Best Local Similarity   86.9%;  Pred. No. 1.1e-37;
  Matches   93;  Conservative    7;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||:|||||||||||||||| | |||||||||||| ||||||:|||||||
Db          1 DIQMTQSPSSLSASIGDRVTITCRASQGIRNYLAWYQQKPGKAPKLLIYAASTLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||||||||||||| ||||| ::|| | :|||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDVATYYCQKYNSAPYAFGQGTKVEIK 107


RESULT 13
US-09-025-769B-28
; Sequence 28, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  28:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  109 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-28

  Query Match             86.0%;  Score 480;  DB 2;  Length 109;
  Best Local Similarity   87.9%;  Pred. No. 1.3e-37;
  Matches   94;  Conservative    5;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||||| : | |||||||||||| ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||| || : | :|||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK 107


RESULT 14
US-09-025-769B-43
; Sequence 43, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  43:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  109 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-43

  Query Match             86.0%;  Score 480;  DB 2;  Length 109;
  Best Local Similarity   87.9%;  Pred. No. 1.3e-37;
  Matches   94;  Conservative    5;  Mismatches    8;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              |||||||||||||||||||||||||||||| : | |||||||||||| ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||| || : | :|||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK 107


RESULT 15
US-09-490-070A-28
; Sequence 28, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
```

; Pack, Peter
; Ilag, Vic
; Ge, Liming
; Moroney, Simon
; Pluecthun, Andreas
; TITLE OF INVENTION: Protein/(Poly)peptide libraries
; NUMBER OF SEQUENCES: 373
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
; White & McAuliffe
; STREET: 1666 K Street, N.W., Suite 300
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20006
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/490,070A
; FILING DATE: 24-Jan-2000
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95 11 3021.0
; FILING DATE: 18-AUG-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Colin G. Sandercock, Esq.
; REGISTRATION NUMBER: 31,298
; REFERENCE/DOCKET NUMBER: 37629-0005
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 912-2000
; TELEFAX: (202) 912-2020
; INFORMATION FOR SEQ ID NO: 28:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 109 amino acids
; TYPE: amino acid
; STRANDEDNESS: <Unknown>
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 28:
US-09-490-070A-28

Query Match 86.0%; Score 480; DB 2; Length 109;
Best Local Similarity 87.9%; Pred. No. 1.3e-37;
Matches 94; Conservative 5; Mismatches 8; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||| : | |||||||||||| ||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              ||||||||||||||||||||||||||| || : | :||||||:||:
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCQQHYTTPPTFGQGTKVEIK 107
```

Search completed: April 25, 2007, 04:08:29
Job time : 14.4506 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 40 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	107	4	US-10-041-860-22	Sequence 22, Appl
2	558	100.0	107	4	US-10-041-860-227	Sequence 227, App
3	558	100.0	107	4	US-10-041-860-261	Sequence 261, App
4	558	100.0	107	4	US-10-041-860-262	Sequence 262, App
5	558	100.0	107	4	US-10-041-860-297	Sequence 297, App
6	558	100.0	107	4	US-10-665-383-24	Sequence 24, Appl
7	542	97.1	107	4	US-10-684-109-53	Sequence 53, Appl
8	542	97.1	234	4	US-10-684-109-109	Sequence 109, App
9	539	96.6	107	4	US-10-684-109-41	Sequence 41, Appl
10	539	96.6	234	4	US-10-684-109-91	Sequence 91, Appl
11	528	94.6	107	4	US-10-041-860-265	Sequence 265, App
12	528	94.6	236	4	US-10-038-591-48	Sequence 48, Appl
13	528	94.6	236	4	US-10-775-444A-48	Sequence 48, Appl
14	528	94.6	236	6	US-11-144-248-48	Sequence 48, Appl
15	528	94.6	236	6	US-11-144-222-48	Sequence 48, Appl
16	528	94.6	236	6	US-11-182-343-48	Sequence 48, Appl
17	527	94.4	108	5	US-10-805-177-68	Sequence 68, Appl
18	527	94.4	108	5	US-10-805-177-72	Sequence 72, Appl
19	525	94.1	107	4	US-10-330-613-18	Sequence 18, Appl
20	525	94.1	107	4	US-10-330-530-18	Sequence 18, Appl
21	525	94.1	107	4	US-10-041-860-26	Sequence 26, Appl
22	525	94.1	107	4	US-10-041-860-28	Sequence 28, Appl
23	525	94.1	107	4	US-10-041-860-36	Sequence 36, Appl
24	525	94.1	107	4	US-10-041-860-231	Sequence 231, App
25	525	94.1	107	4	US-10-041-860-232	Sequence 232, App
26	525	94.1	107	4	US-10-041-860-234	Sequence 234, App
27	525	94.1	107	4	US-10-041-860-266	Sequence 266, App
28	525	94.1	107	4	US-10-041-860-268	Sequence 268, App
29	525	94.1	107	4	US-10-041-860-316	Sequence 316, App
30	525	94.1	107	4	US-10-041-860-340	Sequence 340, App
31	525	94.1	107	4	US-10-309-762-166	Sequence 166, App
32	525	94.1	107	4	US-10-660-357-18	Sequence 18, Appl
33	525	94.1	107	4	US-10-665-383-32	Sequence 32, Appl
34	525	94.1	107	4	US-10-665-383-36	Sequence 36, Appl
35	525	94.1	107	4	US-10-665-383-52	Sequence 52, Appl
36	525	94.1	107	5	US-10-727-155-274	Sequence 274, App
37	525	94.1	107	5	US-10-727-155-307	Sequence 307, App
38	525	94.1	236	4	US-10-038-591-52	Sequence 52, Appl
39	525	94.1	236	4	US-10-775-444A-52	Sequence 52, Appl
40	525	94.1	236	5	US-10-917-073A-6	Sequence 6, Appli
41	525	94.1	236	6	US-11-144-248-52	Sequence 52, Appl
42	525	94.1	236	6	US-11-144-222-52	Sequence 52, Appl
43	525	94.1	236	6	US-11-182-343-52	Sequence 52, Appl
44	524	93.9	107	5	US-10-727-155-60	Sequence 60, Appl
45	524	93.9	107	5	US-10-822-306A-16	Sequence 16, Appl

ALIGNMENTS

RESULT 1
US-10-041-860-22
; Sequence 22, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 22
; LENGTH: 107
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-22

Query Match 100.0%; Score 558; DB 4; Length 107;
Best Local Similarity 100.0%; Pred. No. 1.3e-40;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
```

RESULT 2
US-10-041-860-227
; Sequence 227, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi

```
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 227
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-227

  Query Match            100.0%;  Score 558;  DB 4;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.3e-40;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 3
US-10-041-860-261
; Sequence 261, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 261
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-261

  Query Match            100.0%;  Score 558;  DB 4;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.3e-40;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 4
US-10-041-860-262
; Sequence 262, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 262
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-262

  Query Match            100.0%;  Score 558;  DB 4;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.3e-40;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 5
US-10-041-860-297
; Sequence 297, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 297
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-297

  Query Match            100.0%;  Score 558;  DB 4;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.3e-40;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 6
```

```
US-10-665-383-24
; Sequence 24, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 24
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-24

  Query Match           100.0%;  Score 558;  DB 4;  Length 107;
  Best Local Similarity  100.0%;  Pred. No. 1.3e-40;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 7
US-10-684-109-53
; Sequence 53, Application US/10684109
; Publication No. US20040175379A1
; GENERAL INFORMATION:
;  APPLICANT: DeVries, Peter J.
;  APPLICANT:  Green, Larry L.
;  APPLICANT:  Ostrow, David H.
;  APPLICANT:  Reilly, Edward B.
;  APPLICANT:  Wieler, James
;  TITLE OF INVENTION: Erythropoietin Receptor Binding
;  TITLE OF INVENTION:  Antibodies
;  FILE REFERENCE: 6989.US.O2
;  CURRENT APPLICATION NUMBER: US/10/684,109
;  CURRENT FILING DATE:  2003-10-10
;  PRIOR APPLICATION NUMBER: 10/269,711
;  PRIOR FILING DATE: 2002-10-14
;  NUMBER OF SEQ ID NOS: 115
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 53
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-684-109-53

  Query Match           97.1%;  Score 542;  DB 4;  Length 107;
  Best Local Similarity  97.2%;  Pred. No. 3.1e-39;
  Matches  104;  Conservative    2;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| |||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107


RESULT 8
US-10-684-109-109
; Sequence 109, Application US/10684109
; Publication No. US20040175379A1
; GENERAL INFORMATION:
;  APPLICANT: DeVries, Peter J.
;  APPLICANT:  Green, Larry L.
;  APPLICANT:  Ostrow, David H.
;  APPLICANT:  Reilly, Edward B.
;  APPLICANT:  Wieler, James
;  TITLE OF INVENTION: Erythropoietin Receptor Binding
;  TITLE OF INVENTION:  Antibodies
;  FILE REFERENCE: 6989.US.O2
;  CURRENT APPLICATION NUMBER: US/10/684,109
;  CURRENT FILING DATE:  2003-10-10
;  PRIOR APPLICATION NUMBER: 10/269,711
;  PRIOR FILING DATE: 2002-10-14
;  NUMBER OF SEQ ID NOS: 115
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 109
;   LENGTH: 234
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-684-109-109

  Query Match           97.1%;  Score 542;  DB 4;  Length 234;
  Best Local Similarity  97.2%;  Pred. No. 6.5e-39;
  Matches  104;  Conservative    2;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         21 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| |||||||||||:
Db         81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127


RESULT 9
US-10-684-109-41
; Sequence 41, Application US/10684109
; Publication No. US20040175379A1
; GENERAL INFORMATION:
;  APPLICANT: DeVries, Peter J.
;  APPLICANT:  Green, Larry L.
;  APPLICANT:  Ostrow, David H.
;  APPLICANT:  Reilly, Edward B.
;  APPLICANT:  Wieler, James
;  TITLE OF INVENTION: Erythropoietin Receptor Binding
;  TITLE OF INVENTION:  Antibodies
;  FILE REFERENCE: 6989.US.O2
;  CURRENT APPLICATION NUMBER: US/10/684,109
;  CURRENT FILING DATE:  2003-10-10
;  PRIOR APPLICATION NUMBER: 10/269,711
;  PRIOR FILING DATE: 2002-10-14
;  NUMBER OF SEQ ID NOS: 115
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 41
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-684-109-41

  Query Match           96.6%;  Score 539;  DB 4;  Length 107;
  Best Local Similarity  96.3%;  Pred. No. 5.5e-39;
  Matches  103;  Conservative    3;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
```

```
Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:||||||||||||||||||||| ||||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107


RESULT 10
US-10-684-109-91
; Sequence 91, Application US/10684109
; Publication No. US20040175379A1
; GENERAL INFORMATION:
;  APPLICANT: DeVries, Peter J.
;  APPLICANT:  Green, Larry L.
;  APPLICANT:  Ostrow, David H.
;  APPLICANT:  Reilly, Edward B.
;  APPLICANT:  Wieler, James
;  TITLE OF INVENTION: Erythropoietin Receptor Binding
;  TITLE OF INVENTION:  Antibodies
;  FILE REFERENCE: 6989.US.02
;  CURRENT APPLICATION NUMBER: US/10/684,109
;  CURRENT FILING DATE:  2003-10-10
;  PRIOR APPLICATION NUMBER: 10/269,711
;  PRIOR FILING DATE: 2002-10-14
;  NUMBER OF SEQ ID NOS: 115
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 91
;   LENGTH: 234
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-684-109-91

  Query Match             96.6%;  Score 539;  DB 4;  Length 234;
  Best Local Similarity   96.3%;  Pred. No. 1.2e-38;
  Matches  103;  Conservative    3;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db         21 DIQMTQSPSSLSASVGDRVTITCRASQGIKNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 80

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:||||||||||||||||||||| ||||||||||||:
Db         81 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 127


RESULT 11
US-10-041-860-265
; Sequence 265, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 265
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-265

  Query Match             94.6%;  Score 528;  DB 4;  Length 107;
  Best Local Similarity   95.3%;  Pred. No. 4.9e-38;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:||||||||||||||||||||| | :||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKLEIK 107


RESULT 12
US-10-038-591-48
; Sequence 48, Application US/10038591
; Publication No. US20040086503A1
; GENERAL INFORMATION:
;  APPLICANT: Cohen, Bruce D.
;  APPLICANT:  Beebe, Jean
;  APPLICANT:  Miller, Penelope E.
;  APPLICANT:  Moyer, James D.
;  APPLICANT:  Corvalan, Jose R.
;  APPLICANT:  Gallo, Michael
;  TITLE OF INVENTION: ANTIBODIES TO INSULIN-LIKE GROWTH FACTOR I RECEPTOR
;  FILE REFERENCE: ABX-PF2
;  CURRENT APPLICATION NUMBER: US/10/038,591
;  CURRENT FILING DATE:  2002-01-04
;  PRIOR APPLICATION NUMBER: 60/259,927
;  PRIOR FILING DATE: 2001-01-05
;  NUMBER OF SEQ ID NOS: 60
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 48
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-038-591-48

  Query Match             94.6%;  Score 528;  DB 4;  Length 236;
  Best Local Similarity   95.3%;  Pred. No. 1.1e-37;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:||||||||||||||||||||| | :||||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


RESULT 13
US-10-775-444A-48
; Sequence 48, Application US/10775444A
; Publication No. US20040202651A1
; GENERAL INFORMATION:
;  APPLICANT: Cohen, Bruce D.
;  APPLICANT:  Bedian, Vahe
;  APPLICANT:  Obrocea, Mihail
;  APPLICANT:  Gomez-Navarro, Jesus
;  APPLICANT:  Cusmano, John D.
;  APPLICANT:  Wang, Huifen F.
;  APPLICANT:  Page, Kelly L.
;  APPLICANT:  Guyot, Deborah J.
;  TITLE OF INVENTION: USES OF ANTI-INSULIN-LIKE GROWTH FACTOR I RECEPTOR
;  TITLE OF INVENTION:  ANTIBODIES
;  FILE REFERENCE: PC25232A
;  CURRENT APPLICATION NUMBER: US/10/775,444A
;  CURRENT FILING DATE:  2004-02-10
;  NUMBER OF SEQ ID NOS: 60
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 48
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-775-444A-48
```

```
  Query Match           94.6%;  Score 528;  DB 4;  Length 236;
  Best Local Similarity  95.3%;  Pred. No. 1.1e-37;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :|||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


RESULT 14
US-11-144-248-48
; Sequence 48, Application US/11144248
; Publication No. US20050244408A1
; GENERAL INFORMATION:
;  APPLICANT: Cohen, Bruce D.
;  APPLICANT:  Beebe, Jean
;  APPLICANT:  Miller, Penelope E.
;  APPLICANT:  Moyer, James D.
;  APPLICANT:  Corvalan, Jose R.
;  APPLICANT:  Gallo, Michael
;  TITLE OF INVENTION: ANTIBODIES TO INSULIN-LIKE GROWTH FACTOR I RECEPTOR
;  FILE REFERENCE: ABX-PF2
;  CURRENT APPLICATION NUMBER: US/11/144,248
;  CURRENT FILING DATE:  2005-06-02
;  PRIOR APPLICATION NUMBER: US/10/038,591
;  PRIOR FILING DATE: 2002-01-04
;  PRIOR APPLICATION NUMBER: 60/259,927
;  PRIOR FILING DATE: 2001-01-05
;  NUMBER OF SEQ ID NOS: 60
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 48
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-144-248-48

  Query Match           94.6%;  Score 528;  DB 6;  Length 236;
  Best Local Similarity  95.3%;  Pred. No. 1.1e-37;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :|||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


RESULT 15
US-11-144-222-48
; Sequence 48, Application US/11144222
; Publication No. US20050281812A1
; GENERAL INFORMATION:
;  APPLICANT: Cohen, Bruce D.
;  APPLICANT:  Beebe, Jean
;  APPLICANT:  Miller, Penelope E.
;  APPLICANT:  Moyer, James D.
;  APPLICANT:  Corvalan, Jose R.
;  APPLICANT:  Gallo, Michael
;  TITLE OF INVENTION: ANTIBODIES TO INSULIN-LIKE GROWTH FACTOR I RECEPTOR
;  FILE REFERENCE: ABX-PF2
;  CURRENT APPLICATION NUMBER: US/11/144,222
;  CURRENT FILING DATE:  2005-06-02
;  PRIOR APPLICATION NUMBER: US/10/038,591
;  PRIOR FILING DATE: 2002-01-04
;  PRIOR APPLICATION NUMBER: 60/259,927
;  PRIOR FILING DATE: 2001-01-05
;  NUMBER OF SEQ ID NOS: 60
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 48
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-144-222-48

  Query Match           94.6%;  Score 528;  DB 6;  Length 236;
  Best Local Similarity  95.3%;  Pred. No. 1.1e-37;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :|||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


Search completed: April 25, 2007, 04:22:48
Job time : 40.596 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 41 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-24
Perfect score: 558
Sequence: 1 DIQMTQSPSSLSASVGDRVT.....CLQHNSDPCSFGQGTKLEIR 107

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	558	100.0	107	7	US-11-109-181-22	Sequence 22, Appl
2	558	100.0	107	7	US-11-109-181-227	Sequence 227, App
3	558	100.0	107	7	US-11-109-181-261	Sequence 261, App
4	558	100.0	107	7	US-11-109-181-262	Sequence 262, App
5	558	100.0	107	7	US-11-109-181-297	Sequence 297, App
6	542	97.1	107	7	US-11-433-924-384	Sequence 384, App
7	535	95.9	107	7	US-11-433-924-376	Sequence 376, App
8	528	94.6	107	7	US-11-109-181-265	Sequence 265, App
9	528	94.6	108	6	US-10-515-149-39	Sequence 39, Appl
10	528	94.6	108	7	US-11-346-403A-61	Sequence 61, Appl
11	528	94.6	236	7	US-11-290-687-27	Sequence 27, Appl
12	528	94.6	236	7	US-11-404-967-27	Sequence 27, Appl
13	525	94.1	107	7	US-11-239-308-8	Sequence 8, Appli
14	525	94.1	107	7	US-11-479-339-18	Sequence 18, Appl
15	525	94.1	107	7	US-11-109-181-26	Sequence 26, Appl
16	525	94.1	107	7	US-11-109-181-28	Sequence 28, Appl
17	525	94.1	107	7	US-11-109-181-36	Sequence 36, Appl
18	525	94.1	107	7	US-11-109-181-231	Sequence 231, App
19	525	94.1	107	7	US-11-109-181-232	Sequence 232, App
20	525	94.1	107	7	US-11-109-181-234	Sequence 234, App
21	525	94.1	107	7	US-11-109-181-266	Sequence 266, App
22	525	94.1	107	7	US-11-109-181-268	Sequence 268, App
23	525	94.1	107	7	US-11-109-181-316	Sequence 316, App
24	525	94.1	107	7	US-11-109-181-340	Sequence 340, App
25	525	94.1	108	7	US-11-311-939-95	Sequence 95, Appl
26	525	94.1	236	7	US-11-290-687-25	Sequence 25, Appl
27	525	94.1	236	7	US-11-404-967-25	Sequence 25, Appl
28	524	93.9	108	7	US-11-311-939-9	Sequence 9, Appli
29	524	93.9	108	7	US-11-311-939-181	Sequence 181, App
30	524	93.9	108	7	US-11-311-939-637	Sequence 637, App
31	522	93.5	107	7	US-11-433-924-348	Sequence 348, App
32	522	93.5	108	7	US-11-311-939-113	Sequence 113, App
33	522	93.5	108	7	US-11-311-939-127	Sequence 127, App
34	522	93.5	108	7	US-11-311-939-149	Sequence 149, App
35	521	93.4	107	7	US-11-290-687-20	Sequence 20, Appl
36	521	93.4	107	7	US-11-404-967-20	Sequence 20, Appl
37	521	93.4	236	7	US-11-290-687-28	Sequence 28, Appl
38	521	93.4	236	7	US-11-404-967-28	Sequence 28, Appl
39	519	93.0	107	7	US-11-479-339-14	Sequence 14, Appl
40	519	93.0	107	7	US-11-109-181-18	Sequence 18, Appl
41	519	93.0	107	7	US-11-109-181-233	Sequence 233, App
42	519	93.0	107	7	US-11-109-181-267	Sequence 267, App
43	519	93.0	107	7	US-11-109-181-285	Sequence 285, App
44	518	92.8	106	7	US-11-311-939-636	Sequence 636, App
45	518	92.8	107	7	US-11-410-886-67	Sequence 67, Appl

ALIGNMENTS

RESULT 1
US-11-109-181-22
; Sequence 22, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 22
; LENGTH: 107
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-22

Query Match 100.0%; Score 558; DB 7; Length 107;
Best Local Similarity 100.0%; Pred. No. 1.5e-44;
Matches 107; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
```

RESULT 2
US-11-109-181-227
; Sequence 227, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 227
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-227

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.5e-44;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 3
US-11-109-181-261
; Sequence 261, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 261
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-261

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.5e-44;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 4
US-11-109-181-262
; Sequence 262, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 262
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-262

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.5e-44;
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 5
US-11-109-181-297
; Sequence 297, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 297
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-297

  Query Match           100.0%;  Score 558;  DB 7;  Length 107;
  Best Local Similarity   100.0%;  Pred. No. 1.5e-44;
```

```
  Matches  107;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107


RESULT 6
US-11-433-924-384
; Sequence 384, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Belouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 384
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-384

  Query Match            97.1%;  Score 542;  DB 7;  Length 107;
  Best Local Similarity   97.2%;  Pred. No. 4.6e-43;
  Matches  104;  Conservative    2;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| |||||||||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKLEIK 107


RESULT 7
US-11-433-924-376
; Sequence 376, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Belouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 376
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-376

  Query Match            95.9%;  Score 535;  DB 7;  Length 107;
  Best Local Similarity   95.3%;  Pred. No. 2.1e-42;
  Matches  102;  Conservative    4;  Mismatches    1;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||:||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIFAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| |||||||||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPCSFGQGTKVEIK 107


RESULT 8
US-11-109-181-265
; Sequence 265, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 265
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-265

  Query Match            94.6%;  Score 528;  DB 7;  Length 107;
  Best Local Similarity   95.3%;  Pred. No. 9.2e-42;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||| | :|||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKLEIK 107


RESULT 9
US-10-515-149-39
; Sequence 39, Application US/10515149
; Publication No. US20060194276A1
; GENERAL INFORMATION:
;  APPLICANT: Rybak, Susanna
;  APPLICANT:  Krauss, Juergen
;  APPLICANT:  Arndt, Michaela
;  APPLICANT:  Martin, Andrew C. R.
;  APPLICANT:  The Government of the United States of America
;  APPLICANT:  as represented by the Secretary of the
;  APPLICANT:  Department of Health and Human Services
;  APPLICANT:  University of Reading
;  TITLE OF INVENTION: Specificity Grafting of Murine Antibody onto a Human
;  TITLE OF INVENTION:  Framework
;  FILE REFERENCE: 015280-459100US
;  CURRENT APPLICATION NUMBER: US/10/515,149
;  CURRENT FILING DATE:  2004-11-18
```

```
;  PRIOR APPLICATION NUMBER: US 60/390,033
;  PRIOR FILING DATE: 2002-06-17
;  PRIOR APPLICATION NUMBER: WO PCT/US03/19333
;  PRIOR FILING DATE: 2003-06-17
;  NUMBER OF SEQ ID NOS: 75
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 39
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   OTHER INFORMATION: human V-L germline sequence
US-10-515-149-39

  Query Match             94.6%;  Score 528;  DB 6;  Length 108;
  Best Local Similarity   95.3%;  Pred. No. 9.3e-42;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||| | :|||||||||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 107


RESULT 10
US-11-346-403A-61
; Sequence 61, Application US/11346403A
; Publication No. US20060234302A1
; GENERAL INFORMATION:
;  APPLICANT: Hoet, Rene
;  APPLICANT:  Schoonbroodt, Sonia
;  APPLICANT:  Ladner,  Robert C.
;  TITLE OF INVENTION: LIBRARIES AND METHODS FOR
;  TITLE OF INVENTION:  ISOLATING ANTIBODIES
;  FILE REFERENCE: 10280-116001
;  CURRENT APPLICATION NUMBER: US/11/346,403A
;  CURRENT FILING DATE:  2006-02-01
;  PRIOR APPLICATION NUMBER: US 60/649,065
;  PRIOR FILING DATE: 2005-02-01
;  NUMBER OF SEQ ID NOS: 95
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 61
;   LENGTH: 108
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Synthetically generated peptide
US-11-346-403A-61

  Query Match             94.6%;  Score 528;  DB 7;  Length 108;
  Best Local Similarity   95.3%;  Pred. No. 9.3e-42;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          2 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 61

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||| | :|||||||||:
Db         62 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 108


RESULT 11
US-11-290-687-27
; Sequence 27, Application US/11290687
; Publication No. US20060140960A1
; GENERAL INFORMATION:
;  APPLICANT: Wang, Yan
;  APPLICANT:  Pachter, Jonathan
;  APPLICANT:  Wang, Yaolin
;  APPLICANT:  Liu, Ming
;  TITLE OF INVENTION: BIOMARKERS FOR PRE-SELECTION OF PATIENTS FOR ANTI-IGF1R THERAPY
;  FILE REFERENCE: JB06257 US01
;  CURRENT APPLICATION NUMBER: US/11/290,687
;  CURRENT FILING DATE:  2005-11-30
;  PRIOR APPLICATION NUMBER: 60/633,156
;  PRIOR FILING DATE: 2004-12-03
;  NUMBER OF SEQ ID NOS: 105
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 27
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: light chain immunoglobulin
US-11-290-687-27

  Query Match             94.6%;  Score 528;  DB 7;  Length 236;
  Best Local Similarity   95.3%;  Pred. No. 2.1e-41;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||| | :|||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


RESULT 12
US-11-404-967-27
; Sequence 27, Application US/11404967
; Publication No. US20060233810A1
; GENERAL INFORMATION:
;  APPLICANT: Wang, Yaolin
;  APPLICANT:  Liu, Ming
;  APPLICANT:  Wang, Yan
;  APPLICANT:  Pachter, Jonathan A
;  APPLICANT:  Bishop, Walter R
;  TITLE OF INVENTION: Methods and Compositions for Treating or Preventing Cancer
;  FILE REFERENCE: OC06331 US
;  CURRENT APPLICATION NUMBER: US/11/404,967
;  CURRENT FILING DATE:  2006-04-14
;  PRIOR APPLICATION NUMBER: 60/671,654
;  PRIOR FILING DATE: 2005-04-15
;  NUMBER OF SEQ ID NOS: 98
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 27
;   LENGTH: 236
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: light chain immunoglobulin
US-11-404-967-27

  Query Match             94.6%;  Score 528;  DB 7;  Length 236;
  Best Local Similarity   95.3%;  Pred. No. 2.1e-41;
  Matches  102;  Conservative    3;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         23 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 82

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||||| | :|||||||||:
Db         83 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPYTFGQGTKLEIK 129


RESULT 13
US-11-239-308-8
; Sequence 8, Application US/11239308
; Publication No. US20060088883A1
```

```
; GENERAL INFORMATION:
;  APPLICANT: Smider, Vaughn
;  APPLICANT:  Larrick, James W.
;  APPLICANT:  Integrigen, Inc.
;  TITLE OF INVENTION: Recombinant Catalytic Polypeptides and Their Uses
;  FILE REFERENCE: 021216-000310US
;  CURRENT APPLICATION NUMBER: US/11/239,308
;  CURRENT FILING DATE:  2005-09-28
;  PRIOR APPLICATION NUMBER: US/10/683,733
;  PRIOR FILING DATE: 2003-10-09
;  PRIOR APPLICATION NUMBER: US 60/417,979
;  PRIOR FILING DATE: 2002-10-09
;  NUMBER OF SEQ ID NOS: 62
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 8
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-239-308-8

  Query Match            94.1%;  Score 525;  DB 7;  Length 107;
  Best Local Similarity  94.4%;  Pred. No. 1.8e-41;
  Matches  101;  Conservative    4;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :||||||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKVEIK 107


RESULT 14
US-11-479-339-18
; Sequence 18, Application US/11479339
; Publication No. US20060246077A1
; GENERAL INFORMATION:
;  APPLICANT: Menashe, Bar-Eli
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: USE OF ANTIBODIES AGAINST THE MUC18
;  TITLE OF INVENTION:  ANTIGEN
;  FILE REFERENCE: ABGENIX.030C2
;  CURRENT APPLICATION NUMBER: US/11/479,339
;  CURRENT FILING DATE:  2006-06-30
;  PRIOR APPLICATION NUMBER: 10/660,357
;  PRIOR FILING DATE: 2003-09-10
;  PRIOR APPLICATION NUMBER: 10/330,580
;  PRIOR FILING DATE: 2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346,460
;  PRIOR FILING DATE: 2001-12-28
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: Homo Sapiens
US-11-479-339-18

  Query Match            94.1%;  Score 525;  DB 7;  Length 107;
  Best Local Similarity  94.4%;  Pred. No. 1.8e-41;
  Matches  101;  Conservative    4;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :||||||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKVEIK 107


RESULT 15
US-11-109-181-26
; Sequence 26, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 26
;   LENGTH: 107
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-26

  Query Match            94.1%;  Score 525;  DB 7;  Length 107;
  Best Local Similarity  94.4%;  Pred. No. 1.8e-41;
  Matches  101;  Conservative    4;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIQMTQSPSSLSASVGDRVTITCRASQGIRNDLGWYQQKPGKAPKRLIYAASSLQSGVPS 60

Qy         61 RFSGSGSGTDFTLTISSLQPEDFATYYCLQHNSDPCSFGQGTKLEIR 107
              |||||||||:|||||||||||||||||||| | :||||||:||:
Db         61 RFSGSGSGTEFTLTISSLQPEDFATYYCLQHNSYPWTFGQGTKVEIK 107


Search completed: April 25, 2007, 04:27:43
Job time : 41.2585 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 112 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	699	100.0	129	7	ADK18605	Adk18605 Anti-huma
2	699	100.0	129	7	ADK18791	Adk18791 Anti-huma
3	699	100.0	129	7	ADK18895	Adk18895 Anti-huma
4	699	100.0	129	7	ADK18826	Adk18826 Anti-huma
5	699	100.0	129	8	ADL25428	Adl25428 Human mAb
6	623	89.1	474	9	AEA12652	Aea12652 Heavy cha
7	623	89.1	474	9	AEA12653	Aea12653 Heavy cha
8	623	89.1	474	9	AEA18909	Aea18909 Variant h
9	623	89.1	474	9	AEA18908	Aea18908 Heavy cha
10	623	89.1	474	9	AEA18548	Aea18548 Heavy cha
11	623	89.1	474	9	AEA18549	Aea18549 Variant o
12	623	89.1	474	9	AEA10642	Aea10642 Human ant
13	623	89.1	474	9	AEA10641	Aea10641 Human ant
14	623	89.1	474	9	AED25714	Aed25714 Monoclona
15	623	89.1	474	9	AED25715	Aed25715 Monoclona
16	623	89.1	474	9	AED24416	Aed24416 Human CHI
17	623	89.1	474	9	AED24415	Aed24415 Human CHI
18	623	89.1	474	9	AED25981	Aed25981 Ant-CD40
19	623	89.1	474	9	AED25980	Aed25980 Ant-CD40
20	603	86.3	125	9	ADY26764	Ady26764 Anti-NGF-
21	598.5	85.6	126	7	ADK18889	Adk18889 Anti-huma
22	593.5	84.9	126	7	ADK18603	Adk18603 Anti-huma
23	593.5	84.9	126	7	ADK18790	Adk18790 Anti-huma
24	593.5	84.9	126	7	ADK18825	Adk18825 Anti-huma
25	593.5	84.9	126	8	ADL25424	Adl25424 Human mAb
26	592.5	84.8	126	7	ADK18876	Adk18876 Anti-huma
27	592.5	84.8	126	7	ADK18599	Adk18599 Anti-huma
28	592.5	84.8	126	7	ADK18824	Adk18824 Anti-huma
29	592.5	84.8	126	8	ADL25416	Adl25416 Human mAb
30	592	84.7	156	10	AEK98291	Aek98291 Human 161
31	592	84.7	156	10	AEK98296	Aek98296 Human 161
32	592	84.7	182	10	AEK98221	Aek98221 Human 161
33	592	84.7	182	10	AEK98278	Aek98278 Human 161
34	590	84.4	118	8	ADP47228	Adp47228 Human pho
35	590	84.4	178	10	AEK98274	Aek98274 Human 161
36	590	84.4	178	10	AEK98213	Aek98213 Human 161
37	589.5	84.3	126	7	ADK18827	Adk18827 Anti-huma
38	589.5	84.3	126	7	ADK18611	Adk18611 Anti-huma
39	589.5	84.3	126	7	ADK18792	Adk18792 Anti-huma
40	589.5	84.3	126	7	ADK18913	Adk18913 Anti-huma
41	589.5	84.3	126	8	ADL25440	Adl25440 Human mAb
42	587	84.0	118	8	ADP47088	Adp47088 Human pho
43	585	83.7	118	8	ADP47224	Adp47224 Human pho
44	584	83.5	118	8	ADP47225	Adp47225 Human pho
45	584	83.5	118	8	ADP47098	Adp47098 Human pho

ALIGNMENTS

RESULT 1
ADK18605
ID ADK18605 standard; protein; 129 AA.
XX
AC ADK18605;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody heavy chain protein sequence.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 29; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 129 AA;

  Query Match            100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity  100.0%;  Pred. No. 5.2e-56;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 2
ADK18791
ID   ADK18791 standard; protein; 129 AA.
XX
AC   ADK18791;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #17.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 215; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 129 AA;

  Query Match            100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity  100.0%;  Pred. No. 5.2e-56;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 3
ADK18895
ID   ADK18895 standard; protein; 129 AA.
XX
AC   ADK18895;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #121.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 319; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 129 AA;

  Query Match            100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity  100.0%;  Pred. No. 5.2e-56;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129
```

```
                    |||||||||
Db        121 QGTTVTVSS 129

RESULT 4
ADK18826
ID   ADK18826 standard; protein; 129 AA.
XX
AC   ADK18826;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #52.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 250; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 129 AA;

  Query Match             100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 5.2e-56;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 5
ADL25428
ID   ADL25428 standard; protein; 129 AA.
XX
AC   ADL25428;
XX
DT   17-JUN-2004  (first entry)
XX
DE   Human mAb 1.29 heavy chain variable region protein SEQ ID NO:38.
XX
KW   antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW   nephritis; mesangial cell proliferation inhibition;
KW   mesangial proliferative glomerulonephritis; nephrotropic;
KW   antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW   gene therapy; human; monoclonal antibody; mAb.
XX
OS   Homo sapiens.
XX
PN   WO2004024098-A2.
XX
PD   25-MAR-2004.
XX
PF   16-SEP-2003; 2003WO-US029414.
XX
PR   16-SEP-2002; 2002US-0411137P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (CURA-) CURAGEN CORP.
XX
PI   Floege J, Gazit-Bornstein G, Keyt B, Larochelle WJ, Lichenstein H;
XX
DR   WPI; 2004-269881/25.
DR   N-PSDB; ADL25427.
XX
PT   Use of an antibody or its binding fragment that binds platelet derived
PT   growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT   nephritis.
XX
PS   Disclosure; SEQ ID NO 38; 115pp; English.
XX
CC   The present invention describes an antibody or its binding fragment that
CC   binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC   useful in preparing a medicament for treating nephritis. Also described:
CC   (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC   (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC   of treating mesangial proliferative glomerulonephritis. The antibody has
CC   nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC   antidiabetic activities, and can be used in gene therapy. The antibody or
CC   its binding fragment, that binds PDGF-DD, can be used in preparing a
CC   medicament for treating nephritis and related disorders, e.g., mesangial
CC   proliferative glomerulonephritis. The present sequence represents a human
CC   monoclonal antibody (mAb) variable region sequence, which is used in the
CC   exemplification of the present invention.
XX
SQ   Sequence 129 AA;

  Query Match             100.0%;  Score 699;  DB 8;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 5.2e-56;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 6
AEA12652
ID   AEA12652 standard; protein; 474 AA.
XX
```

AC AEA12652;
XX
DT 28-JUL-2005 (first entry)
XX
DE Heavy chain of CHIR-5.9 human anti-CD40 antibody.
XX
KW cancer; B-cell; antibody therapy; CD40; CD20; tumor; cytostatic;
KW b-cell acute lymphoblastic leukemia; b-cell lymphoma; heavy chain.
XX
OS Homo sapiens.
XX
PN WO2005044307-A2.
XX
PD 19-MAY-2005.
XX
PF 04-NOV-2004; 2004WO-US037159.
XX
PR 04-NOV-2003; 2003US-0517337P.
PR 26-NOV-2003; 2003US-0525579P.
PR 27-APR-2004; 2004US-0565710P.
PR 28-SEP-2004; 2004US-0613885P.
XX
PA (CHIR) CHIRON CORP.
XX
PI Long L, Luqman M, Yabannavar A, Zaror I;
XX
DR WPI; 2005-346957/35.
XX
PT Treating human subjects for B cell-related cancers (e.g. multiple myeloma
PT or Burkitt's lymphoma) comprises administering to the subject an amount
PT of an antagonist anti-CD40 antibody in combination with an anti-CD20
PT antibody.
XX
PS Claim 1; SEQ ID NO 7; 133pp; English.
XX
CC The invention relates to a novel method for treating a human subject for
CC a cancer characterized by neoplastic B cell growth. The method comprises
CC administering to the subject combination antibody therapy, which
CC comprises an amount of an anti-CD40 antibody or its antigen-binding
CC fragment in combination with an anti-CD20 antibody or its antigen-binding
CC fragment, where the anti-CD40 antibody or antigen-binding fragment is
CC free of significant agonist activity when bound to the CD40 antigen. The
CC invention further comprises: methods of inhibiting the growth of a tumor
CC comprising neoplastic B cells. The methods and compositions have
CC cytostatic activity. The methods are useful for treating B cell-related
CC cancer (e.g. lymphoma or leukemia) or in manufacturing medicaments for
CC the treatment of such a disease. This sequence represents a heavy chain
CC of CHIR-5.9 human anti-CD40 antibody of the invention.
XX
SQ Sequence 474 AA;

Query Match 89.1%; Score 623; DB 9; Length 474;
Best Local Similarity 91.5%; Pred. No. 1.8e-48;
Matches 118; Conservative 1; Mismatches 6; Indels 4; Gaps 1;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||    |   | ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144
```

RESULT 7
AEA12653
ID AEA12653 standard; protein; 474 AA.
XX
AC AEA12653;
XX
DT 28-JUL-2005 (first entry)
XX
DE Heavy chain variant of CHIR-5.9 human anti-CD40 antibody.
XX
KW cancer; B-cell; antibody therapy; CD40; CD20; tumor; cytostatic;
KW b-cell acute lymphoblastic leukemia; b-cell lymphoma; heavy chain;
KW mutein.
XX
OS Homo sapiens.
OS Synthetic.
XX
PN WO2005044307-A2.
XX
PD 19-MAY-2005.
XX
PF 04-NOV-2004; 2004WO-US037159.
XX
PR 04-NOV-2003; 2003US-0517337P.
PR 26-NOV-2003; 2003US-0525579P.
PR 27-APR-2004; 2004US-0565710P.
PR 28-SEP-2004; 2004US-0613885P.
XX
PA (CHIR) CHIRON CORP.
XX
PI Long L, Luqman M, Yabannavar A, Zaror I;
XX
DR WPI; 2005-346957/35.
XX
PT Treating human subjects for B cell-related cancers (e.g. multiple myeloma
PT or Burkitt's lymphoma) comprises administering to the subject an amount
PT of an antagonist anti-CD40 antibody in combination with an anti-CD20
PT antibody.
XX
PS Claim 1; SEQ ID NO 8; 133pp; English.
XX
CC The invention relates to a novel method for treating a human subject for
CC a cancer characterized by neoplastic B cell growth. The method comprises
CC administering to the subject combination antibody therapy, which
CC comprises an amount of an anti-CD40 antibody or its antigen-binding
CC fragment in combination with an anti-CD20 antibody or its antigen-binding
CC fragment, where the anti-CD40 antibody or antigen-binding fragment is
CC free of significant agonist activity when bound to the CD40 antigen. The
CC invention further comprises: methods of inhibiting the growth of a tumor
CC comprising neoplastic B cells. The methods and compositions have
CC cytostatic activity. The methods are useful for treating B cell-related
CC cancer (e.g. lymphoma or leukemia) or in manufacturing medicaments for
CC the treatment of such a disease. This sequence represents a heavy chain
CC variant of a CHIR-5.9 human anti-CD40 antibody of the invention.
XX
SQ Sequence 474 AA;

Query Match 89.1%; Score 623; DB 9; Length 474;
Best Local Similarity 91.5%; Pred. No. 1.8e-48;
Matches 118; Conservative 1; Mismatches 6; Indels 4; Gaps 1;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||    |   | ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144
```

RESULT 8
AEA18909
ID AEA18909 standard; protein; 474 AA.
XX

```
AC   AEA18909;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Variant heavy chain of CHIR-5.9 human anti-CD40 antibody.
XX
KW   chronic lymphocytic leukemia; CLL; anti-CD40 antibody; CD40; CHIR-5.9;
KW   CHIR-12.12; antibody therapy; heavy chain.
XX
OS   Synthetic.
XX
PN   WO2005044304-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US036954.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   27-APR-2004; 2004US-0565710P.
PR   21-SEP-2004; 2004US-0611794P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I,  Aukerman L;
XX
DR   WPI; 2005-346955/35.
XX
PT   Treating human subjects for chronic lymphocytic leukemia comprises
PT   administering to the subject an amount of a human antagonist anti-CD40
PT   monoclonal antibody that specifically binds to the CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 8; 115pp; English.
XX
CC   The specification describes a method of treating a human subject for
CC   chronic lymphocytic leukemia (CLL). The method comprises administering an
CC   amount of a human anti-CD40 monoclonal antibody that specifically binds
CC   to a human CD40 antigen expressed on the surface of a human CD40-
CC   expressing cell and is free of significant agonist activity, where when
CC   the antibody binds to the CD40 antigen expressed on the surface of the
CC   cell, the growth or differentiation of the cell is inhibited. The human
CC   anti-CD40 monoclonal antibody is selected from CHIR-5.9 or CHIR-12.12.
CC   The method of the invention is useful for treating chronic lymphocytic
CC   leukemia or in manufacturing medicaments for the treatment of such
CC   diseases. The present sequence represents a variant heavy chain of human
CC   anti-CD40 monoclonal antibody CHIR-5.9.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 9
AEA18908
ID   AEA18908 standard; protein; 474 AA.
XX
AC   AEA18908;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Heavy chain of CHIR-5.9 human anti-CD40 antibody.
XX
KW   chronic lymphocytic leukemia; CLL; anti-CD40 antibody; CD40; CHIR-5.9;
KW   CHIR-12.12; antibody therapy; heavy chain.
XX
OS   Synthetic.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1. .19
FT                   /note= "leader peptide"
FT   Region          20. .144
FT                   /note= "variable region"
FT   Region          145. .474
FT                   /note= "constant region"
XX
PN   WO2005044304-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US036954.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   27-APR-2004; 2004US-0565710P.
PR   21-SEP-2004; 2004US-0611794P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I,  Aukerman L;
XX
DR   WPI; 2005-346955/35.
XX
PT   Treating human subjects for chronic lymphocytic leukemia comprises
PT   administering to the subject an amount of a human antagonist anti-CD40
PT   monoclonal antibody that specifically binds to the CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 7; 115pp; English.
XX
CC   The specification describes a method of treating a human subject for
CC   chronic lymphocytic leukemia (CLL). The method comprises administering an
CC   amount of a human anti-CD40 monoclonal antibody that specifically binds
CC   to a human CD40 antigen expressed on the surface of a human CD40-
CC   expressing cell and is free of significant agonist activity, where when
CC   the antibody binds to the CD40 antigen expressed on the surface of the
CC   cell, the growth or differentiation of the cell is inhibited. The human
CC   anti-CD40 monoclonal antibody is selected from CHIR-5.9 or CHIR-12.12.
CC   The method of the invention is useful for treating chronic lymphocytic
CC   leukemia or in manufacturing medicaments for the treatment of such
CC   diseases. The present sequence represents the heavy chain of human anti-
CC   CD40 monoclonal antibody CHIR-5.9.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 10
AEA18548
```

```
ID   AEA18548 standard; protein; 474 AA.
XX
AC   AEA18548;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Heavy chain of anti-CD40 antibody CHIR-5.9.
XX
KW   cytostatic; gene therapy; neoplasm; solid tumor; CD40; heavy chain;
KW   antibody CHIR-5.9; antibody therapy; ss.
XX
OS   Synthetic.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1. .19
FT                   /note= "leader peptide"
FT   Region          20. .144
FT                   /note= "variable region"
FT   Region          145. .474
FT                   /note= "constant region"
XX
PN   WO2005044305-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US036955.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   27-APR-2004; 2004US-0565634P.
PR   27-APR-2004; 2004US-0565710P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I;
XX
DR   WPI; 2005-346956/35.
XX
PT   Treating human subjects for solid tumors that express CD40 cell-surface
PT   antigen comprises administering to the subject an amount of a human
PT   antagonist anti-CD40 monoclonal antibody that specifically binds to the
PT   CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 7; 123pp; English.
XX
CC   The specification describes a method of treating a human subject for a
CC   solid tumor comprising carcinoma cells expressing CD40 antigen. The
CC   method comprises administering to the subject an amount of a human anti-
CC   CD40 monoclonal antibody that is capable of specifically binding to the
CC   CD40 antigen, the monoclonal antibody being free of significant agonist
CC   activity when bound to CD40 antigen. The method of the invention is
CC   useful for treating solid tumors expressing the CD40 cell-surface
CC   antigen, such as sarcomas or carcinoma of the lungs, breasts, ovary,
CC   skin, colon or urinary bladder, or in manufacturing medicaments for the
CC   treatment of such diseases. The present sequence represents the heavy
CC   chain of anti-CD40 monoclonal antibody CHIR-5.9. This antibody represents
CC   an antibody which can be used in the method of the invention.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 11
AEA18549
ID   AEA18549 standard; protein; 474 AA.
XX
AC   AEA18549;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Variant of the heavy chain of anti-CD40 antibody CHIR-5.9.
XX
KW   cytostatic; gene therapy; neoplasm; solid tumor; CD40; heavy chain;
KW   antibody CHIR-5.9; antibody therapy; ss.
XX
OS   Synthetic.
XX
PN   WO2005044305-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US036955.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   27-APR-2004; 2004US-0565634P.
PR   27-APR-2004; 2004US-0565710P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I;
XX
DR   WPI; 2005-346956/35.
XX
PT   Treating human subjects for solid tumors that express CD40 cell-surface
PT   antigen comprises administering to the subject an amount of a human
PT   antagonist anti-CD40 monoclonal antibody that specifically binds to the
PT   CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 8; 123pp; English.
XX
CC   The specification describes a method of treating a human subject for a
CC   solid tumor comprising carcinoma cells expressing CD40 antigen. The
CC   method comprises administering to the subject an amount of a human anti-
CC   CD40 monoclonal antibody that is capable of specifically binding to the
CC   CD40 antigen, the monoclonal antibody being free of significant agonist
CC   activity when bound to CD40 antigen. The method of the invention is
CC   useful for treating solid tumors expressing the CD40 cell-surface
CC   antigen, such as sarcomas or carcinoma of the lungs, breasts, ovary,
CC   skin, colon or urinary bladder, or in manufacturing medicaments for the
CC   treatment of such diseases. The present sequence represents a variant of
CC   the heavy chain of anti-CD40 monoclonal antibody CHIR-5.9, comprising a
CC   Ser for Ala substitution at site 158. This antibody represents an
CC   antibody which can be used in the method of the invention.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
```

```
Db        136 QGTTVTVSS 144

RESULT 12
AEA10642
ID   AEA10642 standard; protein; 474 AA.
XX
AC   AEA10642;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Human anti-CD40 monoclonal antibody 5.9 heavy chain variant protein.
XX
KW   multiple myeloma; hematological disease; immune disorder;
KW   antibody therapy; cytostatic; gene therapy; CD40; monoclonal antibody;
KW   heavy chain.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          1. .19
FT                   /note= "Leader region"
FT   Region          20. .144
FT                   /note= "Variable region"
FT   Region          145. .474
FT                   /note= "Constant region"
FT   Misc-difference 158
FT                   /note= "Wild-type Ala has been substituted by Ser"
XX
PN   WO2005044855-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US037281.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   26-APR-2004; 2004US-0565709P.
PR   27-APR-2004; 2004US-0565710P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I;
XX
DR   WPI; 2005-347055/35.
XX
PT   Treating human subjects for multiple myeloma comprises administering to
PT   the subject an amount of a human antagonist anti-CD40 monoclonal antibody
PT   that specifically binds to the CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 8; 115pp; English.
XX
CC   The invention relates to a novel method for treating a human subject for
CC   multiple myeloma comprising administering to the subject an amount of a
CC   human anti-CD40 monoclonal antibody that specifically binds to a human
CC   CD40 antigen expressed on the surface of a human CD40-expressing cell and
CC   that is free of significant agonist activity, where the binding of the
CC   antibody to the CD40 antigen expressed on the surface of the cell results
CC   in inhibition of the growth or differentiation of the cell. Multiple
CC   myeloma is a B-cell malignancy characterized by latent accumulation of
CC   secretory plasma cells in the bone marrow, these cells having a low
CC   proliferative index and an extended life span. The disease ultimately
CC   attacks bones and bone marrow, resulting in multiple tumors and legions
CC   throughout the skeletal system. The method of the invention demonstrates
CC   cytostatic and gene therapy applications and may be useful for treating
CC   multiple myeloma or in manufacturing medicaments for the treatment of
CC   such a disease. The current sequence is that of the human anti-CD40
CC   monoclonal antibody 5.9 heavy chain variant protein of the invention.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 13
AEA10641
ID   AEA10641 standard; protein; 474 AA.
XX
AC   AEA10641;
XX
DT   28-JUL-2005  (first entry)
XX
DE   Human anti-CD40 monoclonal antibody 5.9 heavy chain protein.
XX
KW   multiple myeloma; hematological disease; immune disorder;
KW   antibody therapy; cytostatic; gene therapy; CD40; monoclonal antibody;
KW   heavy chain.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          1. .19
FT                   /note= "Leader region"
FT   Region          20. .144
FT                   /note= "Variable region"
FT   Region          145. .474
FT                   /note= "Constant region"
FT   Misc-difference 158
FT                   /note= "A variant exists in which wild-type Ala may be
FT                   substituted by Ser"
XX
PN   WO2005044855-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US037281.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   26-APR-2004; 2004US-0565709P.
PR   27-APR-2004; 2004US-0565710P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I;
XX
DR   WPI; 2005-347055/35.
XX
PT   Treating human subjects for multiple myeloma comprises administering to
PT   the subject an amount of a human antagonist anti-CD40 monoclonal antibody
PT   that specifically binds to the CD40 antigen.
XX
PS   Claim 1; SEQ ID NO 7; 115pp; English.
XX
CC   The invention relates to a novel method for treating a human subject for
CC   multiple myeloma comprising administering to the subject an amount of a
CC   human anti-CD40 monoclonal antibody that specifically binds to a human
CC   CD40 antigen expressed on the surface of a human CD40-expressing cell and
CC   that is free of significant agonist activity, where the binding of the
CC   antibody to the CD40 antigen expressed on the surface of the cell results
CC   in inhibition of the growth or differentiation of the cell. Multiple
CC   myeloma is a B-cell malignancy characterized by latent accumulation of
```

```
CC   secretory plasma cells in the bone marrow, these cells having a low
CC   proliferative index and an extended life span. The disease ultimately
CC   attacks bones and bone marrow, resulting in multiple tumors and legions
CC   throughout the skeletal system. The method of the invention demonstrates
CC   cytostatic and gene therapy applications and may be useful for treating
CC   multiple myeloma or in manufacturing medicaments for the treatment of
CC   such a disease. The current sequence is that of the human anti-CD40
CC   monoclonal antibody 5.9 heavy chain protein of the invention.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 14
AED25714
ID   AED25714 standard; protein; 474 AA.
XX
AC   AED25714;
XX
DT   01-DEC-2005  (first entry)
XX
DE   Monoclonal anti-CD40-antibody CHIR-5.9 heavy chain.
XX
KW   cytostatic; monoclonal antibody; antibody therapy; cancer; neoplasm;
KW   CHIR-5.9; heavy chain.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1. .19
FT                   /label= Signal_peptide
FT   Protein         20. .474
FT                   /note= "Mature monoclonal anti-CD40-antibody CHIR-5.9
FT                   heavy chain"
FT   Region          20. .144
FT                   /note= "Monoclonal anti-CD40-antibody CHIR-5.9 heavy
FT                   chain variable region"
FT   Region          145. .474
FT                   /note= "Monoclonal anti-CD40-antibody CHIR-5.9 heavy
FT                   chain constant region"
XX
PN   WO2005044294-A2.
XX
PD   19-MAY-2005.
XX
PF   04-NOV-2004; 2004WO-US036958.
XX
PR   04-NOV-2003; 2003US-0517337P.
PR   26-NOV-2003; 2003US-0525579P.
PR   27-APR-2004; 2004US-0565710P.
XX
PA   (CHIR ) CHIRON CORP.
XX
PI   Long L,  Luqman M,  Yabannavar A,  Zaror I,  Hurst D;
PI   Lopes De Menezes DE;
XX
DR   WPI; 2005-746884/76.
XX
PT   Treating human subject for cancer comprising neoplastic cells expressing
PT   CD40 antigen, by administering combination therapy including
PT   administration of anti-CD40 antibody e.g. CHIR-5.9, in combination with
PT   interleukin-2, to subject.
XX
PS   Claim 1; SEQ ID NO 7; 204pp; English.
XX
CC   The invention describes a method of treating (M1) a human subject for
CC   cancer comprising neoplastic cells expressing CD40 antigen. The method
CC   involves administering to the subject, a combination therapy including
CC   administration of an anti-CD40 antibody in combination with an
CC   interleukin-2 (IL-2), where the anti-CD40 antibody is the monoclonal
CC   antibody CHIR-5.9 or CHIR-12.12. (M1) is useful for treating a human
CC   subject for cancer comprising neoplastic cells expressing CD40 antigen,
CC   where the cancer is a B cell-related cancer or solid tumor. The B cell-
CC   related cancer is chosen from non-Hodgkin's lymphoma, chronic lymphocytic
CC   leukemia, multiple myeloma, B cell lymphoma, high-grade B cell lymphoma,
CC   intermediate-grade B cell lymphoma, low-grade B cell lymphoma, B cell
CC   acute lymphoblastic leukemia, myeloblastic leukemia, Hodgkin's disease,
CC   plasmacytoma, follicular lymphoma, follicular small cleaved lymphoma,
CC   follicular large cell lymphoma, follicular mixed small cleaved lymphoma,
CC   diffuse small cleaved cell lymphoma, diffuse small lymphocytic lymphoma,
CC   prolymphocytic leukemia, lymphoplasmacytic lymphoma, marginal zone
CC   lymphoma, mucosal associated lymphoid tissue lymphoma, monocytoid B cell
CC   lymphoma, splenic lymphoma, hairy cell leukemia, diffuse large cell
CC   lymphoma, mediastinal large B cell lymphoma, lymphomatoid granulomatosis,
CC   intravascular lymphomatosis, diffuse mixed cell lymphoma, diffuse large
CC   cell lymphoma, immunoblastic lymphoma, Burkitt's lymphoma, AIDS-related
CC   lymphoma and mantle cell lymphoma. The solid tumor is chosen from urinary
CC   bladder carcinoma, breast carcinoma, liver carcinoma, gastric carcinoma,
CC   colon carcinoma, prostate cancer, renal cell carcinoma, nasopharyngeal
CC   carcinoma, squamous cell carcinoma, thyroid papillary carcinoma,
CC   melanoma, ovarian carcinoma, lung carcinoma, cervical carcinoma and
CC   sarcomas. This is the amino acid sequence of human monoclonal anti-CD40-
CC   antibody CHIR-5.9 heavy chain.
XX
SQ   Sequence 474 AA;

  Query Match             89.1%;  Score 623;  DB 9;  Length 474;
  Best Local Similarity   91.5%;  Pred. No. 1.8e-48;
  Matches  118;  Conservative    1;  Mismatches    6;  Indels    4;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144


RESULT 15
AED25715
ID   AED25715 standard; protein; 474 AA.
XX
AC   AED25715;
XX
DT   01-DEC-2005  (first entry)
XX
DE   Monoclonal anti-CD40-antibody CHIR-5.9 heavy chain A158S.
XX
KW   cytostatic; monoclonal antibody; antibody therapy; cancer; neoplasm;
KW   CHIR-5.9; heavy chain; mutein.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Misc-difference 158
FT                   /note= "Wild type Ala substituted by Ser"
```

XX
PN WO2005044294-A2.
XX
PD 19-MAY-2005.
XX
PF 04-NOV-2004; 2004WO-US036958.
XX
PR 04-NOV-2003; 2003US-0517337P.
PR 26-NOV-2003; 2003US-0525579P.
PR 27-APR-2004; 2004US-0565710P.
XX
PA (CHIR) CHIRON CORP.
XX
PI Long L, Luqman M, Yabannavar A, Zaror I, Hurst D;
PI Lopes De Menezes DE;
XX
DR WPI; 2005-746884/76.
XX
PT Treating human subject for cancer comprising neoplastic cells expressing
PT CD40 antigen, by administering combination therapy including
PT administration of anti-CD40 antibody e.g. CHIR-5.9, in combination with
PT interleukin-2, to subject.
XX
PS Claim 1; SEQ ID NO 8; 204pp; English.
XX
CC The invention describes a method of treating (M1) a human subject for
CC cancer comprising neoplastic cells expressing CD40 antigen. The method
CC involves administering to the subject, a combination therapy including
CC administration of an anti-CD40 antibody in combination with an
CC interleukin-2 (IL-2), where the anti-CD40 antibody is the monoclonal
CC antibody CHIR-5.9 or CHIR-12.12. (M1) is useful for treating a human
CC subject for cancer comprising neoplastic cells expressing CD40 antigen,
CC where the cancer is a B cell-related cancer or solid tumor. The B cell-
CC related cancer is chosen from non-Hodgkin's lymphoma, chronic lymphocytic
CC leukemia, multiple myeloma, B cell lymphoma, high-grade B cell lymphoma,
CC intermediate-grade B cell lymphoma, low-grade B cell lymphoma, B cell
CC acute lymphoblastic leukemia, myeloblastic leukemia, Hodgkin's disease,
CC plasmacytoma, follicular lymphoma, follicular small cleaved lymphoma,
CC follicular large cell lymphoma, follicular mixed small cleaved lymphoma,
CC diffuse small cleaved cell lymphoma, diffuse small lymphocytic lymphoma,
CC prolymphocytic leukemia, lymphoplasmacytic lymphoma, marginal zone
CC lymphoma, mucosal associated lymphoid tissue lymphoma, monocytoid B cell
CC lymphoma, splenic lymphoma, hairy cell leukemia, diffuse large cell
CC lymphoma, mediastinal large B cell lymphoma, lymphomatoid granulomatosis,
CC intravascular lymphomatosis, diffuse mixed cell lymphoma, diffuse large
CC cell lymphoma, immunoblastic lymphoma, Burkitt's lymphoma, AIDS-related
CC lymphoma and mantle cell lymphoma. The solid tumor is chosen from urinary
CC bladder carcinoma, breast carcinoma, liver carcinoma, gastric carcinoma,
CC colon carcinoma, prostate cancer, renal cell carcinoma, nasopharyngeal
CC carcinoma, squamous cell carcinoma, thyroid papillary carcinoma,
CC melanoma, ovarian carcinoma, lung carcinoma, cervical carcinoma and
CC sarcomas. This is the amino acid sequence of human monoclonal anti-CD40-
CC antibody CHIR-5.9 heavy chain A158S.
XX
SQ Sequence 474 AA;

Query Match 89.1%; Score 623; DB 9; Length 474;
Best Local Similarity 91.5%; Pred. No. 1.8e-48;
Matches 118; Conservative 1; Mismatches 6; Indels 4; Gaps 1;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         20 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||    |   |  ||||:||||||
Db         80 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----GTAAGRDYYYYYGMDVWG 135

Qy        121 QGTTVTVSS 129
              |||||||||
Db        136 QGTTVTVSS 144
```

Search completed: April 25, 2007, 04:05:19
Job time : 111.873 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 10 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	609.5	87.2	136	2	A49047	Ig heavy chain V r
2	587.5	84.0	134	2	PH1422	Ig heavy chain V r
3	576.5	82.5	139	2	PH1558	Ig heavy chain V r
4	574	82.1	123	2	C36006	Ig heavy chain V r
5	564	80.7	113	2	PH1428	Ig heavy chain V r
6	561	80.3	123	2	S38492	Ig heavy chain - h
7	561	80.3	144	2	PH1563	Ig heavy chain V r
8	558	79.8	127	2	PH1414	Ig heavy chain V r
9	553.5	79.2	141	2	S31685	Ig heavy chain V r
10	552.5	79.0	147	2	PH1561	Ig heavy chain V r
11	547	78.3	123	2	PH1423	Ig heavy chain V r
12	546	78.1	127	2	PH1415	Ig heavy chain V r
13	546	78.1	136	2	PH1559	Ig heavy chain V r
14	545	78.0	127	2	PH1420	Ig heavy chain V r
15	542.5	77.6	126	2	PH1419	Ig heavy chain V r
16	539	77.1	138	2	PH1565	Ig heavy chain V r
17	536.5	76.8	126	2	PH1417	Ig heavy chain V r
18	536.5	76.8	126	2	PH1418	Ig heavy chain V r
19	529.5	75.8	126	2	PH1416	Ig heavy chain V r
20	529	75.7	117	2	S19670	Ig heavy chain V r
21	528	75.5	123	2	PH1413	Ig heavy chain V r
22	527.5	75.5	126	2	PH1424	Ig heavy chain V r
23	527	75.4	128	2	S16685	Ig heavy chain V r
24	523	74.8	138	2	PH1564	Ig heavy chain V r
25	521	74.5	127	2	PH1411	Ig heavy chain V r
26	519	74.2	98	2	S26907	Ig heavy chain V r
27	519	74.2	101	2	S12424	Ig heavy chain V r
28	519	74.2	102	2	PH1279	Ig heavy chain V r
29	519	74.2	115	2	PH1557	Ig heavy chain V r
30	517	74.0	119	2	S36257	Ig heavy chain V r
31	516	73.8	102	2	PH1266	Ig heavy chain V r
32	516	73.8	102	2	PH1252	Ig heavy chain V r
33	515	73.7	117	2	S19669	Ig heavy chain V r
34	514	73.5	101	2	S12428	Ig heavy chain V r
35	514	73.5	117	2	A28846	Ig heavy chain pre
36	513	73.4	102	2	PH1281	Ig heavy chain V r
37	513	73.4	102	2	PH1271	Ig heavy chain V r
38	513	73.4	102	2	PH1278	Ig heavy chain V r
39	512	73.2	109	2	PH1672	Ig heavy chain V r
40	511	73.1	102	2	PH1254	Ig heavy chain V r
41	510.5	73.0	122	2	PC4280	anti-SS-A/Ro 60K p
42	510	73.0	102	2	PH1258	Ig heavy chain V r
43	510	73.0	144	2	E41287	Ig heavy chain pre
44	508.5	72.7	137	2	PH1562	Ig heavy chain V r
45	507.5	72.6	122	2	PH1426	Ig heavy chain V r

ALIGNMENTS

RESULT 1
A49047
Ig heavy chain V region (monoclonal striational autoantibody StrAB SA-1A VH) - human (fra
C;Species: Homo sapiens (man)
C;Date: 19-Dec-1993 #sequence_revision 18-Nov-1994 #text_change 20-Mar-1998
C;Accession: A49047
R;Victor, K.D.; Pascual, V.; Williams, C.L.; Lennon, V.A.; Capra, J.D.
Eur. J. Immunol. 22, 2231-2236, 1992
A;Title: Human monoclonal striational autoantibodies isolated from thymic B lymphocytes
A;Reference number: A49047; MUID:92387224; PMID:1516616
A;Accession: A49047
A;Status: preliminary
A;Molecule type: nucleic acid
A;Residues: 1-136 <VIC>
A;Cross-references: UNIPARC:UPI0000176C6A
A;Experimental source: thymic B lymphocytes
A;Note: sequence extracted from NCBI backbone (NCBIN:113206, NCBIP:113207)
C;Superfamily: immunoglobulin V region; immunoglobulin homology
F;19-102/Domain: immunoglobulin homology <IMM>

Query Match 87.2%; Score 609.5; DB 2; Length 136;
Best Local Similarity 87.4%; Pred. No. 6.9e-48;
Matches 118; Conservative 4; Mismatches 4; Indels 9; Gaps 3;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          5 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 64

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCAR----HVDVGATIGGYY--YYYH 114
              ||||||| |||||||||||||||||||||||||||||    : |  :   |||  |||: 
Db         65 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARQSYGYYDFRS---GYYPAYYYY 121

Qy        115 GMDVWGQGTTVTVSS 129
              ||||||:||||||||
Db        122 GMDVWGEGTTVTVSS 136
```

RESULT 2
PH1422
Ig heavy chain V region (clone P3-69) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 21-Jan-2000
C;Accession: PH1422
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of sh
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1422
A;Molecule type: mRNA
A;Residues: 1-134 <VAN>
A;Cross-references: UNIPARC:UPI0000176A2E

```
A;Experimental source: PBMC
A;Note: the authors translated the codon ATG for residue 93 as Thr
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             84.0%;  Score 587.5;  DB 2;  Length 134;
  Best Local Similarity   85.6%;  Pred. No. 6.4e-46;
  Matches  113;  Conservative    3;  Mismatches   11;  Indels    5;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||| :||| ||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFITYWIAWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARH---VDVGATIGGYYYYYHGMD 117
              ||||||| ||| ||||||||||||||||||||||||      |:    |||||  ||
Db         61 SPSFQGQVTISVDKSISTAYLQWSSLKASDTAMYYCARHGMEYYYGSGSSDYYYYY--MD 118

Qy        118 VWGQGTTVTVSS 129
              |||:||||||||
Db        119 VWGKGTTVTVSS 130


RESULT 3
PH1558
Ig heavy chain V region (clone DOB) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 05-Aug-1994 #sequence_revision 05-Aug-1994 #text_change 16-Aug-1996
C;Accession: PH1558
R;Rassenti, L.Z.; Kipps, T.J.
J. Exp. Med. 177, 1039-1046, 1993
A;Title: Lack of extensive mutations in the VH5 genes used in common B cell chronic lymp
A;Reference number: PH1557; MUID:93210459; PMID:7681468
A;Accession: PH1558
A;Molecule type: DNA
A;Residues: 1-139 <RAS>
A;Cross-references: UNIPARC:UPI0000176B81
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-115/Domain: immunoglobulin homology <IMM>

  Query Match             82.5%;  Score 576.5;  DB 2;  Length 139;
  Best Local Similarity   85.3%;  Pred. No. 6.5e-45;
  Matches  110;  Conservative    1;  Mismatches   11;  Indels    7;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         18 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 77

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||| :           ||   | ||
Db         78 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARSISSSG-------YYSNFDYWG 130

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        131 QGTLVTVSS 139


RESULT 4
C36006
Ig heavy chain V region (83p2) - human
C;Species: Homo sapiens (man)
C;Date: 21-Dec-1990 #sequence_revision 21-Dec-1990 #text_change 16-Dec-1998
C;Accession: C36006
R;Schroeder Jr., H.W.; Wang, J.Y.
Proc. Natl. Acad. Sci. U.S.A. 87, 6146-6150, 1990
A;Title: Preferential utilization of conserved immunoglobulin heavy chain variable gene
A;Reference number: A36005; MUID:90349571; PMID:2117273
A;Accession: C36006
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-123 <SCH>
A;Cross-references: UNIPARC:UPI0000176C49; GB:M34022
C;Genetics:
A;Gene: GDB:IGH@; IGHDY1
A;Cross-references: GDB:118731; OMIM:146910
A;Map position: 14q32.33-14q32.33
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             82.1%;  Score 574;  DB 2;  Length 123;
  Best Local Similarity   85.3%;  Pred. No. 9.6e-45;
  Matches  110;  Conservative    5;  Mismatches    8;  Indels    6;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||    :  |   :|:   |:||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH---NSQTGASLWYF---DLWG 114

Qy        121 QGTTVTVSS 129
              :|| |||||
Db        115 RGTLVTVSS 123


RESULT 5
PH1428
Ig heavy chain V region (clone VH5-1R1) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 28-May-1999
C;Accession: PH1428
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of sh
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1428
A;Molecule type: mRNA
A;Residues: 1-113 <VAN>
A;Cross-references: UNIPARC:UPI0000176B77; GB:S51905; NID:g262690; PIDN:AAC80261.1; PID:g
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match             80.7%;  Score 564;  DB 2;  Length 113;
  Best Local Similarity   84.5%;  Pred. No. 7e-44;
  Matches  109;  Conservative    0;  Mismatches    4;  Indels   16;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||||                ||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----------------AFDVWG 104

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        105 QGTMVTVSS 113


RESULT 6
S38492
Ig heavy chain - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 23-Jul-1999
C;Accession: S38492
R;Marks, J.D.; Ouwehand, W.H.; Bye, J.M.; Finnern, R.; Gorick, B.D.; Voak, D.; Thorpe, S.
submitted to the EMBL Data Library, June 1993
A;Description: Human antibody fragments specific for human blood group antigens from a ph
A;Reference number: S38488
A;Accession: S38492
A;Status: preliminary
```

A;Molecule type: DNA
A;Residues: 1-123 <MAR>
A;Cross-references: UNIPARC:UPI000011654D; EMBL:Z23034; NID:g414031; PIDN:CAA80569.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match 80.3%; Score 561; DB 2; Length 123;
Best Local Similarity 83.2%; Pred. No. 1.4e-43;
Matches 109; Conservative 3; Mismatches 9; Indels 10; Gaps 2;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 QVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHG--MDV 118
              ||||||| |||||||||||||||||||||||||||||      | |  |    |:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARR--------RYSYAQHDWYFDL 112

Qy        119 WGQGTTVTVSS 129
              ||:|| |||||
Db        113 WGRGTLVTVSS 123
```

RESULT 7
PH1563
Ig heavy chain V region (clone PET) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 05-Aug-1994 #sequence_revision 05-Aug-1994 #text_change 21-Jan-2000
C;Accession: PH1563
R;Rassenti, L.Z.; Kipps, T.J.
J. Exp. Med. 177, 1039-1046, 1993
A;Title: Lack of extensive mutations in the VH5 genes used in common B cell chronic lymp
A;Reference number: PH1557; MUID:93210459; PMID:7681468
A;Accession: PH1563
A;Molecule type: DNA
A;Residues: 1-144 <RAS>
A;Cross-references: UNIPARC:UPI0000176963
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-115/Domain: immunoglobulin homology <IMM>

Query Match 80.3%; Score 561; DB 2; Length 144;
Best Local Similarity 84.5%; Pred. No. 1.7e-43;
Matches 109; Conservative 3; Mismatches 15; Indels 2; Gaps 1;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||:|||||||||||||| ||||||||||||| | | || | |
Db         18 EVQLVQSGAEVKKPGESLRISCKGSGYSFTSYWISWVRQMPGKGLEWMGRIDPSDSYTNY 77

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||  |||||||||||||||||||||||||||| :   |   ||||||  |||||
Db         78 SPSFQGHVTISADKSISTAYLQWSSLKASDTAMYYCARLLYGAAAAWGYYYYY--MDVWG 135

Qy        121 QGTTVTVSS 129
              :|||||||
Db        136 KGTTVTVSS 144
```

RESULT 8
PH1414
Ig heavy chain V region (clone P1-54) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 17-Mar-1999
C;Accession: PH1414
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of s
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1414
A;Molecule type: mRNA
A;Residues: 1-127 <VAN>
A;Cross-references: UNIPARC:UPI000017694E
A;Experimental source: PBMC
A;Note: the authors translated the codon TTG for residue 119 as Met
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

Query Match 79.8%; Score 558; DB 2; Length 127;
Best Local Similarity 84.5%; Pred. No. 2.7e-43;
Matches 109; Conservative 3; Mismatches 11; Indels 6; Gaps 2;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||:|||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||:|||||||||||||:|||||||  | |      |   | | ||
Db         61 SPSFQGQVTISADESISTAYLQWSSLKATDTAMYYCARR-DYGD-----YQSTGGFDPWG 114

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        115 QGTLVTVSS 123
```

RESULT 9
S31685
Ig heavy chain V region - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 21-Jan-2000
C;Accession: S31685
R;Cuisinier, A.M.; Gauthier, L.; Boubli, L.; Fougereau, M.; Tonnelle, C.
submitted to the EMBL Data Library, June 1992
A;Description: Mechanisms that generate human immunoglobulin diversity operate from the
A;Reference number: S31585
A;Accession: S31685
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-141 <CUI>
A;Cross-references: UNIPARC:UPI0000116462; EMBL:Z14183; NID:g31033; PIDN:CAA78552.1; PID
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;34-117/Domain: immunoglobulin homology <IMM>

Query Match 79.2%; Score 553.5; DB 2; Length 141;
Best Local Similarity 82.9%; Pred. No. 7.7e-43;
Matches 107; Conservative 3; Mismatches 12; Indels 7; Gaps 2;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||:|||||||||||||| | ||||||||||| | | |  | |
Db         20 EVQLVQSGAEVKKPGESLRISCKGSGYSFTSYWISWARQMPGKGLEWMGRIDPSDPYTNY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||  |||||||||||||||||||||||||||||      : ||||||  |||||
Db         80 SPSFQGHVTISADKSISTAYLQWSSLKASDTAMYYCARH-----GVRGYYYYY--MDVWG 132

Qy        121 QGTTVTVSS 129
              :|||||||
Db        133 KGTTVTVSS 141
```

RESULT 10
PH1561
Ig heavy chain V region (clone CAV) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 05-Aug-1994 #sequence_revision 05-Aug-1994 #text_change 21-Jan-2000
C;Accession: PH1561
R;Rassenti, L.Z.; Kipps, T.J.
J. Exp. Med. 177, 1039-1046, 1993
A;Title: Lack of extensive mutations in the VH5 genes used in common B cell chronic lymph
A;Reference number: PH1557; MUID:93210459; PMID:7681468
A;Accession: PH1561
A;Molecule type: DNA
A;Residues: 1-147 <RAS>

```
A;Cross-references: UNIPARC:UPI0000176961
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-115/Domain: immunoglobulin homology <IMM>

  Query Match            79.0%;  Score 552.5;  DB 2;  Length 147;
  Best Local Similarity  83.2%;  Pred. No. 9.9e-43;
  Matches  109;  Conservative    4;  Mismatches   15;  Indels    3;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||:|||||||||||||| |||||||||||| | | || | |
Db         18 EVQLVQSGAEVKKPGESLRISCKGSGYSFTSYWISWVRQMPGKGLEWMGRIDPSDSYTNY 77

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIG--GYYYYYHGMDV 118
              ||||||  |||||||||||||||||||||||||| :   |  |  | ||||: |||
Db         78 SPSFQGHVTISADKSISTAYLQWSSLKASDTAMYYCARQIAGIAAAGMWGPYYYYY-MDV 136

Qy        119 WGQGTTVTVSS 129
              ||:||||||||
Db        137 WGKGTTVTVSS 147


RESULT 11
PH1423
Ig heavy chain V region (clone P3-9) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 17-Mar-1999
C;Accession: PH1423
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of s
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1423
A;Molecule type: mRNA
A;Residues: 1-123 <VAN>
A;Cross-references: UNIPARC:UPI0000176B98
A;Experimental source: PBMC
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            78.3%;  Score 547;  DB 2;  Length 123;
  Best Local Similarity  80.6%;  Pred. No. 2.6e-42;
  Matches  104;  Conservative    4;  Mismatches   11;  Indels   10;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||| :||| |||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFITYWIAWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||:|||||| |           :    :||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAIYYCARHAD----------NFDWFQIWG 110

Qy        121 QGTTVTVSS 129
              ||| | |||
Db        111 QGTLVIVSS 119


RESULT 12
PH1415
Ig heavy chain V region (clone P1-57) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 21-Jan-2000
C;Accession: PH1415
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of s
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1415
A;Molecule type: mRNA
A;Residues: 1-127 <VAN>
A;Cross-references: UNIPARC:UPI000017694F
A;Experimental source: PBMC
A;Note: the authors translated the codon TTG for residue 118 as Met
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            78.1%;  Score 546;  DB 2;  Length 127;
  Best Local Similarity  83.7%;  Pred. No. 3.3e-42;
  Matches  108;  Conservative    2;  Mismatches   13;  Indels    6;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||:|||||||||||||| |||||||| ||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWIGWVRQMPGKGLEWMVIIYPGDSDIRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||:|||||||||||||||||||||  | |      |    | | ||
Db         61 SPSFQGQVTISADESISTAYLQWSSLKASDTAMYYCARR-DYGD-----YQSTGGFDPWG 114

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        115 QGTLVTVSS 123


RESULT 13
PH1559
Ig heavy chain V region (clone HAN) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 05-Aug-1994 #sequence_revision 05-Aug-1994 #text_change 21-Jan-2000
C;Accession: PH1559
R;Rassenti, L.Z.; Kipps, T.J.
J. Exp. Med. 177, 1039-1046, 1993
A;Title: Lack of extensive mutations in the VH5 genes used in common B cell chronic lymph
A;Reference number: PH1557; MUID:93210459; PMID:7681468
A;Accession: PH1559
A;Molecule type: DNA
A;Residues: 1-136 <RAS>
A;Cross-references: UNIPARC:UPI0000176A21
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;32-115/Domain: immunoglobulin homology <IMM>

  Query Match            78.1%;  Score 546;  DB 2;  Length 136;
  Best Local Similarity  82.2%;  Pred. No. 3.5e-42;
  Matches  106;  Conservative    2;  Mismatches   11;  Indels   10;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||| ||||||||||||||||||||||||||||||||||
Db         18 EVQLVQSGAEVKKPGESLKISCKGSRYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 77

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| | |||||||||||||| ||||||||||||           |  :  :| ||
Db         78 SPSFQGQVTFSADKSISTAYLQWSRLKASDTAMYYCAR----------LYGDFSTVDYWG 127

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        128 QGTLVTVSS 136


RESULT 14
PH1420
Ig heavy chain V region (clone P2-55) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 17-Mar-1999
C;Accession: PH1420
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of sh
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1420
A;Molecule type: mRNA
A;Residues: 1-127 <VAN>
```

```
A;Cross-references: UNIPARC:UPI0000176B9A
A;Experimental source: PBMC
A;Note: the authors translated the codon CTT for residue 101 as Phe
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            78.0%;  Score 545;  DB 2;  Length 127;
  Best Local Similarity  79.8%;  Pred. No. 4e-42;
  Matches  103;  Conservative    8;  Mismatches   12;  Indels    6;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||:||||||||:|||||||||||||| ||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWIGWVRQVPGKGLEWMGIIYPADSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||:|||||:||||||   | :   ::       | ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLRASDTAIYYCARHGLHGTSFSSWF------DFWG 114

Qy        121 QGTTVTVSS 129
              :|| ||| |
Db        115 RGTLVTVPS 123


RESULT 15
PH1419
Ig heavy chain V region (clone P2-54) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 17-Mar-1999
C;Accession: PH1419
R;van der Stoep, N.; van der Linden, J.; Logtenberg, T.
J. Exp. Med. 177, 99-107, 1993
A;Title: Molecular evolution of the human immunoglobulin E response: High incidence of s
dermatitis.
A;Reference number: PH1409; MUID:93115676; PMID:8418213
A;Accession: PH1419
A;Molecule type: mRNA
A;Residues: 1-126 <VAN>
A;Cross-references: UNIPARC:UPI0000176953
A;Experimental source: PBMC
A;Note: the authors translated the codon ACT for residue 107 as Ser
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;15-98/Domain: immunoglobulin homology <IMM>

  Query Match            77.6%;  Score 542.5;  DB 2;  Length 126;
  Best Local Similarity  79.1%;  Pred. No. 6.7e-42;
  Matches  102;  Conservative    9;  Mismatches   11;  Indels    7;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||| :|||||||||||||||:|||:||||||||||:||||:|||||| ||||||
Db          1 EVQLVQSGEDVKKPGESLKISCKGSGFSFTNYWIGWVRQMPGEGLEWVGIIYPDDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||:|||||||:|||||:|||||||    |         || | |:||
Db         61 SPSFQGQITISADKSINTAYLQWSNLKASDSAMYYCARPRGSGT-------YYTGFDIWG 113

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        114 QGTMVTVSS 122


Search completed: April 25, 2007, 04:06:39
Job time : 9.83898 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 88 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	441.5	63.2	475	2	Q5RE17_PONPY	Q5re17 pongo pygma
2	435.5	62.3	159	2	Q96QS0_HUMAN	Q96qs0 homo sapien
3	418.5	59.9	118	2	Q9Z1C4_MOUSE	Q9z1c4 mus musculu
4	407	58.2	479	2	Q3KQK2_MOUSE	Q3kqk2 mus musculu
5	403	57.7	244	2	Q65ZC8_HUMAN	Q65zc8 homo sapien
6	398	56.9	483	2	Q52L51_MOUSE	Q52l51 mus musculu
7	395	56.5	614	2	Q7TMT6_MOUSE	Q7tmt6 mus musculu
8	394	56.4	458	2	Q5BJZ2_RAT	Q5bjz2 rattus norv
9	392.5	56.2	617	2	Q4KML5_MOUSE	Q4kml5 mus musculu
10	391.5	56.0	124	2	Q9UL92_HUMAN	Q9ul92 homo sapien
11	391.5	56.0	613	2	Q8VCX7_MOUSE	Q8vcx7 mus musculu
12	390.5	55.9	500	2	Q9BRV0_HUMAN	Q9brv0 homo sapien
13	389.5	55.7	143	2	Q924P9_MOUSE	Q924p9 mus musculu
14	388	55.5	468	2	Q569W9_MOUSE	Q569w9 mus musculu
15	387	55.4	121	1	HV01_MOUSE	P01745 mus musculu
16	386.5	55.3	143	2	Q91V67_MOUSE	Q91v67 mus musculu
17	385.5	55.2	498	2	Q6N041_HUMAN	Q6n041 homo sapien
18	384.5	55.0	145	2	Q924Q6_MOUSE	Q924q6 mus musculu
19	384	54.9	119	2	Q9UL94_HUMAN	Q9ul94 homo sapien
20	383	54.8	168	2	Q8VDC9_MOUSE	Q8vdc9 mus musculu
21	382.5	54.7	143	2	Q924Q5_MOUSE	Q924q5 mus musculu
22	382.5	54.7	482	2	Q2T9K9_MOUSE	Q2t9k9 mus musculu
23	382.5	54.7	590	2	Q4V9V8_MOUSE	Q4v9v8 mus musculu
24	382	54.6	125	2	Q9UL95_HUMAN	Q9ul95 homo sapien
25	382	54.6	146	2	Q924Q3_MOUSE	Q924q3 mus musculu
26	382	54.6	474	2	Q8R3H6_MOUSE	Q8r3h6 mus musculu
27	382	54.6	481	2	Q91WT1_MOUSE	Q91wt1 mus musculu
28	381.5	54.6	145	2	Q924R4_MOUSE	Q924r4 mus musculu
29	381	54.5	142	2	Q924Q2_MOUSE	Q924q2 mus musculu
30	381	54.5	144	2	Q924P5_MOUSE	Q924p5 mus musculu
31	381	54.5	470	2	Q7TMK1_MOUSE	Q7tmk1 mus musculu
32	380.5	54.4	145	2	Q924R3_MOUSE	Q924r3 mus musculu
33	380.5	54.4	484	2	Q3SYJ4_MOUSE	Q3syj4 mus musculu
34	379	54.2	146	2	Q924R8_MOUSE	Q924r8 mus musculu
35	378.5	54.1	143	2	Q924Q0_MOUSE	Q924q0 mus musculu
36	378.5	54.1	145	2	Q924Q9_MOUSE	Q924q9 mus musculu
37	378.5	54.1	482	2	Q8K172_MOUSE	Q8k172 mus musculu
38	378	54.1	119	2	Q9GYZ2_MOUSE	Q9gyz2 mus musculu
39	378	54.1	120	1	HV03_MOUSE	P01747 mus musculu
40	377.5	54.0	145	2	Q924R1_MOUSE	Q924r1 mus musculu
41	377	53.9	147	2	Q925S3_MOUSE	Q925s3 mus musculu
42	377	53.9	480	2	Q6PJF1_HUMAN	Q6pjf1 homo sapien
43	377	53.9	598	2	Q568Y0_RAT	Q568y0 rattus norv
44	376.5	53.9	139	1	HV07_MOUSE	P01751 mus musculu
45	376.5	53.9	143	2	Q924R7_MOUSE	Q924r7 mus musculu

ALIGNMENTS

RESULT 1
Q5RE17_PONPY
ID Q5RE17_PONPY PRELIMINARY; PRT; 475 AA.
AC Q5RE17;
DT 21-DEC-2004, integrated into UniProtKB/TrEMBL.
DT 21-DEC-2004, sequence version 1.
DT 27-JUN-2006, entry version 19.
DE Hypothetical protein DKFZp469C2335.
GN Name=DKFZp469C2335;
OS Pongo pygmaeus (Orangutan).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Pongo.
OX NCBI_TaxID=9600;
RN [1]
RP NUCLEOTIDE SEQUENCE.
RC TISSUE=Kidney;
RG The German cDNA Consortium;
RA Poustka A., Albert R., Moosmayer P., Schupp I., Wellenreuther R.,
RA Mewes H.W., Weil B., Amid C., Osanger A., Fobo G., Han M., Wiemann S.;
RL Submitted (NOV-2004) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC histocompatibility complex class I molecules (By similarity).
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; CR857722; CAH89990.1; -; mRNA.
DR SMR; Q5RE17; 21-475.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0016020; C:membrane; IEA.
DR GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003597; Ig_C1-set.
DR InterPro; IPR003006; Ig_MHC.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07654; C1-set; 3.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00407; IGc1; 2.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 4.
DR PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW Transmembrane.
SQ SEQUENCE 475 AA; 51898 MW; 04BBDE096A2CD529 CRC64;

Query Match 63.2%; Score 441.5; DB 2; Length 475;
Best Local Similarity 67.2%; Pred. No. 1.4e-36;
Matches 86; Conservative 16; Mismatches 23; Indels 3; Gaps 2;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ::|||||||||||:|||||:||||||||:|| |||||||||||||| ||:| | :| |:|
Db         20 DIQLVQSGAEVKRPGESLRISCKGSGYTFTDYWIGWVRQMPGKGLELMGMIDPSNSGTKY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              : ||:|  ||||| |||||||||:||||||:|:||||| : :  |    |:       ||
Db         80 NRSFEGHITISADMSISTAYLQWTSLKASDSAIYYCAR-LRLSGT--NSYHKRSYFQFWG 136

Qy        121 QGTTVTVS 128
              ||| | ||
Db        137 QGTLVIVS 144


RESULT 2
Q96QS0_HUMAN
ID   Q96QS0_HUMAN   PRELIMINARY;   PRT;   159 AA.
AC   Q96QS0;
DT   01-DEC-2001, integrated into UniProtKB/TrEMBL.
DT   01-DEC-2001, sequence version 1.
DT   18-APR-2006, entry version 21.
DE   Putative matrix cell adhesion molecule-3.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RA   Tilson M.D.;
RL   Submitted (JUN-2001) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AY039025; AAK82649.1; -; mRNA.
DR   HSSP; P01869; 1AE6.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
SQ   SEQUENCE   159 AA;  17497 MW;  5D29537E881FAF02 CRC64;

  Query Match             62.3%;  Score 435.5;  DB 2;  Length 159;
  Best Local Similarity   60.6%;  Pred. No. 1.7e-36;
  Matches   80;  Conservative   22;  Mismatches   25;  Indels    5;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :|||||||||||||| |:|:||| |||:|::|:: |||| ||:| ||||:| |     ||
Db         20 QVQLVQSGAEVKKPGASVKVSCKASGYTFSNYYMNWVRQAPGQGPEWMGVINPSGGSARY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDV---GATIGGYYYYYHGMD 117
              |  |||: |:: | | || |:  |||:: |||:|:||| :::   ||   |:|||  |||
Db         80 SQKFQGRLTMTRDTSTSTVYMDLSSLRSDDTAVYFCAREMEITFGGAVSKGFYYY--GMD 137

Qy        118 VWGQGTTVTVSS 129
              ||||||||||||
Db        138 VWGQGTTVTVSS 149


RESULT 3
Q9Z1C4_MOUSE
ID   Q9Z1C4_MOUSE   PRELIMINARY;   PRT;   118 AA.
AC   Q9Z1C4;
DT   01-MAY-1999, integrated into UniProtKB/TrEMBL.
DT   01-MAY-1999, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Anti-porcine VCAM mAb 3F4 heavy chain variable region (Fragment).
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Balb/c;
RX   MEDLINE=97450619; PubMed=9307060; DOI=10.1016/S0161-5890(97)00042-4;
RA   Mueller J.P., Giannoni M.A., Hartman S.L., Elliott E.A., Squinto S.P.,
RA   Matis L.A., Evans M.J.;
RT   "Humanized porcine VCAM-specific monoclonal antibodies with chimeric
RT   IgG2/G4 constant regions block human leukocyte binding to porcine
RT   endothelial cells.";
RL   Mol. Immunol. 34:441-452(1997).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; U78801; AAD00293.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   SMR; Q9Z1C4; 1-118.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     118    118
SQ   SEQUENCE   118 AA;  13036 MW;  90EEC559D31EC4FC CRC64;

  Query Match             59.9%;  Score 418.5;  DB 2;  Length 118;
  Best Local Similarity   58.9%;  Pred. No. 6.6e-35;
  Matches   76;  Conservative   23;  Mismatches   19;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||: |||||: :|  |:|:||| |||:| |||: ||:| ||:|||||:| ||||| || |
Db          1 QVQVQQSGAELARPWASVKLSCKASGYNFNSYWMQWVKQRPGQGLEWIGAIYPGDGDTSY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |:|:||::|||| ||||:| ||| : |:|:|||||      |:|||:      | ||
Db         61 TQKFRGKATLTADKSSSTAYMQLSSLASEDSAVYYCARR-----TVGGYF------DYWG 109

Qy        121 QGTTVTVSS 129
              ||||:||||
Db        110 QGTTLTVSS 118


RESULT 4
Q3KQK2_MOUSE
ID   Q3KQK2_MOUSE   PRELIMINARY;   PRT;   479 AA.
AC   Q3KQK2;
DT   08-NOV-2005, integrated into UniProtKB/TrEMBL.
DT   08-NOV-2005, sequence version 1.
DT   27-JUN-2006, entry version 8.
DE   Hypothetical protein.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Mix FVB/N; TISSUE=Mammary tumor. WAP-TGF alpha model. 7 months
RC   old;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
```

```
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Mix FVB/N; TISSUE=Mammary tumor. WAP-TGF alpha model. 7 months
RC   old;
RG   NIH MGC Project;
RL   Submitted (OCT-2005) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC106157; AAI06158.1; -; mRNA.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Hypothetical protein; Immunoglobulin C region; Immunoglobulin domain;
KW   Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   479 AA;  51745 MW;  DB88E95F136BD78E CRC64;

  Query Match            58.2%;  Score 407;  DB 2;  Length 479;
  Best Local Similarity  58.9%;  Pred. No. 5.1e-33;
  Matches   76;  Conservative   20;  Mismatches   19;  Indels   14;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| |||||:  || |:| ||| |||:|||||: ||:| ||:||||:| ||||| :||
Db         20 QVQLQQSGAELASPGASVKFSCKASGYTFTSYWMQWVKQRPGQGLEWIGAIYPGDGETRY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              |   :|:||::|||| ||||:| ||| : |:|:|||||           :|:   | ||
Db         80 SQKVKGKATLTADKSSSTAYMQLSSLASEDSAVYYCAR----------TFYF---DSWG 125

Qy        121 QGTTVTVSS 129
               ||||:||||
Db        126 QGTTLTVSS 134


RESULT 5
Q65ZC8_HUMAN
ID   Q65ZC8_HUMAN   PRELIMINARY;   PRT;   244 AA.
AC   Q65ZC8;
DT   11-OCT-2004, integrated into UniProtKB/TrEMBL.
DT   11-OCT-2004, sequence version 1.
DT   18-APR-2006, entry version 10.
DE   Single-chain Fv (Fragment).
GN   Name=scFv;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=97362799; PubMed=9219263; DOI=10.1038/nbt0797-629;
RA   Kontermann R.E., Wing M.G., Winter G.;
RT   "Complement recruitment using bispecific diabodies.";
RL   Nat. Biotechnol. 15:629-631(1997).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; Y13057; CAA73500.1; -; mRNA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 2.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00406; IGv; 2.
DR   PROSITE; PS50835; IG_LIKE; 2.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     244    244
SQ   SEQUENCE   244 AA;  26127 MW;  4B1F17868338F2BF CRC64;

  Query Match            57.7%;  Score 403;  DB 2;  Length 244;
  Best Local Similarity  58.9%;  Pred. No. 6e-33;
  Matches   76;  Conservative   23;  Mismatches   22;  Indels    8;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :|||||||||||||:|:|:||| |||:|: ::: |||| ||:|||||| | | : |||:
Db          1 QVQLVQSGAEVKKPGDSVKVSCKASGYTFSDHYMHWVRQAPGQGLEWMGWIDPNNGDTRF 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |||: |:: | ||| ||:: | |:: |||:|||||    |: |       :||||||
Db         61 AQRFQGRVTMTRDTSISAAYMEVSRLRSDDTAVYYCARE-GTGSAI-------YGMDVWG 112

Qy        121 QGTTVTVSS 129
               ||| |||||
Db        113 QGTLVTVSS 121


RESULT 6
Q52L51_MOUSE
ID   Q52L51_MOUSE   PRELIMINARY;   PRT;   483 AA.
AC   Q52L51;
DT   24-MAY-2005, integrated into UniProtKB/TrEMBL.
DT   24-MAY-2005, sequence version 1.
DT   27-JUN-2006, entry version 16.
DE   LOC544903 protein.
GN   Name=LOC544903;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Mix FVB/N; TISSUE=Mammary tumor. WAP-TGF alpha model. 7 months
RC   old;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
```

```
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Mix FVB/N; TISSUE=Mammary tumor. WAP-TGF alpha model. 7 months
RC   old;
RG   NIH MGC Project;
RL   Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC094065; AAH94065.1; -; mRNA.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_2.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   483 AA;  52167 MW;  C0FDB9168795FEB4 CRC64;

  Query Match           56.9%;  Score 398;  DB 2;  Length 483;
  Best Local Similarity   59.1%;  Pred. No. 4.4e-32;
  Matches   75;  Conservative   20;  Mismatches   22;  Indels   10;  Gaps    2;

Qy          3 QLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRYSP 62
              || |||||  ||| |:||||| |||:|:  |: ||:| |||||||:| ||||| :| ||
Db         22 QLQQSGAERVKPGASVKISCKASGYAFSGPWMNWVKQRPGKGLEWIGRIYPGDGETHYSG 81

Qy         63 SFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWGQG 122
                |:|:||::|||| ||||:| : | : |:|:|:|||        | : |:|  :|||| |
Db         82 QFKGKATLTADKSSSTAYMQLNGLTSEDSAVYFCAR--------GNWPYWY--LDVWGAG 131

Qy        123 TTVTVSS 129
               |||||||
Db        132 TTVTVSS 138


RESULT 7
Q7TMT6_MOUSE
ID   Q7TMT6_MOUSE   PRELIMINARY;   PRT;   614 AA.
AC   Q7TMT6;
DT   01-OCT-2003, integrated into UniProtKB/TrEMBL.
DT   01-OCT-2003, sequence version 1.
DT   25-JUL-2006, entry version 31.
DE   MGC60843 protein.
GN   Name=Igh-6; Synonyms=MGC60843;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=C57BL/6NCr; TISSUE=Hematopoietic Stem Cell;
RX   PubMed=12477932; DOI=10.1073/pnas.242603899;
RG   Mammalian Gene Collection Program Team;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=C57BL/6NCr; TISSUE=Hematopoietic Stem Cell;
RG   NIH MGC Project;
RL   Submitted (JUN-2003) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC053409; AAH53409.1; -; mRNA.
DR   HSSP; P01820; 1G7J.
DR   MGI; MGI:96448; Igh-6.
DR   GO; GO:0019815; C:B cell receptor complex; IDA.
DR   GO; GO:0009897; C:external side of plasma membrane; IDA.
DR   GO; GO:0042571; C:immunoglobulin complex, circulating; IDA.
DR   GO; GO:0048471; C:perinuclear region; IDA.
DR   GO; GO:0003823; F:antigen binding; IDA.
DR   GO; GO:0005515; F:protein binding; IPI.
DR   GO; GO:0004888; F:transmembrane receptor activity; IDA.
DR   GO; GO:0000187; P:activation of MAPK activity; IDA.
DR   GO; GO:0030333; P:antigen processing; IDA.
DR   GO; GO:0050853; P:B cell receptor signaling pathway; IDA.
DR   GO; GO:0045022; P:early endosome to late endosome transport; IDA.
DR   GO; GO:0016064; P:humoral defense mechanism (sensu Vertebrata); IDA.
DR   GO; GO:0030890; P:positive regulation of B cell proliferation; IDA.
DR   GO; GO:0045807; P:positive regulation of endocytosis; IDA.
DR   GO; GO:0050731; P:positive regulation of peptidyl-tyrosine ph. . .; IDA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 4.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 5.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_3.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
```

```
SQ   SEQUENCE   614 AA;  67747 MW;  839BAF3B8D124F89 CRC64;

  Query Match           56.5%;  Score 395;  DB 2;  Length 614;
  Best Local Similarity   58.1%;  Pred. No. 1.2e-31;
  Matches   75;  Conservative   23;  Mismatches   21;  Indels   10;  Gaps    3;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| ||| |: ||| |:||||| |||:|:| |: ||:| |||||||:| :|||| || |
Db         20 QVQLQQSGPELVKPGASVKISCKASGYAFSSSWMNWVKQRPGKGLEWIGRVYPGDGDTNY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |:|:||::|||| ||||:| ||| : |:|:|:||| | |::   | : |     ||
Db         80 NGKFKGKATLTADKSSSTAYMQLSSLTSEDSAVYFCAR--DYGSS---YRFAY-----WG 129

Qy        121 QGTTVTVSS 129
               ||| ||||:
Db        130 QGTLVTVSA 138


RESULT 8
Q5BJZ2_RAT
ID   Q5BJZ2_RAT     PRELIMINARY;   PRT;   458 AA.
AC   Q5BJZ2;
DT   12-APR-2005, integrated into UniProtKB/TrEMBL.
DT   12-APR-2005, sequence version 1.
DT   27-JUN-2006, entry version 13.
DE   LOC367586 protein.
GN   Name=LOC367586;
OS   Rattus norvegicus (Rat).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Rattus.
OX   NCBI_TaxID=10116;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Thymus;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Thymus;
RG   NIH MGC Project;
RL   Submitted (MAR-2005) to the EMBL/GenBank/DDBJ databases.
CC   -!- SUBCELLULAR LOCATION: Membrane; single-pass type I membrane
CC       protein (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC091272; AAH91272.1; -; mRNA.
DR   SMR; Q5BJZ2; 21-454.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   458 AA;  50161 MW;  A0A61DCDD2CA433E CRC64;

  Query Match           56.4%;  Score 394;  DB 2;  Length 458;
  Best Local Similarity   56.6%;  Pred. No. 1.1e-31;
  Matches   73;  Conservative   21;  Mismatches   23;  Indels   12;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| |||||: ||| |:||||| |||:||:| | |::| || ||||:| ||||: :|:|
Db         20 QVQLQQSGAELVKPGSSVKISCKASGYTFTNYDIHWIKQQPGNGLEWIGWIYPGNGNTKY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  | |:||::|||| ||||:| ||| : |:|:|:|||             |: | | ||
Db         80 NQKFNGKATLTADKSSSTAYMQLSSLTSEDSAVYFCARD-----------YFDGYDYWG 127

Qy        121 QGTTVTVSS 129
               ||  |||||
Db        128 QGVMVTVSS 136


RESULT 9
Q4KML5_MOUSE
ID   Q4KML5_MOUSE   PRELIMINARY;   PRT;   617 AA.
AC   Q4KML5;
DT   02-AUG-2005, integrated into UniProtKB/TrEMBL.
DT   02-AUG-2005, sequence version 1.
DT   27-JUN-2006, entry version 11.
DE   Igh-6 protein.
GN   Name=Igh-6;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=C57BL/6NCr; TISSUE=Hematopoietic Stem Cell;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=C57BL/6NCr; TISSUE=Hematopoietic Stem Cell;
RG   NIH MGC Project;
RL   Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
```

```
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC098504; AAH98504.1; -; mRNA.
DR   MGI; MGI:96448; Igh-6.
DR   GO; GO:0019815; C:B cell receptor complex; IDA.
DR   GO; GO:0009897; C:external side of plasma membrane; IDA.
DR   GO; GO:0042571; C:immunoglobulin complex, circulating; IDA.
DR   GO; GO:0048471; C:perinuclear region; IDA.
DR   GO; GO:0003823; F:antigen binding; IDA.
DR   GO; GO:0005515; F:protein binding; IPI.
DR   GO; GO:0004888; F:transmembrane receptor activity; IDA.
DR   GO; GO:0000187; P:activation of MAPK activity; IDA.
DR   GO; GO:0030333; P:antigen processing; IDA.
DR   GO; GO:0050853; P:B cell receptor signaling pathway; IDA.
DR   GO; GO:0045022; P:early endosome to late endosome transport; IDA.
DR   GO; GO:0016064; P:humoral defense mechanism (sensu Vertebrata); IDA.
DR   GO; GO:0030890; P:positive regulation of B cell proliferation; IDA.
DR   GO; GO:0045807; P:positive regulation of endocytosis; IDA.
DR   GO; GO:0050731; P:positive regulation of peptidyl-tyrosine ph. . .; IDA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 4.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 5.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_3.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   617 AA;  68520 MW;  BCF2AEC857CD3D12 CRC64;

  Query Match             56.2%;  Score 392.5;  DB 2;  Length 617;
  Best Local Similarity   55.8%;  Pred. No. 2.1e-31;
  Matches   72;  Conservative   23;  Mismatches   27;  Indels    7;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| |||||: ||| |:|:||| |||:||||: ||:| ||:||||:| : |     |:|
Db         20 QVQLQQSGAELAKPGASVKLSCKASGYTFTSYWMHWVKQRPGQGLEWIGYVNPSSGYTKY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |: :||::|||| |||:| |||   |:|:|||||         |:  : : || ||
Db         80 NQKFKDKATLTADKSSSTAYMQLSSLTYEDSAVYYCARR-------EGHLLWVYAMDYWG 132

Qy        121 QGTTVTVSS 129
               |||:|||||
Db        133 QGTSVTVSS 141


RESULT 10
Q9UL92_HUMAN
ID   Q9UL92_HUMAN   PRELIMINARY;   PRT;   124 AA.
AC   Q9UL92;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin heavy chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035022; AAD56258.1; -; mRNA.
DR   HSSP; P01751; 1NQB.
DR   LinkHub; Q9UL92; -.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     124    124
SQ   SEQUENCE   124 AA;  13580 MW;  1BAAACBD96ACD2A2 CRC64;

  Query Match             56.0%;  Score 391.5;  DB 2;  Length 124;
  Best Local Similarity   58.0%;  Pred. No. 4.2e-32;
  Matches   76;  Conservative   19;  Mismatches   27;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||:|||||||| |:|:||| |||:|:||:: |||| ||:||||||| |    | |
Db          1 EVQLVESGAEVKKPGASVKVSCKASGYTFSSYYMHWVRQAPGQGLEWMGIINPSGGSTSY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCAR--HVDVGATIGGYYYYYHGMDV 118
              :  |||: |:: | | || |:: |||:: |||:|||||  :| | |    :      |
Db         61 AQKFQGRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARGLYVVVPAAFSRF-------DY 113

Qy        119 WGQGTTVTVSS 129
              ||||| |||||
Db        114 WGQGTLVTVSS 124


RESULT 11
Q8VCX7_MOUSE
ID   Q8VCX7_MOUSE   PRELIMINARY;   PRT;   613 AA.
AC   Q8VCX7;
DT   01-MAR-2002, integrated into UniProtKB/TrEMBL.
DT   01-MAR-2002, sequence version 1.
DT   27-JUN-2006, entry version 33.
DE   Igh-6 protein.
GN   Name=Igh-6;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=FVB/N; TISSUE=Salivary gland;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
```

```
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=FVB/N; TISSUE=Salivary gland;
RA   Strausberg R.;
RL   Submitted (DEC-2001) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=89110066; PubMed=2464031;
RA   Sikder S.K., Borden P., Gruezo F., Akolkar P.N., Bhattacharya S.B.,
RA   Morrison S.L., Kabat E.A.;
RT   "Amino acid substitutions in VH CDR2 change the idiotype but not the
RT   antigen-binding of monoclonal antibodies to alpha(1----6)dextrans.";
RL   J. Immunol. 142:888-893(1989).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC018315; AAH18315.1; -; mRNA.
DR   PIR; C30562; C30562.
DR   HSSP; P01751; 1A6W.
DR   Ensembl; ENSMUSG00000054328; Mus musculus.
DR   MGI; MGI:96448; Igh-6.
DR   GO; GO:0019815; C:B cell receptor complex; IDA.
DR   GO; GO:0009897; C:external side of plasma membrane; IDA.
DR   GO; GO:0042571; C:immunoglobulin complex, circulating; IDA.
DR   GO; GO:0048471; C:perinuclear region; IDA.
DR   GO; GO:0003823; F:antigen binding; IDA.
DR   GO; GO:0005515; F:protein binding; IPI.
DR   GO; GO:0004888; F:transmembrane receptor activity; IDA.
DR   GO; GO:0000187; P:activation of MAPK activity; IDA.
DR   GO; GO:0030333; P:antigen processing; IDA.
DR   GO; GO:0050853; P:B cell receptor signaling pathway; IDA.
DR   GO; GO:0045022; P:early endosome to late endosome transport; IDA.
DR   GO; GO:0016064; P:humoral defense mechanism (sensu Vertebrata); IDA.
DR   GO; GO:0030890; P:positive regulation of B cell proliferation; IDA.
DR   GO; GO:0045807; P:positive regulation of endocytosis; IDA.
DR   GO; GO:0050731; P:positive regulation of peptidyl-tyrosine ph. . .; IDA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 4.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 5.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_3.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   613 AA;  67855 MW;  41A9384DD4C22862 CRC64;

  Query Match           56.0%;  Score 391.5;  DB 2;  Length 613;
  Best Local Similarity  57.4%;  Pred. No. 2.7e-31;
  Matches   74;  Conservative   20;  Mismatches   24;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| |||||: ||| |:||||| :||:|:|||| ||:| || ||||:| | ||   | |
Db         20 QVQLQQSGAELMKPGASVKISCKATGYTFSSYWIEWVKQRPGHGLEWIGEILPGSGSTNY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |:|:|| :|| | :|||:| ||| : |:|:|||||       :| :|:     ||||
Db         80 NEKFKGKATFTADTSSNTAYMQLSSLTSEDSAVYYCARR------LGRWYF-----DVWG 128

Qy        121 QGTTVTVSS 129
               ||||||||
```

```
Db        129 AGTTVTVSS 137


RESULT 12
Q9BRV0_HUMAN
ID   Q9BRV0_HUMAN   PRELIMINARY;   PRT;   500 AA.
AC   Q9BRV0;
DT   01-JUN-2001, integrated into UniProtKB/TrEMBL.
DT   01-JUN-2001, sequence version 1.
DT   25-JUL-2006, entry version 36.
DE   IGHA1 protein.
GN   Name=IGHA1;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RX   PubMed=12477932; DOI=10.1073/pnas.242603899;
RG   Mammalian Gene Collection Program Team;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA   Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA   Jones S.J., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RG   NIH MGC Project;
RL   Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC005951; AAH05951.1; -; mRNA.
DR   HSSP; P01876; 1OW0.
DR   SMR; Q9BRV0; 25-300, 270-478.
DR   Ensembl; ENSG00000130076; Homo sapiens.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR013151; Ig.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 2.
DR   Pfam; PF00047; ig; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
```

```
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
SQ   SEQUENCE   500 AA;  54154 MW;  0A9BF43F2A3CC6D9 CRC64;

  Query Match             55.9%;  Score 390.5;  DB 2;  Length 500;
  Best Local Similarity   56.9%;  Pred. No. 2.7e-31;
  Matches   74;  Conservative   21;  Mismatches   32;  Indels    3;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :| |||||||  || |:::||| |||:| :| | |||| ||:|||||| | |   :||:
Db         20 QVHLVQSGAEVMSPGASVRVSCKTSGYAFHTYSIIWVRQAPGQGLEWMGWISPSSDNTRF 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCA-RHVDVGATIGGYYYYYHGMDVW 119
              :  |||: |:: | | || |::  ||:: |||:|||| |:    :    |||||  ||||
Db         80 AKKFQGRVTLTTDTSTSTVYMELRSLRSDDTAVYYCARRYCSYSSCQNDYYYYY--MDVW 137

Qy        120 GQGTTVTVSS 129
              |:||||||||
Db        138 GKGTTVTVSS 147


RESULT 13
Q924P9_MOUSE
ID   Q924P9_MOUSE   PRELIMINARY;   PRT;   143 AA.
AC   Q924P9;
DT   01-DEC-2001, integrated into UniProtKB/TrEMBL.
DT   01-DEC-2001; sequence version 1.
DT   18-APR-2006, entry version 19.
DE   V303-D-J-C mu protein (Fragment).
GN   Name=V303-D-J-C mu;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=C57BL/6;
RA   Kozono Y., Kozono H., Azuma T.;
RL   Submitted (AUG-2001) to the EMBL/GenBank/DDBJ databases.
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=95018269; PubMed=7523684;
RA   Pokkuluri P.R., Bouthillier F., Li Y., Kuderova A., Lee J., Cygler M.;
RT   "Preparation, characterization and crystallization of an antibody Fab
RT   fragment that recognizes RNA. Crystal structures of native Fab and
RT   three Fab-mononucleotide complexes.";
RL   J. Mol. Biol. 243:283-297(1994).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AB069916; BAB63932.1; -; mRNA.
DR   PIR; PH1160; PH1160.
DR   PIR; PH1161; PH1161.
DR   PIR; PH1162; PH1162.
DR   PIR; S53751; S53751.
DR   HSSP; P01751; 1A6W.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     143    143
SQ   SEQUENCE   143 AA;  15704 MW;  43CD8C72D52134F6 CRC64;

  Query Match             55.7%;  Score 389.5;  DB 2;  Length 143;
  Best Local Similarity   56.6%;  Pred. No. 8e-32;
  Matches   73;  Conservative   19;  Mismatches   26;  Indels   11;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              :||| | |||: ||| |:|:||| |||:|||||: ||:| ||:||||:| | | || | |
Db          1 QVQLQQLGAELVKPGASVKLSCKASGYTFTSYWMQWVKQRPGQGLEWIGEIDPSDSYTNY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |:|:||:: | | ||||:| ||| : |:|:|||| |           ||    | ||
Db         61 NQKFKGKATLTVDTSSSTAYMQLSSLTSEDSAVYYCASH----------YYGSSSDYWG 109

Qy        121 QGTTVTVSS 129
              ||||:||||
Db        110 QGTTLTVSS 118


RESULT 14
Q569W9_MOUSE
ID   Q569W9_MOUSE   PRELIMINARY;   PRT;   468 AA.
AC   Q569W9;
DT   10-MAY-2005, integrated into UniProtKB/TrEMBL.
DT   10-MAY-2005, sequence version 1.
DT   27-JUN-2006, entry version 15.
DE   Igh-1a protein.
GN   Name=Igh-1a;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Czech II; TISSUE=Mammary tumor metastatized to lung. Tumor
RC   arose spontaneously;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=Czech II; TISSUE=Mammary tumor metastatized to lung. Tumor
RC   arose spontaneously;
RG   NIH MGC Project;
RL   Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC092271; AAH92271.1; -; mRNA.
DR   SMR; Q569W9; 20-464.
DR   MGI; MGI:96443; Igh-1a.
DR   GO; GO:0042571; C:immunoglobulin complex, circulating; IDA.
DR   GO; GO:0005771; C:multivesicular body; IDA.
DR   GO; GO:0003823; F:antigen binding; IDA.
DR   GO; GO:0001788; P:antibody-dependent cellular cytotoxicity; IDA.
DR   GO; GO:0030333; P:antigen processing; IDA.
DR   GO; GO:0006958; P:complement activation, classical pathway; IDA.
```

```
DR   GO; GO:0045022; P:early endosome to late endosome transport; IDA.
DR   GO; GO:0008333; P:endosome to lysosome transport; IDA.
DR   GO; GO:0006911; P:phagocytosis, engulfment; IDA.
DR   GO; GO:0006910; P:phagocytosis, recognition; IDA.
DR   GO; GO:0050871; P:positive regulation of B cell activation; IDA.
DR   GO; GO:0050778; P:positive regulation of immune response; IDA.
DR   GO; GO:0050766; P:positive regulation of phagocytosis; IDA.
DR   GO; GO:0001812; P:positive regulation of type I hypersensitivity; IDA.
DR   GO; GO:0001798; P:positive regulation of type IIa hypersensit. . .; IDA.
DR   GO; GO:0030162; P:regulation of proteolysis; IDA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 3.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 2.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 4.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   468 AA;  51666 MW;  5BF6B527329F8461 CRC64;

  Query Match            55.5%;  Score 388;  DB 2;  Length 468;
  Best Local Similarity   56.6%;  Pred. No. 4.5e-31;
  Matches   73;  Conservative   24;  Mismatches   22;  Indels   10;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||| |||||: :|| |:|:||| |||:||||:| ||:| ||:||||:| ||||:  | |
Db         20 EVQLQQSGAELVRPGSSVKLSCKTSGYTFTSYYINWVKQRPGQGLEWIGHIYPGNGYTEY 79

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              :  |:|:||:::| | ||||:|  || : ::|:|:|||       |||  |:   | ||
Db         80 NEKFKGKATLTSDTSSSTAYMQLRSLTSENSAIYFCAR-------TGGYDGYF---DYWG 129

Qy        121 QGTTVTVSS 129
              ||||:||||
Db        130 QGTTITVSS 138


RESULT 15
HV01_MOUSE
ID   HV01_MOUSE     STANDARD;      PRT;   121 AA.
AC   P01745;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 38.
DE   Ig heavy chain V region MPC 11.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=81053741; PubMed=6253904;
RA   Zakut R., Cohen J., Givol D.;
RT   "Cloning and sequence of the cDNA corresponding to the variable region
RT   of immunoglobulin heavy chain MPC11.";
RL   Nucleic Acids Res. 8:3591-3601(1980).
RN   [2]
RP   ERRATUM, AND SEQUENCE REVISION.
RA   Zakut R., Cohen J., Givol D.;
RL   Nucleic Acids Res. 8:4839-4840(1980).
CC   -!- MISCELLANEOUS: This sequence was translated from an mRNA isolated
CC       from a myeloma that secretes IgG2b.
CC   -!- SIMILARITY: Contains 1 Ig-like (immunoglobulin-like) domain.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A93708; GVMS11.
DR   HSSP; P01751; 1NQB.
DR   SMR; P01745; 1-121.
DR   Ensembl; ENSMUSG00000062635; Mus musculus.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region.
FT   CHAIN         1    >121       Ig heavy chain V region MPC 11.
FT                                 /FTId=PRO_0000059868.
FT   DOMAIN        1     112       Ig-like.
FT   NON_TER     121     121
SQ   SEQUENCE   121 AA;  13135 MW;  227AEF3EC56ED0BF CRC64;

  Query Match            55.4%;  Score 387;  DB 1;  Length 121;
  Best Local Similarity   56.6%;  Pred. No. 1.2e-31;
  Matches   73;  Conservative   21;  Mismatches   27;  Indels    8;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              | || |||||: :|| |:|||||  :||:||:||||||:: || ||||:| ||||   | |
Db          1 EAQLQQSGAELVRPGTSVKISCKAAGYTFTNYWIGWVKERPGHGLEWIGDIYPGGGFTNY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              : : :|:||::|| | ||||:| ||| : |:|:|:|||        | ||      | ||
Db         61 NDNLKGKATLTADTSSSTAYIQLSSLTSEDSAIYHCAR--------GIYYNSSPYFDSWG 112

Qy        121 QGTTVTVSS 129
              ||||:||||
Db        113 QGTTLTVSS 121


Search completed: April 25, 2007, 04:06:35
Job time : 89.822 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 16 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	578	82.7	119	2	US-09-025-769B-26	Sequence 26, Appl
2	578	82.7	119	2	US-09-490-070A-26	Sequence 26, Appl
3	578	82.7	119	2	US-09-490-153-26	Sequence 26, Appl
4	578	82.7	119	2	US-09-490-324-26	Sequence 26, Appl
5	571.5	81.8	120	2	US-09-025-769B-40	Sequence 40, Appl
6	571.5	81.8	120	2	US-09-025-769B-67	Sequence 67, Appl
7	571.5	81.8	120	2	US-09-490-070A-40	Sequence 40, Appl
8	571.5	81.8	120	2	US-09-490-070A-67	Sequence 67, Appl
9	571.5	81.8	120	2	US-09-490-153-40	Sequence 40, Appl
10	571.5	81.8	120	2	US-09-490-153-67	Sequence 67, Appl
11	571.5	81.8	120	2	US-09-490-324-40	Sequence 40, Appl
12	571.5	81.8	120	2	US-09-490-324-67	Sequence 67, Appl
13	519	74.2	98	1	US-08-665-202-33	Sequence 33, Appl
14	519	74.2	98	2	US-09-315-574-33	Sequence 33, Appl
15	519	74.2	98	2	US-10-194-975-45	Sequence 45, Appl
16	519	74.2	117	2	US-08-545-809A-133	Sequence 133, App
17	519	74.2	117	2	US-09-515-697-133	Sequence 133, App
18	518	74.1	129	1	US-08-665-202-32	Sequence 32, Appl
19	518	74.1	129	2	US-09-315-574-32	Sequence 32, Appl
20	518	74.1	258	1	US-08-665-202-5	Sequence 5, Appli
21	518	74.1	258	2	US-09-315-574-5	Sequence 5, Appli
22	518	74.1	262	2	US-09-069-821-4	Sequence 4, Appli
23	518	74.1	262	2	US-09-956-086-4	Sequence 4, Appli
24	518	74.1	262	2	US-09-956-087-4	Sequence 4, Appli
25	518	74.1	282	2	US-09-420-592A-7	Sequence 7, Appli
26	518	74.1	282	2	US-09-985-442-7	Sequence 7, Appli
27	518	74.1	282	2	US-09-983-580-7	Sequence 7, Appli
28	514	73.5	98	1	US-08-478-039-81	Sequence 81, Appl
29	514	73.5	98	1	US-08-476-349A-81	Sequence 81, Appl
30	509	72.8	111	2	US-09-726-219A-171	Sequence 171, App
31	509	72.8	111	2	US-09-196-522-171	Sequence 171, App
32	508	72.7	119	2	US-09-920-262A-7	Sequence 7, Appli
33	501	71.7	125	1	US-08-665-202-44	Sequence 44, Appl
34	501	71.7	125	2	US-09-315-574-44	Sequence 44, Appl
35	498	71.2	125	1	US-08-665-202-53	Sequence 53, Appl
36	498	71.2	125	1	US-08-665-202-54	Sequence 54, Appl
37	498	71.2	125	2	US-09-315-574-53	Sequence 53, Appl
38	498	71.2	125	2	US-09-315-574-54	Sequence 54, Appl
39	496	71.0	125	1	US-08-665-202-45	Sequence 45, Appl
40	496	71.0	125	1	US-08-665-202-46	Sequence 46, Appl
41	496	71.0	125	1	US-08-665-202-48	Sequence 48, Appl
42	496	71.0	125	1	US-08-665-202-55	Sequence 55, Appl
43	496	71.0	125	2	US-09-315-574-45	Sequence 45, Appl
44	496	71.0	125	2	US-09-315-574-46	Sequence 46, Appl
45	496	71.0	125	2	US-09-315-574-48	Sequence 48, Appl

ALIGNMENTS

RESULT 1
US-09-025-769B-26
; Sequence 26, Application US/09025769B
; Patent No. 6300064
; GENERAL INFORMATION:
; APPLICANT: Knappik, Achim
; APPLICANT: Pack, Peter
; APPLICANT: Ilag, Vic
; APPLICANT: Ge, Liming
; APPLICANT: Moroney, Simon
; APPLICANT: Plueckthun, Andreas
; TITLE OF INVENTION: Protein/(Poly)peptide libraries
; NUMBER OF SEQUENCES: 373
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10021
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/025,769B
; FILING DATE: 18-FEB-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95 11 3021.0
; FILING DATE: 18-AUG-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: James F. Haley, Jr., Esq.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: MORPHO/5
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)596-9000
; TELEFAX: (212)596-9090
; INFORMATION FOR SEQ ID NO: 26:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 119 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-025-769B-26

Query Match 82.7%; Score 578; DB 2; Length 119;
Best Local Similarity 87.6%; Pred. No. 6.5e-48;

```
  Matches  113;  Conservative    2;  Mismatches    4;  Indels   10;  Gaps    3;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||   :|   ||||:     | ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR---LGG--GGYYF-----DYWG 110

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        111 QGTLVTVSS 119


RESULT 2
US-09-490-070A-26
; Sequence 26, Application US/09490070A
; Patent No. 6696248
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                        White & McAuliffe
;             STREET: 1666 K Street, N.W., Suite 300
;             CITY: Washington
;             STATE: D.C.
;             COUNTRY: USA
;             ZIP: 20006
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,070A
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: Colin G. Sandercock, Esq.
;             REGISTRATION NUMBER: 31,298
;             REFERENCE/DOCKET NUMBER: 37629-0005
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (202) 912-2000
;             TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 26:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 119 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 26:
US-09-490-070A-26

  Query Match           82.7%;  Score 578;  DB 2;  Length 119;
  Best Local Similarity   87.6%;  Pred. No. 6.5e-48;
  Matches  113;  Conservative    2;  Mismatches    4;  Indels   10;  Gaps    3;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||   :|   ||||:     | ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR---LGG--GGYYF-----DYWG 110

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        111 QGTLVTVSS 119


RESULT 3
US-09-490-153-26
; Sequence 26, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,153
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769B
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 26:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 119 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 26:
US-09-490-153-26

  Query Match           82.7%;  Score 578;  DB 2;  Length 119;
  Best Local Similarity   87.6%;  Pred. No. 6.5e-48;
  Matches  113;  Conservative    2;  Mismatches    4;  Indels   10;  Gaps    3;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||   :|   ||||:     | ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR---LGG--GGYYF-----DYWG 110

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        111 QGTLVTVSS 119
```

```
RESULT 4
US-09-490-324-26
; Sequence 26, Application US/09490324
; Patent No. 6828422
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;  INFORMATION FOR SEQ ID NO: 26:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 119 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 26:
US-09-490-324-26

  Query Match             82.7%;  Score 578;  DB 2;  Length 119;
  Best Local Similarity   87.6%;  Pred. No. 6.5e-48;
  Matches  113;  Conservative    2;  Mismatches    4;  Indels   10;  Gaps    3;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||||   :|   ||||:     | ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR---LGG--GGYYF-----DYWG 110

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        111 QGTLVTVSS 119


RESULT 5
US-09-025-769B-40
; Sequence 40, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  40:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  120 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-40

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||||||        || :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 6
US-09-025-769B-67
; Sequence 67, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
```

```
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  67:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  120 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-67

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 7
US-09-490-070A-40
; Sequence 40, Application US/09490070A
; Patent No. 6696248
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                        White & McAuliffe
;             STREET: 1666 K Street, N.W., Suite 300
;             CITY: Washington
;             STATE: D.C.
;             COUNTRY: USA
;             ZIP: 20006
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,070A
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: Colin G. Sandercock, Esq.
;             REGISTRATION NUMBER: 31,298
;             REFERENCE/DOCKET NUMBER: 37629-0005
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (202) 912-2000
;             TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 40:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 40:
US-09-490-070A-40

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 8
US-09-490-070A-67
; Sequence 67, Application US/09490070A
; Patent No. 6696248
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                        White & McAuliffe
;             STREET: 1666 K Street, N.W., Suite 300
;             CITY: Washington
;             STATE: D.C.
;             COUNTRY: USA
;             ZIP: 20006
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,070A
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
```

```
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 67:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 67:
US-09-490-070A-67

  Query Match            81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||||      ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 9
US-09-490-153-40
; Sequence 40, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 40:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 40:
US-09-490-153-40

  Query Match            81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||||||||||||||||||||||      ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 10
US-09-490-153-67
; Sequence 67, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 67:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 120 amino acids
;            TYPE: amino acid
```

```
;            TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 67:
US-09-490-153-67

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 11
US-09-490-324-40
; Sequence 40, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 40:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 40:
US-09-490-324-40

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120


RESULT 12
US-09-490-324-67
; Sequence 67, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 67:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 120 amino acids
;             TYPE: amino acid
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 67:
US-09-490-324-67

  Query Match             81.8%;  Score 571.5;  DB 2;  Length 120;
  Best Local Similarity   86.8%;  Pred. No. 2.7e-47;
  Matches  112;  Conservative    1;  Mismatches    7;  Indels    9;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        ||  :|   || ||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy        121 QGTTVTVSS 129
              ||| |||||
Db        112 QGTLVTVSS 120
```

```
Qy          61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
               ||||||| ||||||||||||||||||||||||||||||        ||  :|   || ||
Db          61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARW-------GGDGFY--AMDYWG 111

Qy         121 QGTTVTVSS 129
               ||| |||||
Db         112 QGTLVTVSS 120


RESULT 13
US-08-665-202-33
; Sequence 33, Application US/08665202
; Patent No. 5977322
;  GENERAL INFORMATION:
;    APPLICANT:  Marks, James D.
;    APPLICANT:  Schier, Robert
;    TITLE OF INVENTION:  No. 5977322el High Affinity Human Antibodies to
;    TITLE OF INVENTION:  Tumor Antigens
;    NUMBER OF SEQUENCES:  141
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend and Crew LLP
;      STREET:  Two Embarcadero Center, Eighth Floor
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94111-3834
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/665,202
;      FILING DATE:  13-JUN-1996
;      CLASSIFICATION:  424
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 60/000,238
;      FILING DATE:  14-JUN-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 60/000,250
;      FILING DATE:  15-JUN-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Hunter, Tom
;      REGISTRATION NUMBER:  38,498
;      REFERENCE/DOCKET NUMBER:  02307E-061410
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 576-0200
;      TELEFAX:  (415) 576-0300
;  INFORMATION FOR SEQ ID NO:  33:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  98 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
US-08-665-202-33

  Query Match             74.2%;  Score 519;  DB 1;  Length 98;
  Best Local Similarity   99.0%;  Pred. No. 2.3e-42;
  Matches   97;  Conservative    0;  Mismatches    1;  Indels    0;  Gaps    0;

Qy           1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy          61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCAR 98
               ||||||| |||||||||||||||||||||||||||||
Db          61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR 98


RESULT 14
US-09-315-574-33
; Sequence 33, Application US/09315574
; Patent No. 6512097
;  GENERAL INFORMATION:
;    APPLICANT:  Marks, James D.
;    APPLICANT:  Schier, Robert
;    TITLE OF INVENTION:  No. 6512097el High Affinity Human Antibodies to
;    TITLE OF INVENTION:  Tumor Antigens
;    NUMBER OF SEQUENCES:  141
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Majestic, Parsons, Siebert & Hsue P.C.
;      STREET:  Four Embarcadero Center, Suite 1100
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94111-4106
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/315,574
;      FILING DATE:  20-MAY-99
;      CLASSIFICATION:  530
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 60/000,238
;      FILING DATE:  14-JUN-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 60/000,250
;      FILING DATE:  15-JUN-1995
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/665,202
;      FILING DATE:  13-JUN-1996
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Hunter, Tom
;      REGISTRATION NUMBER:  38,498
;      REFERENCE/DOCKET NUMBER:  02307E-061411
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 576-0200
;      TELEFAX:  (415) 576-0300
;  INFORMATION FOR SEQ ID NO:  33:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  98 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
US-09-315-574-33

  Query Match             74.2%;  Score 519;  DB 2;  Length 98;
  Best Local Similarity   99.0%;  Pred. No. 2.3e-42;
  Matches   97;  Conservative    0;  Mismatches    1;  Indels    0;  Gaps    0;

Qy           1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy          61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCAR 98
               ||||||| |||||||||||||||||||||||||||||
Db          61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR 98


RESULT 15
US-10-194-975-45
; Sequence 45, Application US/10194975
; Patent No. 6881557
; GENERAL INFORMATION:
;  APPLICANT: Foote, Jefferson
;  TITLE OF INVENTION: Super Humanized Antibodies
;  FILE REFERENCE: 501231.01
;  CURRENT APPLICATION NUMBER: US/10/194,975
;  CURRENT FILING DATE:  2002-10-10
;  PRIOR APPLICATION NUMBER: US 60/305,111
;  PRIOR FILING DATE: 2001-07-12
```

; NUMBER OF SEQ ID NOS: 122
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 45
; LENGTH: 98
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-194-975-45

Query Match 74.2%; Score 519; DB 2; Length 98;
Best Local Similarity 99.0%; Pred. No. 2.3e-42;
Matches 97; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCAR 98
              ||||||| ||||||||||||||||||||||||||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR 98
```

Search completed: April 25, 2007, 04:08:30
Job time : 17.2161 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 48 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	699	100.0	129	4	US-10-041-860-29	Sequence 29, Appl
2	699	100.0	129	4	US-10-041-860-215	Sequence 215, App
3	699	100.0	129	4	US-10-041-860-250	Sequence 250, App
4	699	100.0	129	4	US-10-041-860-319	Sequence 319, App
5	699	100.0	129	4	US-10-665-383-38	Sequence 38, Appl
6	603	86.3	125	5	US-10-891-658-79	Sequence 79, Appl
7	598.5	85.6	126	4	US-10-041-860-313	Sequence 313, App
8	593.5	84.9	126	4	US-10-041-860-27	Sequence 27, Appl
9	593.5	84.9	126	4	US-10-041-860-214	Sequence 214, App
10	593.5	84.9	126	4	US-10-041-860-249	Sequence 249, App
11	593.5	84.9	126	4	US-10-665-383-34	Sequence 34, Appl
12	592.5	84.8	126	4	US-10-041-860-23	Sequence 23, Appl
13	592.5	84.8	126	4	US-10-041-860-248	Sequence 248, App
14	592.5	84.8	126	4	US-10-041-860-300	Sequence 300, App
15	592.5	84.8	126	4	US-10-665-383-26	Sequence 26, Appl
16	590	84.4	118	5	US-10-726-332-143	Sequence 143, App
17	589.5	84.3	126	4	US-10-041-860-35	Sequence 35, Appl
18	589.5	84.3	126	4	US-10-041-860-216	Sequence 216, App
19	589.5	84.3	126	4	US-10-041-860-251	Sequence 251, App
20	589.5	84.3	126	4	US-10-041-860-337	Sequence 337, App
21	589.5	84.3	126	4	US-10-665-383-50	Sequence 50, Appl
22	587	84.0	118	5	US-10-726-332-3	Sequence 3, Appli
23	585	83.7	118	5	US-10-726-332-139	Sequence 139, App
24	584	83.5	118	5	US-10-726-332-13	Sequence 13, Appl
25	584	83.5	118	5	US-10-726-332-140	Sequence 140, App
26	580	83.0	118	5	US-10-726-332-29	Sequence 29, Appl
27	578	82.7	119	5	US-10-834-397-26	Sequence 26, Appl
28	576.5	82.5	226	4	US-10-128-520-159	Sequence 159, App
29	576	82.4	252	3	US-09-880-748-1537	Sequence 1537, Ap
30	576	82.4	252	4	US-10-293-418-1537	Sequence 1537, Ap
31	576	82.4	252	6	US-11-054-515-1537	Sequence 1537, Ap
32	576	82.4	252	6	US-11-266-444-1537	Sequence 1537, Ap
33	573.5	82.0	224	4	US-10-128-520-180	Sequence 180, App
34	573	82.0	118	5	US-10-726-332-145	Sequence 145, App
35	572.5	81.9	116	5	US-10-727-155-100	Sequence 100, App
36	572.5	81.9	222	4	US-10-128-520-169	Sequence 169, App
37	571.5	81.8	120	4	US-10-125-687-6	Sequence 6, Appli
38	571.5	81.8	120	5	US-10-996-191-6	Sequence 6, Appli
39	571.5	81.8	120	5	US-10-834-397-40	Sequence 40, Appl
40	571.5	81.8	120	5	US-10-834-397-67	Sequence 67, Appl
41	571.5	81.8	126	4	US-10-041-860-46	Sequence 46, Appl
42	571.5	81.8	126	4	US-10-041-860-217	Sequence 217, App
43	571.5	81.8	126	4	US-10-041-860-366	Sequence 366, App
44	571.5	81.8	126	4	US-10-665-383-70	Sequence 70, Appl
45	569.5	81.5	224	4	US-10-128-520-165	Sequence 165, App

ALIGNMENTS

RESULT 1
US-10-041-860-29
; Sequence 29, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 29
; LENGTH: 129
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-29

Query Match 100.0%; Score 699; DB 4; Length 129;
Best Local Similarity 100.0%; Pred. No. 2.4e-55;
Matches 129; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129
```

RESULT 2
US-10-041-860-215
; Sequence 215, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 215
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-215

  Query Match             100.0%;  Score 699;  DB 4;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 2.4e-55;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 3
US-10-041-860-250
; Sequence 250, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 250
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-250

  Query Match             100.0%;  Score 699;  DB 4;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 2.4e-55;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 4
US-10-041-860-319
; Sequence 319, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 319
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-319

  Query Match             100.0%;  Score 699;  DB 4;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 2.4e-55;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 5
US-10-665-383-38
; Sequence 38, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 38
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-38
```

```
  Query Match           100.0%;  Score 699;  DB 4;  Length 129;
  Best Local Similarity  100.0%;  Pred. No. 2.4e-55;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 6
US-10-891-658-79
; Sequence 79, Application US/10891658
; Publication No. US20050074821A1
; GENERAL INFORMATION:
;  APPLICANT: Kenneth, Wild
;  APPLICANT:  Treanor, James
;  APPLICANT:  Huang, Haichun
;  APPLICANT:  Inoue, Heather
;  APPLICANT:  Zhang, Tie J.
;  APPLICANT:  Martin, Frank
;  TITLE OF INVENTION: Human anti-NGF Neutralizing Antibodies as Selective NGF Pathway
;  TITLE OF INVENTION:  Inhibitors
;  FILE REFERENCE: 02-1240
;  CURRENT APPLICATION NUMBER: US/10/891,658
;  CURRENT FILING DATE:  2004-07-15
;  PRIOR APPLICATION NUMBER: US 60/487,431
;  PRIOR FILING DATE: 2003-07-15
;  NUMBER OF SEQ ID NOS: 138
;  SOFTWARE: PatentIn version 3.0
; SEQ ID NO 79
;   LENGTH: 125
;   TYPE: PRT
;   ORGANISM: homo sapien
US-10-891-658-79

  Query Match           86.3%;  Score 603;  DB 5;  Length 125;
  Best Local Similarity  88.4%;  Pred. No. 1.1e-46;
  Matches  114;  Conservative    7;  Mismatches    4;  Indels    4;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||:||:||||||||||||||||||||||||||:|
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYNFTTYWIGWVRQMPGKGLEWMGIIYPGDSDTKY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||:   |:   | ||||:||:|||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARNY-YGS---GTYYYYYGMNVWG 116

Qy        121 QGTTVTVSS 129
              |||||||||
Db        117 QGTTVTVSS 125


RESULT 7
US-10-041-860-313
; Sequence 313, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 313
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-313

  Query Match           85.6%;  Score 598.5;  DB 4;  Length 126;
  Best Local Similarity  86.5%;  Pred. No. 2.8e-46;
  Matches  115;  Conservative    1;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||        | |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 8
US-10-041-860-27
; Sequence 27, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 27
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-27

  Query Match           84.9%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 7.8e-46;
  Matches  114;  Conservative    1;  Mismatches    7;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||||||||| ||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYRFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||        | |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126
```

```
RESULT 9
US-10-041-860-214
; Sequence 214, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 214
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-214

  Query Match            84.9%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 7.8e-46;
  Matches  114;  Conservative    1;  Mismatches    7;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||| |||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYRFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||||       | |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 10
US-10-041-860-249
; Sequence 249, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 249
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-249

  Query Match            84.9%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 7.8e-46;
  Matches  114;  Conservative    1;  Mismatches    7;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||| |||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYRFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||||       | |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 11
US-10-665-383-34
; Sequence 34, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 34
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-34

  Query Match            84.9%;  Score 593.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 7.8e-46;
  Matches  114;  Conservative    1;  Mismatches    7;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              |||||||||||||||||||||||||| |||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYRFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||||       | |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 12
US-10-041-860-23
; Sequence 23, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
```

```
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 23
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-23

  Query Match            84.8%;  Score 592.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 9.7e-46;
  Matches  114;  Conservative    2;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||:||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCEGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| ||||||||||||||||||||||||||||||        |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARHV-------SYYYVSGSYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 13
US-10-041-860-248
; Sequence 248, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 248
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-248

  Query Match            84.8%;  Score 592.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 9.7e-46;
  Matches  114;  Conservative    2;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||:||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCEGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| ||||||||||||||||||||||||||||||        |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARHV-------SYYYVSGSYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 14
US-10-041-860-300
; Sequence 300, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 300
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-300

  Query Match            84.8%;  Score 592.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 9.7e-46;
  Matches  114;  Conservative    2;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||:||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCEGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| ||||||||||||||||||||||||||||||        |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARHV-------SYYYVSGSYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 15
US-10-665-383-26
; Sequence 26, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Floege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 26
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-26

  Query Match            84.8%;  Score 592.5;  DB 4;  Length 126;
  Best Local Similarity  85.7%;  Pred. No. 9.7e-46;
  Matches  114;  Conservative    2;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||:||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCEGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
```

```
              ||||||| |||||||||||||||||||||||||||||||        |||    ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARHV-------SYYYVSGSYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126
```

Search completed: April 25, 2007, 04:22:49
Job time : 48.7373 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 50 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-38
Perfect score: 699
Sequence: 1 EVQLVQSGAEVKKPGESLKI.....YYYYHGMDVWGQGTTVTVSS 129

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	699	100.0	129	7	US-11-109-181-29	Sequence 29, Appl
2	699	100.0	129	7	US-11-109-181-215	Sequence 215, App
3	699	100.0	129	7	US-11-109-181-250	Sequence 250, App
4	699	100.0	129	7	US-11-109-181-319	Sequence 319, App
5	614	87.8	121	7	US-11-440-728-10	Sequence 10, Appl
6	613.5	87.8	118	7	US-11-440-728-143	Sequence 143, App
7	608	87.0	121	7	US-11-440-728-22	Sequence 22, Appl
8	608	87.0	121	7	US-11-440-728-145	Sequence 145, App
9	607	86.8	121	7	US-11-440-728-18	Sequence 18, Appl
10	602	86.1	121	7	US-11-440-728-106	Sequence 106, App
11	602	86.1	121	7	US-11-440-728-118	Sequence 118, App
12	599	85.7	121	7	US-11-440-728-90	Sequence 90, Appl
13	598.5	85.6	126	7	US-11-109-181-313	Sequence 313, App
14	598	85.6	119	7	US-11-440-728-146	Sequence 146, App
15	598	85.6	121	7	US-11-440-728-98	Sequence 98, Appl
16	597.5	85.5	124	7	US-11-440-728-6	Sequence 6, Appli
17	597	85.4	121	7	US-11-440-728-130	Sequence 130, App
18	596	85.3	121	7	US-11-440-728-38	Sequence 38, Appl
19	595.5	85.2	122	7	US-11-440-728-46	Sequence 46, Appl
20	595	85.1	121	7	US-11-440-728-151	Sequence 151, App
21	594	85.0	121	7	US-11-440-728-74	Sequence 74, Appl
22	593.5	84.9	126	7	US-11-109-181-27	Sequence 27, Appl
23	593.5	84.9	126	7	US-11-109-181-214	Sequence 214, App
24	593.5	84.9	126	7	US-11-109-181-249	Sequence 249, App
25	592.5	84.8	126	7	US-11-109-181-23	Sequence 23, Appl
26	592.5	84.8	126	7	US-11-109-181-248	Sequence 248, App
27	592.5	84.8	126	7	US-11-109-181-300	Sequence 300, App
28	592	84.7	121	7	US-11-440-728-122	Sequence 122, App
29	592	84.7	156	7	US-11-396-178-170	Sequence 170, App
30	592	84.7	156	7	US-11-396-178-175	Sequence 175, App
31	592	84.7	182	7	US-11-396-178-100	Sequence 100, App
32	592	84.7	182	7	US-11-396-178-157	Sequence 157, App
33	590	84.4	121	7	US-11-440-728-58	Sequence 58, Appl
34	590	84.4	121	7	US-11-440-728-94	Sequence 94, Appl
35	590	84.4	178	7	US-11-396-178-92	Sequence 92, Appl
36	590	84.4	178	7	US-11-396-178-153	Sequence 153, App
37	589.5	84.3	126	7	US-11-109-181-35	Sequence 35, Appl
38	589.5	84.3	126	7	US-11-109-181-216	Sequence 216, App
39	589.5	84.3	126	7	US-11-109-181-251	Sequence 251, App
40	589.5	84.3	126	7	US-11-109-181-337	Sequence 337, App
41	588	84.1	121	7	US-11-440-728-102	Sequence 102, App
42	587	84.0	121	7	US-11-440-728-126	Sequence 126, App
43	585.5	83.8	122	7	US-11-440-728-42	Sequence 42, Appl
44	584.5	83.6	122	7	US-11-440-728-50	Sequence 50, Appl
45	579	82.8	121	7	US-11-440-728-34	Sequence 34, Appl

ALIGNMENTS

RESULT 1
US-11-109-181-29
; Sequence 29, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18.
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 29
; LENGTH: 129
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-29

Query Match 100.0%; Score 699; DB 7; Length 129;
Best Local Similarity 100.0%; Pred. No. 1.1e-57;
Matches 129; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129
```

RESULT 2
US-11-109-181-215
; Sequence 215, Application US/11109181

```
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 215
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-215

  Query Match             100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 1.1e-57;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 3
US-11-109-181-250
; Sequence 250, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 250
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-250

  Query Match             100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 1.1e-57;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 4
US-11-109-181-319
; Sequence 319, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 319
;   LENGTH: 129
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-319

  Query Match             100.0%;  Score 699;  DB 7;  Length 129;
  Best Local Similarity   100.0%;  Pred. No. 1.1e-57;
  Matches  129;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120

Qy        121 QGTTVTVSS 129
              |||||||||
Db        121 QGTTVTVSS 129


RESULT 5
US-11-440-728-10
; Sequence 10, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
```

```
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 10
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-10

  Query Match            87.8%;  Score 614;  DB 7;  Length 121;
  Best Local Similarity   89.9%;  Pred. No. 8.5e-50;
  Matches  116;  Conservative    2;  Mismatches    3;  Indels    8;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||:||| |||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWIVWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        | ||||:||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH--------GDYYYYYGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 6
US-11-440-728-143
; Sequence 143, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 143
;   LENGTH: 118
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-143

  Query Match            87.8%;  Score 613.5;  DB 7;  Length 118;
  Best Local Similarity   89.9%;  Pred. No. 9.3e-50;
  Matches  116;  Conservative    1;  Mismatches    1;  Indels   11;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||          ||||:||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR----------YYYYYGMDVWG 109

Qy        121 QGTTVTVSS 129
              |||||||||
Db        110 QGTTVTVSS 118


RESULT 7
US-11-440-728-22
; Sequence 22, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 22
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-22

  Query Match            87.0%;  Score 608;  DB 7;  Length 121;
  Best Local Similarity   90.7%;  Pred. No. 3.1e-49;
  Matches  117;  Conservative    1;  Mismatches    3;  Indels    8;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||        :| || || ||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR-------LGDYYNYY-GMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 8
US-11-440-728-145
; Sequence 145, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 145
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-145

  Query Match            87.0%;  Score 608;  DB 7;  Length 121;
  Best Local Similarity   91.5%;  Pred. No. 3.1e-49;
  Matches  118;  Conservative    1;  Mismatches    2;  Indels    8;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
```

```
              ||||||| |||||||||||||||||||||||||||||||    ||||      ||:||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR---VGAT-----NYYYGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 9
US-11-440-728-18
; Sequence 18, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-18

  Query Match             86.8%;  Score 607;  DB 7;  Length 121;
  Best Local Similarity   89.1%;  Pred. No. 3.8e-49;
  Matches  115;  Conservative    2;  Mismatches    4;  Indels    8;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||||         | ||:| ||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARQ--------GDYYHYSGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 10
US-11-440-728-106
; Sequence 106, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 106
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-106

  Query Match             86.1%;  Score 602;  DB 7;  Length 121;
  Best Local Similarity   89.8%;  Pred. No. 1.1e-48;
  Matches  115;  Conservative    0;  Mismatches    5;  Indels    8;  Gaps    1;

Qy          2 VQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRYS 61
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          2 VQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRYS 61

Qy         62 PSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWGQ 121
              ||||||  |||||||||||||||||||||||||||         | || |||||||||
Db         62 PSFQGQVIISADKSISTAYLQWSSLKASDTAMYYCAR--------TGDYYSYHGMDVWGQ 113

Qy        122 GTTVTVSS 129
              ||||||||
Db        114 GTTVTVSS 121


RESULT 11
US-11-440-728-118
; Sequence 118, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 118
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-118

  Query Match             86.1%;  Score 602;  DB 7;  Length 121;
  Best Local Similarity   89.1%;  Pred. No. 1.1e-48;
  Matches  115;  Conservative    2;  Mismatches    4;  Indels    8;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||||         | |: |:||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR--------TGDYHNYYGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 12
US-11-440-728-90
; Sequence 90, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
```

```
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 90
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-90

  Query Match            85.7%;  Score 599;  DB 7;  Length 121;
  Best Local Similarity  88.4%;  Pred. No. 2.1e-48;
  Matches  114;  Conservative    3;  Mismatches    4;  Indels    8;  Gaps    1;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||| |||||||||||||||||||        | :|:|:||||||
Db         61 SPSFQGQVTISADKSIRTAYLQWSSLKASDTAMYYCARI--------GDHYHYNGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121


RESULT 13
US-11-109-181-313
; Sequence 313, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 313
;   LENGTH: 126
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-313

  Query Match            85.6%;  Score 598.5;  DB 7;  Length 126;
  Best Local Similarity  86.5%;  Pred. No. 2.5e-48;
  Matches  115;  Conservative    1;  Mismatches    6;  Indels   11;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYY----YYHGM 116
              ||||||| |||||||||||||||||||||||||||||||        | |||     ||:
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCARH-------GSYYYGSETYYNVF 113

Qy        117 DVWGQGTTVTVSS 129
              | ||||| |||||
Db        114 DYWGQGTLVTVSS 126


RESULT 14
US-11-440-728-146
; Sequence 146, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 146
;   LENGTH: 119
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-146

  Query Match            85.6%;  Score 598;  DB 7;  Length 119;
  Best Local Similarity  89.9%;  Pred. No. 2.6e-48;
  Matches  116;  Conservative    0;  Mismatches    3;  Indels   10;  Gaps    2;

Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| |||||||||||||||||||||||||||||||        | |||   ||||||
Db         61 SPSFQGQVTISADKSISTAYLQWSSLKASDTAMYYCAR-------TGTYYY---GMDVWG 110

Qy        121 QGTTVTVSS 129
              |||||||||
Db        111 QGTTVTVSS 119


RESULT 15
US-11-440-728-98
; Sequence 98, Application US/11440728
; Publication No. US20070014720A1
; GENERAL INFORMATION:
;  APPLICANT: GAZIT-BORNSTEIN, Gadi
;  APPLICANT:  GREEN, Larry L.
;  APPLICANT:  YANG, Xiaodong
;  APPLICANT:  QUEVA, Christophe
;  APPLICANT:  BLAKEY, David Charles
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO CD20 AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABXAZ.003A
;  CURRENT APPLICATION NUMBER: US/11/440,728
;  CURRENT FILING DATE:  2006-05-25
;  PRIOR APPLICATION NUMBER: US 60/686,992
;  PRIOR FILING DATE: 2005-06-02
;  NUMBER OF SEQ ID NOS: 202
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 98
;   LENGTH: 121
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-440-728-98

  Query Match            85.6%;  Score 598;  DB 7;  Length 121;
  Best Local Similarity  87.6%;  Pred. No. 2.6e-48;
  Matches  113;  Conservative    3;  Mismatches    5;  Indels    8;  Gaps    1;
```

```
Qy          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTSYWIGWVRQMPGKGLEWMGIIYPGDSDTRY 60
              ||||||||||||||||||||||||||||||:||| ||||||||||||||||||||||||
Db          1 EVQLVQSGAEVKKPGESLKISCKGSGYSFTNYWINWVRQMPGKGLEWMGIIYPGDSDTRY 60

Qy         61 SPSFQGQATISADKSISTAYLQWSSLKASDTAMYYCARHVDVGATIGGYYYYYHGMDVWG 120
              ||||||| ||||||||:|||||||||||||||||||          | :||| ||||||
Db         61 SPSFQGQVTISADKSINTAYLQWSSLKASDTAMYYCARQ--------GGHYYYSGMDVWG 112

Qy        121 QGTTVTVSS 129
              |||||||||
Db        113 QGTTVTVSS 121
```

Search completed: April 25, 2007, 04:27:43
Job time : 49.7415 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:54:56 ; Search time 98 Seconds
(without alignments)
564.248 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2782304 seqs, 489333398 residues

Total number of hits satisfying chosen parameters: 2782304

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_200701:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*
9: geneseqp2005s:*
10: geneseqp2006s:*
11: geneseqp2007s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	590	100.0	113	7	ADK18831	Adk18831 Anti-huma
2	590	100.0	113	7	ADK18797	Adk18797 Anti-huma
3	590	100.0	113	7	ADK18606	Adk18606 Anti-huma
4	590	100.0	113	8	ADL25430	Adl25430 Human mAb
5	576.5	97.7	114	7	ADK18898	Adk18898 Anti-huma
6	556	94.2	248	4	AAG65590	Aag65590 Anti-hEDR
7	555	94.1	113	3	AAY95221	Aay95221 Anti-plat
8	554.5	94.0	131	10	AEJ57801	Aej57801 Human ant
9	554.5	94.0	146	10	AEJ57944	Aej57944 Human ant
10	554	93.9	113	3	AAY95220	Aay95220 Anti-plat
11	554	93.9	113	8	ADI22126	Adi22126 Anti-plat
12	554	93.9	114	3	AAY95186	Aay95186 Anti-plat
13	554	93.9	131	3	AAY95226	Aay95226 Anti-plat
14	550	93.2	112	8	ADP47300	Adp47300 Human pho
15	550	93.2	223	10	AEK98277	Aek98277 Human 161
16	550	93.2	223	10	AEK98219	Aek98219 Human 161
17	549	93.1	113	8	ADI22125	Adi22125 Anti-plat
18	548.5	93.0	110	7	ADP03995	Adp03995 Murine-ex
19	548.5	93.0	112	8	ADI22111	Adi22111 Anti-plat
20	547.5	92.8	112	8	ADI22129	Adi22129 Anti-plat
21	547.5	92.8	112	8	ADI22112	Adi22112 Anti-plat
22	547	92.7	111	3	AAY95225	Aay95225 Anti-plat
23	547	92.7	112	3	AAY95187	Aay95187 Anti-plat
24	547	92.7	112	8	ADP47109	Adp47109 Human pho
25	547	92.7	112	9	AEA45169	Aea45169 Apolipopr
26	547	92.7	113	10	AEJ64254	Aej64254 Human ant
27	546.5	92.6	112	8	ADI22114	Adi22114 Anti-plat
28	546.5	92.6	112	10	AEH82673	Aeh82673 Human ant
29	546.5	92.6	112	10	AEI93626	Aei93626 Human lig
30	546.5	92.6	112	10	AEJ42800	Aej42800 IGF-R ant
31	546.5	92.6	112	10	AEJ42864	Aej42864 IGF-R ant
32	546.5	92.6	112	10	AEJ42818	Aej42818 IGF-R ant
33	546.5	92.6	112	10	AEK41374	Aek41374 Human imm
34	546.5	92.6	113	10	AEH82663	Aeh82663 Human ant
35	546.5	92.6	113	10	AEI65178	Aei65178 Anti-Ang-
36	546.5	92.6	115	10	AEH82634	Aeh82634 Human ant
37	546.5	92.6	115	10	AEH82642	Aeh82642 Human ant
38	546.5	92.6	115	10	AEH82626	Aeh82626 Human ant
39	546.5	92.6	115	10	AEH82618	Aeh82618 Human ant
40	546.5	92.6	134	9	ADV67311	Adv67311 Amino aci
41	546.5	92.6	134	10	AEI42744	Aei42744 Human imm
42	546.5	92.6	134	10	AEI62909	Aei62909 Human ant
43	546	92.5	111	8	ADP22370	Adp22370 Human ant
44	546	92.5	112	8	ADP46986	Adp46986 Murine li
45	545.5	92.5	112	7	ADJ76892	Adj76892 Anti-IGF-

ALIGNMENTS

RESULT 1
ADK18831
ID ADK18831 standard; protein; 113 AA.
XX
AC ADK18831;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #57.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 255; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.

```
XX
SQ   Sequence 113 AA;

  Query Match             100.0%;  Score 590;  DB 7;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 3.1e-43;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 2
ADK18797
ID   ADK18797 standard; protein; 113 AA.
XX
AC   ADK18797;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody protein related sequence #23.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 221; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 113 AA;

  Query Match             100.0%;  Score 590;  DB 7;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 3.1e-43;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 3
ADK18606
ID   ADK18606 standard; protein; 113 AA.
XX
AC   ADK18606;
XX
DT   06-MAY-2004  (first entry)
XX
DE   Anti-human PDGF-D antibody light chain protein sequence.
XX
KW   antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS   Homo sapiens.
XX
PN   WO2003057857-A2.
XX
PD   17-JUL-2003.
XX
PF   06-JAN-2003; 2003WO-US000398.
XX
PR   07-JAN-2002; 2002US-00041860.
XX
PA   (ABGE-) ABGENIX INC.
XX
PI   Corvalan JRF,  Jia X,  Feng X,  Yang X,  Chen F,  Gazit G,  Weber R;
PI   Bezabeh B;
XX
DR   WPI; 2003-587119/55.
XX
PT   New human monoclonal antibody that binds to platelet-derived growth
PT   factor-D (PDGF-D), useful for treating chronic and recurrent human
PT   diseases, such as inflammation, autoimmunity and cancer.
XX
PS   Disclosure; SEQ ID NO 30; 255pp; English.
XX
CC   The invention relates to a human monoclonal antibody that binds to
CC   platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC   treating chronic and recurrent human diseases, such as inflammation,
CC   autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC   useful for modulating collagen formation, and for staging various
CC   cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC   generated using an active protein fragment of the gene product from the
CC   clone 30664188.0.99 arising in the conditioned medium obtained when
CC   HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC   sequence corresponds to a protein used in the invention.
XX
SQ   Sequence 113 AA;

  Query Match             100.0%;  Score 590;  DB 7;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 3.1e-43;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 4
ADL25430
ID   ADL25430 standard; protein; 113 AA.
XX
AC   ADL25430;
XX
DT   17-JUN-2004  (first entry)
XX
```

DE Human mAb 1.29 light chain variable region protein SEQ ID NO:40.
XX
KW antibody; binding fragment; platelet derived growth factor-DD; PDGF-DD;
KW nephritis; mesangial cell proliferation inhibition;
KW mesangial proliferative glomerulonephritis; nephrotropic;
KW antiinflammatory; dermatological; immunosuppressive; antidiabetic;
KW gene therapy; human; monoclonal antibody; mAb.
XX
OS Homo sapiens.
XX
PN WO2004024098-A2.
XX
PD 25-MAR-2004.
XX
PF 16-SEP-2003; 2003WO-US029414.
XX
PR 16-SEP-2002; 2002US-0411137P.
XX
PA (ABGE-) ABGENIX INC.
PA (CURA-) CURAGEN CORP.
XX
PI Floege J, Gazit-Bornstein G, Keyt B, Larochelle WJ, Lichenstein H;
XX
DR WPI; 2004-269881/25.
DR N-PSDB; ADL25429.
XX
PT Use of an antibody or its binding fragment that binds platelet derived
PT growth factor-DD (PDGF-DD) for preparing a medicament for treating
PT nephritis.
XX
PS Disclosure; SEQ ID NO 40; 115pp; English.
XX
CC The present invention describes an antibody or its binding fragment that
CC binds platelet derived growth factor-DD (PDGF-DD), where the antibody is
CC useful in preparing a medicament for treating nephritis. Also described:
CC (1) a method of detecting nephritis; (2) a method of treating nephritis;
CC (3) a method of inhibiting mesangial cell proliferation; and (4) a method
CC of treating mesangial proliferative glomerulonephritis. The antibody has
CC nephrotropic, antiinflammatory, dermatological, immunosuppressive and
CC antidiabetic activities, and can be used in gene therapy. The antibody or
CC its binding fragment, that binds PDGF-DD, can be used in preparing a
CC medicament for treating nephritis and related disorders, e.g., mesangial
CC proliferative glomerulonephritis. The present sequence represents a human
CC monoclonal antibody (mAb) variable region sequence, which is used in the
CC exemplification of the present invention.
XX
SQ Sequence 113 AA;

Query Match 100.0%; Score 590; DB 8; Length 113;
Best Local Similarity 100.0%; Pred. No. 3.1e-43;
Matches 113; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
```

RESULT 5
ADK18898
ID ADK18898 standard; protein; 114 AA.
XX
AC ADK18898;
XX
DT 06-MAY-2004 (first entry)
XX
DE Anti-human PDGF-D antibody protein related sequence #124.
XX
KW antiinflammatory; immunomodulator; cytostatic; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2003057857-A2.
XX
PD 17-JUL-2003.
XX
PF 06-JAN-2003; 2003WO-US000398.
XX
PR 07-JAN-2002; 2002US-00041860.
XX
PA (ABGE-) ABGENIX INC.
XX
PI Corvalan JRF, Jia X, Feng X, Yang X, Chen F, Gazit G, Weber R;
PI Bezabeh B;
XX
DR WPI; 2003-587119/55.
XX
PT New human monoclonal antibody that binds to platelet-derived growth
PT factor-D (PDGF-D), useful for treating chronic and recurrent human
PT diseases, such as inflammation, autoimmunity and cancer.
XX
PS Disclosure; SEQ ID NO 322; 255pp; English.
XX
CC The invention relates to a human monoclonal antibody that binds to
CC platelet-derived growth factor-D (PDGF-D). The antibodies are useful for
CC treating chronic and recurrent human diseases, such as inflammation,
CC autoimmunity and cancer. The PDGF-D nucleic acids and polypeptides are
CC useful for modulating collagen formation, and for staging various
CC cancers. Antibodies to platelet-derived growth factor-D (PDGF-D) were
CC generated using an active protein fragment of the gene product from the
CC clone 30664188.0.99 arising in the conditioned medium obtained when
CC HEK293 cells are transfected with the plasmid pCEP4/Sec-30664188. This
CC sequence corresponds to a protein used in the invention.
XX
SQ Sequence 114 AA;

Query Match 97.7%; Score 576.5; DB 7; Length 114;
Best Local Similarity 98.2%; Pred. No. 4.6e-42;
Matches 112; Conservative 1; Mismatches 0; Indels 1; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQS-LMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||: |||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQTPLMCSFGQGTKLEIK 114
```

RESULT 6
AAG65590
ID AAG65590 standard; protein; 248 AA.
XX
AC AAG65590;
XX
DT 07-JAN-2002 (first entry)
XX
DE Anti-hEDRF antibody e9 amino acid sequence.
XX
KW Human; erythroid differentiation related factor; hEDRF; antianemic;
KW erythrocyte deficiency; antibody e9.
XX
OS Homo sapiens.
XX
PN EP1130030-A1.
XX
PD 05-SEP-2001.
XX
PF 27-FEB-2001; 2001EP-00104821.
XX
PR 02-MAR-2000; 2000US-00517225.
XX
PA (HOFF) ROCHE DIAGNOSTICS CORP.

XX
PI Xu H, Mahoney W, Schueler P, Harriman WD;
XX
DR WPI; 2001-608195/70.
DR N-PSDB; AAH47762.
XX
PT Novel human erythroid differentiation related factor and polynucleotides
PT encoding it useful for treating anemia and other erythrocyte deficiencies
PT and for detecting expression of the factor in humans.
XX
PS Disclosure; Fig 4; 29pp; English.
XX
CC The invention provides a human erythroid differentiation related factor
CC (hEDRF). The hEDRF polypeptide and the encoding polynucleotide are useful
CC for treating anemias and other erythrocyte deficiencies. The hEDRF
CC protein is useful for producing antibodies, useful in screening assays to
CC identify pharmaceutical compounds of interest and compounds which bind to
CC hEDRF. The polynucleotides are useful for producing hEDRF or its related
CC polypeptides. The antibodies are useful for separating or detecting the
CC corresponding antigen e.g. for detection/quantitation of hEDRF in samples
CC taken from human subjects. Quantification of hEDRF at immunohistochemical
CC level finds value in evaluating the potential of the tissue site to
CC contribute towards the production of new erythroid cells. The present
CC sequence represents the amino acid sequence of an anti-hEDRF antibody e9
XX
SQ Sequence 248 AA;

Query Match 94.2%; Score 556; DB 4; Length 248;
Best Local Similarity 93.8%; Pred. No. 6.1e-40;
Matches 106; Conservative 4; Mismatches 3; Indels 0; Gaps 0;

Qy 1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
|:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 135 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 194

Qy 61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
|||||||||||||||||||||||||:||||||||||||: :||||||||||
Db 195 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPSLTFGQGTKLEIK 247

RESULT 7
AAY95221
ID AAY95221 standard; protein; 113 AA.
XX
AC AAY95221;
XX
DT 29-AUG-2000 (first entry)
XX
DE Anti-platelet glycoprotein Ib human HIb-5 VL.
XX
KW Variable light chain; single chain antibody; scFv; human; HIb-5;
KW glycoprotein Ib alpha; platelet; aggregation; antiaggregant;
KW antithrombotic; thrombus; therapy; diagnostic.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Region 1. .23
FT /note= "framework region 1"
FT Region 24. .39
FT /note= "complementarity determining region 1"
FT Region 40. .54
FT /note= "framework region 2"
FT Region 55. .61
FT /note= "complementarity determining region 2"
FT Region 62. .93
FT /note= "framework region 3"
FT Region 94. .101
FT /note= "complementarity determining region 3"
FT Region 102. .113
FT /note= "framework region 4"
XX
PN WO200026667-A1.
XX
PD 11-MAY-2000.
XX
PF 29-OCT-1999; 99WO-US025495.
XX
PR 30-OCT-1998; 98US-0106275P.
XX
PA (MILL/) MILLER J L.
XX
PI Miller JL;
XX
DR WPI; 2000-365744/31.
XX
PT Isolated nucleic acid molecule encoding anti-human platelet glycoprotein
PT Ib alpha molecule useful for producing antibodies which inhibit platelet
PT aggregation.
XX
PS Claim 18; Fig 8; 89pp; English.
XX
CC The present sequence is that of the light chain variable region (VL) of
CC human single chain antibody (scFv) HIb-5, which is directed against
CC platelet glycoprotein Ib (GPIb). The HIb series of scFv was isolated from
CC a human synthetic VH and VL scFv library by 3 rounds of phagemid
CC selection against transfected CHO cells expressing the GPIb alpha
CC component of the GPIb/IX/V complex on their surface, followed by a 4th
CC round of selection against washed human platelets, and 2 final rounds in
CC which attempts were made to displace scFv from washed platelets by
CC flooding with murine monoclonal antibody or mimotope peptide (see
CC AAY95229). Whether displayed as surface proteins on a phagemid or
CC secreted as free scFv by Escherichia coli, the HIb scFv clones are
CC capable of inhibiting von Willebrand factor-dependent aggregation of
CC platelets. The scFv are composed of native human protein sequences and
CC are therefore attractive potential reagents for therapeutic purposes.
CC They provide a new class of antithrombotic agents, useful for the
CC prevention of platelet-dependent thrombi in diseased arteries, bypass
CC grafts, dialysis etc., and can also be used as diagnostic reagents.
CC Methods of inhibiting aggregation of platelets, of binding human platelet
CC GPIb alpha and of selecting a VH or VL region of an antibody that
CC inhibits platelet aggregation are claimed. Note: The present sequence is
CC not shown in the specification but is derived from the HIb-5 VH sequence
CC given in Fig 8 (see AAY95220)
XX
SQ Sequence 113 AA;

Query Match 94.1%; Score 555; DB 3; Length 113;
Best Local Similarity 94.7%; Pred. No. 3.2e-40;
Matches 107; Conservative 3; Mismatches 3; Indels 0; Gaps 0;

Qy 1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy 61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
|||||||||||||||||||||||||:||||||||||||: :||||||||||
Db 61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPPTFGQGTKLEIK 113

RESULT 8
AEJ57801
ID AEJ57801 standard; protein; 131 AA.
XX
AC AEJ57801;
XX
DT 05-OCT-2006 (first entry)
XX
DE Human antibody enzyme V-kappa2 VL pHVK-1 #1, SEQ:4.
XX
KW Abzyme; antibody; immunoglobulin; infection; antimicrobial; cancer;
KW cytostatic; diagnostic; peptidase; light chain variable region; enzyme.
XX
OS Homo sapiens.
XX
PN JP2006197930-A.

XX
PD 03-AUG-2006.
XX
PF 22-DEC-2005; 2005JP-00370880.
XX
PR 22-DEC-2004; 2004JP-00372206.
XX
PA (HIRO-) HIROSHIMA KEN.
XX
PI Uda T, Hifumi M;
XX
DR WPI; 2006-544634/56.
DR N-PSDB; AEJ57800.
XX
PT New human enzyme antibody consisting of light chain or heavy chain
PT polypeptides encoded by human germ line gene e.g. L22 and VH1-24, useful
PT for treatment and diagnosis of infectious diseases and cancer.
XX
PS Claim 5; SEQ ID NO 4; 30pp; Japanese.
XX
CC The invention relates to a human antibody enzyme (abzyme) having high
CC recognition ability and high enzyme activity. The antibody enzyme
CC comprises a light chain encoded by a human germ line gene selected from
CC L22, V1-9, V1-13, V1-18, V1-22, V2-6, V2-7, V2-8, V2-13, V2-14, V3-3, A1,
CC A2, A3, A5, A7, A10, A17, A18, A19, A23, A26, A30, L14 and L22, and a
CC heavy chain encoded by a human germ line gene selected from VH1-24, VH3-
CC 9, VH3-13, VH3-16, VH3-20, VH3-30, VH3-33, VH3-35, VH3-43, VH3-64, VH3-
CC 72, VH3-73, VH3-74, VH4-34 and VH7-81. The invention also relates to a
CC method for producing a human antibody enzyme belonging to a particular
CC subgroup involving selection of human lymphocyte cDNAs encoding an
CC antibody with enzymatic activity using a primer based on a subgroup-
CC specific sequence. The antibody enzymes of the invention can be used in a
CC variety of fields, such as the medical industry, pharmaceutical industry,
CC reagent industry, medical equipment industry or food industry. The
CC antibody enzymes are useful in the diagnosis and treatment of medical
CC conditions such as cancer and various infectious diseases, and can also
CC be used in biosensors and biomaterials. The antibody enzymes exhibit high
CC in vivo efficacy for therapeutic applications, and can be produced
CC efficiently. The present sequence represents a specifically claimed V-
CC kappa2 light chain variable region (VL) of a human antibody enzyme having
CC peptidase activity. This sequence comprises a Ser-His-Asp (S-H-D)
CC catalytic triad. Note: The present sequence is shown in the sequence
CC listing of the specification and differs from the sequence also referred
CC to as VL pHVK-1 (AEJ57944) which is shown in Figure 18.
XX
SQ Sequence 131 AA;

Query Match 94.0%; Score 554.5; DB 10; Length 131;
Best Local Similarity 95.6%; Pred. No. 4.2e-40;
Matches 108; Conservative 3; Mismatches 1; Indels 1; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||:||||||||||||:|  :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTLY-TFGQGTKLEIK 112
```

RESULT 9
AEJ57944
ID AEJ57944 standard; protein; 146 AA.
XX
AC AEJ57944;
XX
DT 05-OCT-2006 (first entry)
XX
DE Human antibody enzyme V-kappa2 VL pHVK-1 #2.
XX
KW Abzyme; antibody; immunoglobulin; infection; antimicrobial; cancer;
KW cytostatic; diagnostic; peptidase; light chain variable region; enzyme.
XX
OS Homo sapiens.
XX
PN JP2006197930-A.
XX
PD 03-AUG-2006.
XX
PF 22-DEC-2005; 2005JP-00370880.
XX
PR 22-DEC-2004; 2004JP-00372206.
XX
PA (HIRO-) HIROSHIMA KEN.
XX
PI Uda T, Hifumi M;
XX
DR WPI; 2006-544634/56.
DR N-PSDB; AEJ57943.
XX
PT New human enzyme antibody consisting of light chain or heavy chain
PT polypeptides encoded by human germ line gene e.g. L22 and VH1-24, useful
PT for treatment and diagnosis of infectious diseases and cancer.
XX
PS Example 3; Fig 18; 30pp; Japanese.
XX
CC The invention relates to a human antibody enzyme (abzyme) having high
CC recognition ability and high enzyme activity. The antibody enzyme
CC comprises a light chain encoded by a human germ line gene selected from
CC L22, V1-9, V1-13, V1-18, V1-22, V2-6, V2-7, V2-8, V2-13, V2-14, V3-3, A1,
CC A2, A3, A5, A7, A10, A17, A18, A19, A23, A26, A30, L14 and L22, and a
CC heavy chain encoded by a human germ line gene selected from VH1-24, VH3-
CC 9, VH3-13, VH3-16, VH3-20, VH3-30, VH3-33, VH3-35, VH3-43, VH3-64, VH3-
CC 72, VH3-73, VH3-74, VH4-34 and VH7-81. The invention also relates to a
CC method for producing a human antibody enzyme belonging to a particular
CC subgroup involving selection of human lymphocyte cDNAs encoding an
CC antibody with enzymatic activity using a primer based on a subgroup-
CC specific sequence. The antibody enzymes of the invention can be used in a
CC variety of fields, such as the medical industry, pharmaceutical industry,
CC reagent industry, medical equipment industry or food industry. The
CC antibody enzymes are useful in the diagnosis and treatment of medical
CC conditions such as cancer and various infectious diseases, and can also
CC be used in biosensors and biomaterials. The antibody enzymes exhibit high
CC in vivo efficacy for therapeutic applications, and can be produced
CC efficiently. The present sequence represents a V-kappa2 light chain
CC variable region (VL) of a human antibody enzyme having peptidase
CC activity. This sequence comprises a Ser-His-Asp (S-H-D) catalytic triad.
CC Note: The present sequence is shown in Figure 18 of the specification and
CC differs from the sequence also referred to as VL pHVK-1 (AEJ57801) which
CC is shown in the sequence listing.
XX
SQ Sequence 146 AA;

Query Match 94.0%; Score 554.5; DB 10; Length 146;
Best Local Similarity 95.6%; Pred. No. 4.7e-40;
Matches 108; Conservative 3; Mismatches 1; Indels 1; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         16 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 75

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||:||||||||||||:|  :||||||||||
Db         76 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTLY-TFGQGTKLEIK 127
```

RESULT 10
AAY95220
ID AAY95220 standard; protein; 113 AA.
XX
AC AAY95220;
XX
DT 29-AUG-2000 (first entry)
XX
DE Anti-platelet glycoprotein Ib human HIb-5 VL.
XX

```
KW   Variable light chain; single chain antibody; scFv; human; HIb-5;
KW   glycoprotein Ib alpha; platelet; aggregation; antiaggregant;
KW   antithrombotic; thrombus; therapy; diagnostic.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          1. .23
FT                   /note= "framework region 1"
FT   Region          24. .39
FT                   /note= "complementarity determining region 1"
FT   Region          40. .54
FT                   /note= "framework region 2"
FT   Region          55. .61
FT                   /note= "complementarity determining region 2"
FT   Region          62. .93
FT                   /note= "framework region 3"
FT   Region          94. .101
FT                   /note= "complementarity determining region 3"
FT   Region          102. .113
FT                   /note= "framework region 4"
XX
PN   WO200026667-A1.
XX
PD   11-MAY-2000.
XX
PF   29-OCT-1999;   99WO-US025495.
XX
PR   30-OCT-1998;   98US-0106275P.
XX
PA   (MILL/) MILLER J L.
XX
PI   Miller JL;
XX
DR   WPI; 2000-365744/31.
XX
PT   Isolated nucleic acid molecule encoding anti-human platelet glycoprotein
PT   Ib alpha molecule useful for producing antibodies which inhibit platelet
PT   aggregation.
XX
PS   Claim 18; Fig 8; 89pp; English.
XX
CC   The present sequence is that of the light chain variable region (VL) of
CC   human single chain antibody (scFv) HIb-5, which is directed against
CC   platelet glycoprotein Ib (GPIb). The HIb series of scFv was isolated from
CC   a human synthetic VH and VL scFv library by 3 rounds of phagemid
CC   selection against transfected CHO cells expressing the GPIb alpha
CC   component of the GPIb/IX/V complex on their surface, followed by a 4th
CC   round of selection against washed human platelets, and 2 final rounds in
CC   which attempts were made to displace scFv from washed platelets by
CC   flooding with murine monoclonal antibody or mimotope peptide (see
CC   AAY95229). Whether displayed as surface proteins on a phagemid or
CC   secreted as free scFv by Escherichia coli, the HIb scFv clones are
CC   capable of inhibiting von Willebrand factor-dependent aggregation of
CC   platelets. The scFv are composed of native human protein sequences and
CC   are therefore attractive potential reagents for therapeutic purposes.
CC   They provide a new class of antithrombotic agents, useful for the
CC   prevention of platelet-dependent thrombi in diseased arteries, bypass
CC   grafts, dialysis etc., and can also be used as diagnostic reagents.
CC   Methods of inhibiting aggregation of platelets, of binding human platelet
CC   GPIb alpha and of selecting a VH or VL region of an antibody that
CC   inhibits platelet aggregation are claimed
XX
SQ   Sequence 113 AA;

  Query Match             93.9%;  Score 554;  DB 3;  Length 113;
  Best Local Similarity   93.8%;  Pred. No. 4e-40;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:|||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPFTFGQGTKLEIK 113


RESULT 11
ADI22126
ID   ADI22126 standard; protein; 113 AA.
XX
AC   ADI22126;
XX
DT   22-APR-2004  (first entry)
XX
DE   Anti-platelet autoantibody related light chain amino acid L50 SEQ:89.
XX
KW   anti-platelet autoantibody; autoantibody; blood clotting inhibition;
KW   thrombus; platelet adhesion inhibition;
KW   thrombotic thrombocytopenic purpura; platelet aggregation inhibition;
KW   idiopathic thrombocytopenic purpura; haemostatic; anticoagulant;
KW   thrombolytic; human.
XX
OS   Homo sapiens.
OS   Synthetic.
XX
PN   WO2004005890-A2.
XX
PD   15-JAN-2004.
XX
PF   03-JUL-2003; 2003WO-US021304.
XX
PR   03-JUL-2002; 2002US-0394352P.
PR   18-SEP-2002; 2002US-0411694P.
XX
PA   (UYPE-) UNIV PENNSYLVANIA.
XX
PI   Siegel DL;
XX
DR   WPI; 2004-142998/14.
DR   N-PSDB; ADI22073.
XX
PS   Claim 12; SEQ ID NO 89; 232pp; English.
XX
CC   The present invention describes a method (M1) for identifying an anti-
CC   platelet autoantibody (I) in a mammal. The autoantibody is detected by
CC   producing an antibody phage display library from B-lymphocytes obtained
CC   from the mammal, and screening the library to detect a phage that
CC   specifically binds with a platelet component, where the screening
CC   comprises panning the phage on intact platelets using competitive cell-
CC   surface panning. Also described: (1) an autoantibody identified by (M1);
CC   (2) an isolated nucleic acid encoding an anti-platelet autoantibody; (3)
CC   inhibiting (M2) blood clotting in a mammal having a thrombus or at risk
CC   of thrombus formation; (4) reversibly (M3) inhibiting blood clotting in a
CC   mammal having a thrombus or at risk of thrombus formation; (5) inhibiting
CC   (M4) binding of an anti-platelet autoantibody with a platelet component;
CC   (6) inhibiting (M5) platelet adhesion in a mammal; (7) treating (M6)
CC   thrombotic thrombocytopenic purpura in a mammal; (8) inhibiting (M7)
CC   platelet aggregation; (9) inhibiting (M8) platelet activation; (10)
CC   inhibiting (M9) platelet function; (11) inhibiting (M10) binding of an
CC   anti-platelet autoantibody, or its biologically active fragment with a
CC   platelet; (12) identifying (M11) a peptide that inhibits binding of an
CC   anti-platelet autoantibody with a platelet; (13) a peptide identified by
CC   the method of (12); (14) a peptide that specifically binds with an anti-
CC   platelet autoantibody; (15) treating (M12) idiopathic thrombocytopenic
CC   purpura (ITP) in a mammal; and (16) a kit for reversibly inhibiting blood
CC   clotting, inhibiting platelet aggregation, inhibiting platelet function
CC   or inhibiting platelet activation comprising an amount of an anti-
CC   platelet autoantibody, or its biologically active fragment that
CC   specifically binds with glycoprotein IIb/IIIa, where the autoantibody, or
CC   its fragment comprises an antigen binding region derived from an H44L4
CC   anti-platelet autoantibody, the kit further comprising a peptide
CC   inhibitor of the binding with glycoprotein IIb/IIIa, and an applicator
CC   and an instructions for use. (I) has haemostatic, anticoagulant and
CC   thrombolytic activities. The autoantibodies (I) are useful for diagnosing
```

```
CC   and for developing therapeutics for diseases mediated by autoantibody
CC   binding with platelet antigens. (M6) and (M12) are useful for treating
CC   thrombotic thrombocytopenic purpura and idiopathic thrombocytopenic
CC   purpura, respectively. (M2) and (M3) are useful for inhibiting blood
CC   clotting. The present sequence is used in the exemplification of the
CC   present invention.
XX
SQ   Sequence 113 AA;

  Query Match             93.9%;  Score 554;  DB 8;  Length 113;
  Best Local Similarity   93.8%;  Pred. No. 4e-40;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||||||:   :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTRPVTFGQGTRLEIK 113


RESULT 12
AAY95186
ID   AAY95186 standard; protein; 114 AA.
XX
AC   AAY95186;
XX
DT   29-AUG-2000  (first entry)
XX
DE   Anti-platelet glycoprotein Ib human HIb-5 VL.
XX
KW   Variable light chain; single chain antibody; scFv; human; HIb-5;
KW   glycoprotein Ib alpha; platelet; aggregation; antiaggregant;
KW   antithrombotic; thrombus; therapy; diagnostic.
XX
OS   Homo sapiens.
XX
FH   Key             Location/Qualifiers
FT   Region          1. .23
FT                   /note= "framework region 1"
FT   Region          24. .39
FT                   /note= "complementarity determining region 1"
FT   Region          40. .54
FT                   /note= "framework region 2"
FT   Region          55. .61
FT                   /note= "complementarity determining region 2"
FT   Region          62. .93
FT                   /note= "framework region 3"
FT   Region          94. .101
FT                   /note= "complementarity determining region 3"
FT   Region          102. .114
FT                   /note= "framework region 4"
XX
PN   WO200026667-A1.
XX
PD   11-MAY-2000.
XX
PF   29-OCT-1999;   99WO-US025495.
XX
PR   30-OCT-1998;   98US-0106275P.
XX
PA   (MILL/) MILLER J L.
XX
PI   Miller JL;
XX
DR   WPI; 2000-365744/31.
DR   N-PSDB; AAA27664.
XX
PT   Isolated nucleic acid molecule encoding anti-human platelet glycoprotein
PT   Ib alpha molecule useful for producing antibodies which inhibit platelet
PT   aggregation.
XX
PS   Claim 11; Page 77; 89pp; English.
XX
CC   The present sequence is that of the light chain variable region (VL) of
CC   human single chain antibody (scFv) HIb-5, which is directed against
CC   platelet glycoprotein Ib (GPIb). The HIb series of scFv was isolated from
CC   a human synthetic VH and VL scFv library by 3 rounds of phagemid
CC   selection against transfected CHO cells expressing the GPIb alpha
CC   component of the GPIb/IX/V complex on their surface, followed by a 4th
CC   round of selection against washed human platelets, and 2 final rounds in
CC   which attempts were made to displace scFv from washed platelets by
CC   flooding with murine monoclonal antibody or mimotope peptide (see
CC   AAY95229). Whether displayed as surface proteins on a phagemid or
CC   secreted as free scFv by Escherichia coli, the HIb scFv clones are
CC   capable of inhibiting von Willebrand factor-dependent aggregation of
CC   platelets. The scFv are composed of native human protein sequences and
CC   are therefore attractive potential reagents for therapeutic purposes.
CC   They provide a new class of antithrombotic agents, useful for the
CC   prevention of platelet-dependent thrombi in diseased arteries, bypass
CC   grafts, dialysis etc., and can also be used as diagnostic reagents.
CC   Methods of inhibiting aggregation of platelets, of binding human platelet
CC   GPIb alpha and of selecting a VH or VL region of an antibody that
CC   inhibits platelet aggregation are claimed
XX
SQ   Sequence 114 AA;

  Query Match             93.9%;  Score 554;  DB 3;  Length 114;
  Best Local Similarity   93.8%;  Pred. No. 4e-40;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPFTFGQGTKLEIK 113


RESULT 13
AAY95226
ID   AAY95226 standard; protein; 131 AA.
XX
AC   AAY95226;
XX
DT   29-AUG-2000  (first entry)
XX
DE   Anti-platelet glycoprotein Ib human HIb-5 VL region and linker.
XX
KW   Variable light chain; single chain antibody; scFv; human; HIb-5;
KW   glycoprotein Ib alpha; platelet; aggregation; antiaggregant;
KW   antithrombotic; thrombus; therapy; diagnostic.
XX
OS   Synthetic.
OS   Homo sapiens.
OS   Chimeric.
XX
FH   Key             Location/Qualifiers
FT   Peptide         1. .17
FT                   /note= "vector-derived linker"
FT   Region          18. .131
FT                   /note= "light chain variable region"
FT   Region          18. .40
FT                   /note= "framework region 1"
FT   Region          41. .56
FT                   /note= "complementarity determining region 1"
FT   Region          57. .71
FT                   /note= "framework region 2"
FT   Region          72. .78
FT                   /note= "complementarity determining region 2"
FT   Region          79. .110
FT                   /note= "framework region 3"
FT   Region          111. .119
FT                   /note= "complementarity determining region 3"
```

```
FT   Region          120. .131
FT                   /note= "framework region 4"
XX
PN   WO200026667-A1.
XX
PD   11-MAY-2000.
XX
PF   29-OCT-1999;   99WO-US025495.
XX
PR   30-OCT-1998;   98US-0106275P.
XX
PA   (MILL/) MILLER J L.
XX
PI   Miller JL;
XX
DR   WPI; 2000-365744/31.
XX
PT   Isolated nucleic acid molecule encoding anti-human platelet glycoprotein
PT   Ib alpha molecule useful for producing antibodies which inhibit platelet
PT   aggregation.
XX
PS   Disclosure; Fig 8; 89pp; English.
XX
CC   The present sequence is that of the light chain variable region (VL) plus
CC   linker peptide of human single chain antibody (scFv) HIb-5, which is
CC   directed against platelet glycoprotein Ib (GPIb). HIb-5 is composed of a
CC   heavy chain variable region and light chain variable region joined via a
CC   vector-derived peptide linker. The HIb series of scFv was isolated from a
CC   human synthetic VH and VL scFv library by 3 rounds of phagemid selection
CC   against transfected CHO cells expressing the GPIb alpha component of the
CC   GPIb/IX/V complex on their surface, followed by a 4th round of selection
CC   against washed human platelets, and 2 final rounds in which attempts were
CC   made to displace scFv from washed platelets by flooding with murine
CC   monoclonal antibody or mimotope peptide (see AAY95229). Whether displayed
CC   as surface proteins on a phagemid or secreted as free scFv by Escherichia
CC   coli, the HIb scFv clones are capable of inhibiting von Willebrand factor
CC   -dependent aggregation of platelets. The scFv are composed of native
CC   human protein sequences and are therefore attractive potential reagents
CC   for therapeutic purposes. They provide a new class of antithrombotic
CC   agents, useful for the prevention of platelet-dependent thrombi in
CC   diseased arteries, bypass grafts, dialysis etc., and can also be used as
CC   diagnostic reagents. Methods of inhibiting aggregation of platelets, of
CC   binding human platelet GPIb alpha and of selecting a VH or VL region of
CC   an antibody that inhibits platelet aggregation are claimed
XX
SQ   Sequence 131 AA;

  Query Match             93.9%;  Score 554;  DB 3;  Length 131;
  Best Local Similarity   93.8%;  Pred. No. 4.6e-40;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         18 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 77

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         78 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPFTFGQGTKLEIK 130


RESULT 14
ADP47300
ID   ADP47300 standard; protein; 112 AA.
XX
AC   ADP47300;
XX
DT   09-SEP-2004  (first entry)
XX
DE   Human phospholipase A2-specific monoclonal antibody light chain #20.
XX
KW   human; monoclonal antibody; phospholipase A2; PLA2;
KW   inflammatory disorder; degenerative disorder;
KW   joint inflammatory reaction; skin inflammatory reaction;
KW   blood vessels inflammatory reaction; arthritis; psoriasis; asthma;
KW   Alzheimer's disease; atherosclerosis; restenosis; light chain.
XX
OS   Homo sapiens.
XX
PN   WO2004050850-A2.
XX
PD   17-JUN-2004.
XX
PF   02-DEC-2003; 2003WO-US038234.
XX
PR   02-DEC-2002; 2002US-0430724P.
XX
PA   (ABGE-) ABGENIX INC.
PA   (LEXI-) LEXICON GENETICS INC.
XX
PI   Landes GM,  Haak-Frendscho M,  Chen L,  Lee YR,  Liang ML,  Feng X;
PI   Jia X,  Nocerini MR;
XX
DR   WPI; 2004-461119/43.
XX
PT   New human monoclonal antibody that binds to phospholipase A2 (PLA2),
PT   useful for treating inflammatory conditions, e.g. arthritis, psoriasis,
PT   asthma, Alzheimer's disease, atherosclerosis, or restenosis.
XX
PS   Example 5; SEQ ID NO 215; 128pp; English.
XX
CC   The invention comprises a human monoclonal antibody that binds to
CC   phospholipase A2 (PLA2). The monoclonal antibody of the invention is
CC   useful in the preparation of a medicament for the treatment of
CC   inflammatory and degenerative disorders stemming from inflammatory
CC   reactions in the joints, skin, and blood vessels, arthritis, psoriasis,
CC   asthma, Alzheimer's disease, atherosclerosis, and restenosis. The present
CC   amino acid sequence represents the light chain from a monoclonal antibody
CC   that is specific for the human phospholipase A2 (PLA2) enzyme.
XX
SQ   Sequence 112 AA;

  Query Match             93.2%;  Score 550;  DB 8;  Length 112;
  Best Local Similarity   93.8%;  Pred. No. 8.7e-40;
  Matches  106;  Conservative    5;  Mismatches    0;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||||||::  :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 111


RESULT 15
AEK98277
ID   AEK98277 standard; protein; 223 AA.
XX
AC   AEK98277;
XX
DT   30-NOV-2006  (first entry)
XX
DE   Human 161P2F10B antibody light chain SEQ ID NO 156.
XX
KW   Cytostatic; 161P2F10B antagonist; Gene therapy; antibody production;
KW   cancer; neoplasm; therapeutic; light chain.
XX
OS   Homo sapiens.
XX
PN   WO2006105488-A2.
XX
PD   05-OCT-2006.
XX
PF   31-MAR-2006; 2006WO-US012314.
XX
PR   31-MAR-2005; 2005US-0667588P.
```

PR 20-JUL-2005; 2005US-0700975P.
XX
PA (AGEN-) AGENSYS INC.
XX
PI Jakobovits A, Kanner SB, Challita-Eid PM, Perez-Villar JJ;
PI Satpaev D, Raitano AB, Morrison RK, Morrison KJM, Jia X, Gudas J;
XX
DR WPI; 2006-680690/70.
XX
PT New monoclonal antibody that binds specifically to a 161P2F10B protein,
PT useful for treating prostate, pancreas, bladder, kidney, colon, lung,
PT ovary, or breast cancer.
XX
PS Disclosure; SEQ ID NO 156; 438pp; English.
XX
CC The invention relates to a monoclonal antibody or its antigen binding
CC fragment comprising an antigen binding site that binds specifically to a
CC 161P2F10B protein, where the monoclonal antibody is H16-7.213, H16-9.69,
CC H16-1.52, Ha16-1(1)23, Ha16- 9.44, H16-1.67. Ha16-1(3,5)36,H16-1.86,Ha16-
CC 9.10, H16-9.33, H16-1.68, Ha16-1(1)11, Ha16- 1(3,5)18,Ha16- 1(2,4)4, Ha16
CC -1(3,5)56, H16-1.93, H16-7.8, Ha16-1(3,5)27.1, H16-1.61, H16-1(3,5)5, H16
CC -7.200, Ha16-1(3,5)42, H16-9.65, H16-1.29, H16-3.4, H16-1.92, Ha16-
CC 1(3,5)19, or Ha16-1.80. The monoclonal antibody or its fragment is useful
CC for preparing a medicament for the treatment of prostate, pancreas,
CC bladder, kidney, colon, lung, ovary, or breast cancer, where the
CC monoclonal antibody or its fragment is administered in combination with
CC radiation or a chemotherapeutic agent. The present sequence represents
CC the amino acid sequence of a human 161P2F10B antibody light chain.
XX
SQ Sequence 223 AA;

Query Match 93.2%; Score 550; DB 10; Length 223;
Best Local Similarity 93.8%; Pred. No. 1.8e-39;
Matches 106; Conservative 5; Mismatches 0; Indels 2; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          8 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 67

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||||::  :||||:||||
Db         68 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 118
```

Search completed: April 25, 2007, 04:05:21
Job time : 98.9972 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:05:37 ; Search time 9 Seconds
(without alignments)
1261.509 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_80:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	545.5	92.5	132	2	S26882	Ig kappa chain V r
2	544.5	92.3	112	2	S58207	Ig light chain V r
3	544.5	92.3	135	2	S40342	Ig kappa chain - h
4	544.5	92.3	136	2	S40357	Ig kappa chain V-J
5	536.5	90.9	112	2	S58206	Ig light chain V r
6	535	90.7	126	2	S40339	Ig kappa chain - h
7	533.5	90.4	117	1	K2HUGM	Ig kappa chain pre
8	532.5	90.3	125	2	S40356	Ig kappa chain - h
9	508.5	86.2	113	1	K2HUTW	Ig kappa chain V-I
10	508.5	86.2	121	2	S40371	Ig kappa chain - h
11	508.5	86.2	131	2	S40372	Ig kappa chain V-J
12	505	85.6	123	2	S40319	Ig kappa chain V r
13	497	84.2	100	2	S24681	Ig kappa chain - h
14	487	82.5	114	2	S40375	Ig kappa chain - h
15	483.5	81.9	124	2	S03876	Ig kappa chain V-I
16	481	81.5	112	1	K2HUML	Ig kappa chain V-I
17	460	78.0	130	2	S40321	Ig kappa chain - h
18	456	77.3	115	1	K2HUCM	Ig kappa chain V-I
19	450.5	76.4	113	1	K2HUFR	Ig kappa chain V-I
20	447	75.8	87	2	S34091	Ig kappa chain V r
21	445	75.4	140	2	S22658	Ig kappa chain pre
22	442.5	75.0	112	2	F27887	Ig kappa chain V r
23	439.5	74.5	112	2	B27887	Ig kappa chain V r
24	439.5	74.5	113	2	PL0203	anti-DNA autoantib
25	439.5	74.5	126	2	S40312	Ig kappa chain - h
26	439.5	74.5	131	2	B39276	Ig light chain pre
27	439.5	74.5	131	2	D29380	Ig kappa chain pre
28	439	74.4	114	2	S49572	Ig kappa chain pre
29	439	74.4	130	2	C29380	Ig kappa chain pre
30	438	74.2	114	2	S40340	Ig kappa chain V-J
31	438	74.2	127	2	S40323	Ig kappa chain - h
32	437.5	74.2	115	2	S38715	Ig kappa chain V r
33	437.5	74.2	219	2	S52028	Ig kappa chain - m
34	436.5	74.0	131	2	B30577	Ig kappa chain pre
35	436.5	74.0	133	1	K2HURP	Ig kappa chain pre
36	436.5	74.0	142	2	S22902	Ig kappa chain V r
37	435.5	73.8	112	2	E27887	Ig kappa chain V r
38	435.5	73.8	112	2	S38719	Ig light chain V r
39	435.5	73.8	113	2	B41940	Ig light chain V r
40	435.5	73.8	118	2	PT0359	Ig kappa chain V r
41	435.5	73.8	131	2	B34904	Ig kappa chain pre
42	434.5	73.6	112	2	S53750	antibody Fab Jel 1
43	434.5	73.6	131	2	B32513	Ig kappa chain pre
44	433.5	73.5	96	2	S40320	Ig kappa chain - h
45	433.5	73.5	112	2	A31807	Ig kappa chain V r

ALIGNMENTS

RESULT 1
S26882
Ig kappa chain V region (V607) - human
C;Species: Homo sapiens (man)
C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 20-Jun-2000
C;Accession: S26882
R;Weichhold, G.M.; Klobeck, H.G.; Ohnheiser, R.; Combriato, G.; Zachau, H.G.
Nature 347, 90-92, 1990
A;Title: Megabase inversions in the human genome as physiological events.
A;Reference number: S26882; MUID:90370099; PMID:2118596
A;Accession: S26882
A;Status: preliminary; translation not shown
A;Molecule type: DNA
A;Residues: 1-132 <WEI>
A;Cross-references: UNIPARC:UPI0000116D46; EMBL:X54248; NID:g37626; PIDN:CAA38149.1; PID
C;Genetics:
A;Introns: 17/1
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-115/Domain: immunoglobulin homology <IMM>

Query Match 92.5%; Score 545.5; DB 2; Length 132;
Best Local Similarity 93.8%; Pred. No. 1.2e-42;
Matches 106; Conservative 4; Mismatches 2; Indels 1; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         21 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||||:   :||||||:|||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPQ-TFGQGTKVEIK 132
```

RESULT 2
S58207
Ig light chain V region anti-F(ab')2 - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1996 #sequence_revision 19-Apr-1996 #text_change 21-Jan-2000
C;Accession: S58207
R;Welschof, M.; Terness, P.; Stanescu, D.; Zewe, M.; Hain, C.H.; Doebel, S.; Breitling,
submitted to the EMBL Data Library, July 1995
A;Description: Characterization of heavy and light chain immunoglobulin variable region
A;Reference number: S58206
A;Accession: S58207
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-112 <WEL>
A;Cross-references: UNIPARC:UPI0000116253; EMBL:X89056; NID:g929642; PIDN:CAA61443.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;16-95/Domain: immunoglobulin homology <IMM>

```
  Query Match            92.3%;  Score 544.5;  DB 2;  Length 112;
  Best Local Similarity  93.8%;  Pred. No. 1.3e-42;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PWTFGQGTKVEIK 112


RESULT 3
S40342
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 31-Dec-2004
C;Accession: S40342
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40342
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-135 <KLE>
A;Cross-references: UNIPROT:Q8NEK0; UNIPARC:UPI0000176CA7; EMBL:X72452; NID:g441372; PID
C;Superfamily: immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;29-108/Domain: immunoglobulin homology <IMM>

  Query Match            92.3%;  Score 544.5;  DB 2;  Length 135;
  Best Local Similarity  93.8%;  Pred. No. 1.5e-42;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         14 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 73

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||:|||
Db         74 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPR-TFGQGTKVEIK 125


RESULT 4
S40357
Ig kappa chain V-J-C region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 31-Dec-2004
C;Accession: S40357
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40357
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-136 <KLE>
A;Cross-references: UNIPROT:Q8NEK0; UNIPARC:UPI0000176CA8; EMBL:X72467
C;Superfamily: immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-115/Domain: immunoglobulin homology <IMM>

  Query Match            92.3%;  Score 544.5;  DB 2;  Length 136;
  Best Local Similarity  93.8%;  Pred. No. 1.5e-42;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         21 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||:|||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PWTFGQGTKVEIK 132


RESULT 5
S58206
Ig light chain V region anti-F(ab')2 - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 13-Jan-1996 #sequence_revision 01-Mar-1996 #text_change 21-Jan-2000
C;Accession: S58206
R;Welschof, M.; Terness, P.; Stanescu, D.; Zewe, M.; Hain, C.H.; Doebel, S.; Breitling,
submitted to the EMBL Data Library, July 1995
A;Description: Characterization of heavy and light chain immunoglobulin variable region
A;Reference number: S58206
A;Accession: S58206
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-112 <WEL>
A;Cross-references: UNIPARC:UPI0000116252; EMBL:X89054; NID:g929640; PIDN:CAA61441.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: immunoglobulin
F;16-95/Domain: immunoglobulin homology <IMM>

  Query Match            90.9%;  Score 536.5;  DB 2;  Length 112;
  Best Local Similarity  92.0%;  Pred. No. 6.7e-42;
  Matches  104;  Conservative    5;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||||| ||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYFDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|||||||||||: : :|| |||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPL-TFGGGTKVEIK 112


RESULT 6
S40339
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40339
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40339
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-126 <KLE>
A;Cross-references: UNIPARC:UPI0000116159; EMBL:X72449; NID:g441366; PIDN:CAA51117.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;31-110/Domain: immunoglobulin homology <IMM>

  Query Match            90.7%;  Score 535;  DB 2;  Length 126;
  Best Local Similarity  92.0%;  Pred. No. 1e-41;
  Matches  104;  Conservative    4;  Mismatches    3;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||| ||||||||||||||||||||||||||||
Db         16 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHINGYNYLDWYLQKPGQSPQLLIYLGSNRA 75

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||:|||||||||||||||||:|||||||||||:   :||||||:|||
Db         76 SGVPDRFTGSGSGTDFTLKISRVEAEDVGVYYCMQALQP--WTFGQGTKVEIK 126


RESULT 7
K2HUGM
Ig kappa chain precursor V-II region (GM607) - human (fragment)
C;Species: Homo sapiens (man)
```

```
C;Date: 30-Jun-1987 #sequence_revision 30-Jun-1987 #text_change 09-Jul-2004
C;Accession: A01889; B24452
R;Klobeck, H.G.; Solomon, A.; Zachau, H.G.
Nature 309, 73-76, 1984
A;Title: Contribution of human V-kappaII germ-line genes to light-chain diversity.
A;Reference number: A01889; MUID:84191506; PMID:6325927
A;Accession: A01889
A;Molecule type: mRNA
A;Residues: 1-117 <KLO>
A;Cross-references: UNIPROT:P06309; UNIPARC:UPI000012E158
A;Note: the sequence was determined from the differentiated gene
C;Genetics:
A;Gene: GDB:IGKV2
A;Cross-references: GDB:136265
A;Map position: 2p12-2p12
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;1-4/Domain: signal sequence (fragment) #status predicted <SIG>
F;5-117/Product: Ig kappa chain V-II region (GM607) #status predicted <MAT>
F;20-99/Domain: immunoglobulin homology <IMM>
F;27-97/Disulfide bonds: #status predicted

  Query Match            90.4%;  Score 533.5;  DB 1;  Length 117;
  Best Local Similarity  92.0%;  Pred. No. 1.3e-41;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          5 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 64

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:||||||||| ||:   :||||||:|||
Db         65 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 116


RESULT 8
S40356
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40356
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40356
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-125 <KLE>
A;Cross-references: UNIPARC:UPI000011616A; EMBL:X72466; NID:g441400; PIDN:CAA51134.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;25-104/Domain: immunoglobulin homology <IMM>

  Query Match            90.3%;  Score 532.5;  DB 2;  Length 125;
  Best Local Similarity  91.2%;  Pred. No. 1.7e-41;
  Matches  103;  Conservative    5;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||:||||||||||||||||||||||||||||||
Db         10 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHNNGYNYLDWYLQKPGQSPQLLIYLGSNRA 69

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| || :  :|| |||:|||
Db         70 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQVLQ-IPLTFGGGTKVEIK 121


RESULT 9
K2HUTW
Ig kappa chain V-II region (Tew) - human (tentative sequence)
C;Species: Homo sapiens (man)
C;Date: 24-Apr-1984 #sequence_revision 24-Apr-1984 #text_change 09-Jul-2004
C;Accession: A90370; A92764; A01888
R;Putnam, F.W.; Whitley Jr., E.J.; Paul, C.; Davidson, J.N.
Biochemistry 12, 3763-3780, 1973
A;Title: Amino acid sequence of a kappa Bence Jones protein from a case of primary amylo
A;Reference number: A90370; MUID:74148480; PMID:4596149
A;Contents: Bence Jones protein Tew
A;Accession: A90370
A;Molecule type: protein
A;Residues: 1-113 <PUT>
A;Cross-references: UNIPROT:P01617; UNIPARC:UPI000012E157
A;Note: this protein was isolated from the urine of a patient with plasma cell dyscrasia
A;Note: the C region of this chain has the Inv (1,2) marker
R;Terry, W.D.; Page, D.L.; Kimura, S.; Isobe, T.; Osserman, E.F.; Glenner, G.G.
J. Clin. Invest. 52, 1276-1281, 1973
A;Title: Structural identity of Bence Jones and amyloid fibril proteins in a patient wit
A;Reference number: A92764; MUID:73166638; PMID:4700495
A;Contents: amyloid protein Tew
A;Accession: A92764
A;Molecule type: protein
A;Residues: 1-27 <TER>
A;Cross-references: UNIPARC:UPI0000173706
A;Note: the major amyloid protein appears to be identical with the Bence Jones protein i
C;Genetics:
A;Gene: GDB:IGKV2
A;Cross-references: GDB:136265
A;Map position: 2p12-2p12
C;Complex: An immunoglobulin heterotetramer subunit consists of two identical light (kap
hain disulfide bonds. In some cases, such as IgA and IgM, the subunits associate into la
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: amyloid; heterotetramer; immunoglobulin
F;16-95/Domain: immunoglobulin homology <IMM>
F;23-93/Disulfide bonds: #status predicted

  Query Match            86.2%;  Score 508.5;  DB 1;  Length 113;
  Best Local Similarity  86.7%;  Pred. No. 2.3e-39;
  Matches   98;  Conservative   11;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||:|::||:||||||||||:||||  ||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSDGFDYLNWYLQKPGQSPZLLIYALSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||:|||||||:|||: : :||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMZALQAPI-TFGQGTRLEIK 112


RESULT 10
S40371
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40371
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40371
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-121 <KLE>
A;Cross-references: UNIPARC:UPI0000116179; EMBL:X72481; NID:g441430; PIDN:CAA51149.1; PII
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;13-92/Domain: immunoglobulin homology <IMM>

  Query Match            86.2%;  Score 508.5;  DB 2;  Length 121;
  Best Local Similarity  90.0%;  Pred. No. 2.5e-39;
  Matches   99;  Conservative    5;  Mismatches    5;  Indels    1;  Gaps    1;

Qy          4 MTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRASGV 63
              |||||||||||||||||||||||||:| ||||||||||||||:|||||||| |||||
Db          1 MTQSPLSLPVTPGEPASISCRSSQSLLYSTGYNYLDWYLQKPGKSPQLLIYLGSKRASGV 60
```

```
Qy         64 PDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||| ||:  :|||||||||||
Db         61 PDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQT-PTTFGQGTKLEIK 109


RESULT 11
S40372
Ig kappa chain V-J region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40372
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40372
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-131 <KLE>
A;Cross-references: UNIPARC:UPI000011617A; EMBL:X72482; NID:g441432; PIDN:CAA51150.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;36-115/Domain: immunoglobulin homology <IMM>

  Query Match             86.2%;  Score 508.5;  DB 2;  Length 131;
  Best Local Similarity   88.4%;  Pred. No. 2.7e-39;
  Matches   99;  Conservative    6;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||| || ||::|||||||||:|||||||||||||||||||||| ||
Db         21 DIVMTQSPLSLPVTPGESASFSCKTSQSLLHSNGHNYLDWYLQKPGQSPQLLIYLGSTRA 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEI 112
              |||||||||||||||||||||||:|||||||| ||:   :|||||||||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQPLQT-PYTFGQGTKLEI 131


RESULT 12
S40319
Ig kappa chain V region - human
C;Species: Homo sapiens (man)
C;Date: 19-May-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40319
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40319
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-123 <KLE>
A;Cross-references: UNIPARC:UPI0000116145; EMBL:X72429; NID:g441326; PIDN:CAA51097.1; PI
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;26-105/Domain: immunoglobulin homology <IMM>

  Query Match             85.6%;  Score 505;  DB 2;  Length 123;
  Best Local Similarity   89.7%;  Pred. No. 5.3e-39;
  Matches   96;  Conservative    6;  Mismatches    5;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||:||||||||||||||||||||||||
Db         11 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYDYLDWYLQKPGQSPQLLIYLGSNRA 70

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQG 107
              |||||||||||||||||||||||:|||:||||||||:   :  :|
Db         71 SGVPDRFSGSGSGTDFTLKISRVEAEDVGIYYCMQALQTPSVTSAKG 117


RESULT 13
S24681
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change 21-Jan-2000
C;Accession: S24681
R;van Es, J.H.
submitted to the EMBL Data Library, July 1992
A;Reference number: S24679
A;Accession: S24681
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-100 <VAN>
A;Cross-references: UNIPARC:UPI00001160E1; EMBL:X67904; NID:g33435; PIDN:CAA48102.1; PID:
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-95/Domain: immunoglobulin homology <IMM>

  Query Match             84.2%;  Score 497;  DB 2;  Length 100;
  Best Local Similarity   96.0%;  Pred. No. 2.3e-38;
  Matches   95;  Conservative    2;  Mismatches    2;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||  ||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHRYGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQS 99
              |||||||||||||||||||||||:||||||||||||:
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT 99


RESULT 14
S40375
Ig kappa chain - human
C;Species: Homo sapiens (man)
C;Date: 06-Mar-1994 #sequence_revision 26-May-1995 #text_change 21-Jan-2000
C;Accession: S40375
R;Klein, R.; Jaenichen, R.; Zachau, H.G.
Eur. J. Immunol. 23, 3248-3271, 1993
A;Title: Expressed human immunoglobulin chi genes and their hypermutation.
A;Reference number: S40312; MUID:94080891; PMID:8258341
A;Accession: S40375
A;Status: preliminary; translation not shown
A;Molecule type: mRNA
A;Residues: 1-114 <KLE>
A;Cross-references: UNIPARC:UPI000011617D; EMBL:X72485; NID:g441438; PIDN:CAA51153.1; PII
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;13-92/Domain: immunoglobulin homology <IMM>

  Query Match             82.5%;  Score 487;  DB 2;  Length 114;
  Best Local Similarity   89.4%;  Pred. No. 2.1e-37;
  Matches   93;  Conservative    5;  Mismatches    6;  Indels    0;  Gaps    0;

Qy          4 MTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRASGV 63
              |||||||||||||||||||||||||||||||: |||||||||||||||||||||||||||
Db          1 MTQSPLSLPVTPGEPASISCRSSQSLLHSNGHKYLDWYLQKPGQSPQLLIYLGSNRASGV 60

Qy         64 PDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQG 107
              |||||||||||||||||||||:||||||||||:   :  :|
Db         61 PDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTSSVTSAKG 104


RESULT 15
S03876
Ig kappa chain V-II region (Inc) - human (fragment)
C;Species: Homo sapiens (man)
C;Date: 28-Feb-1990 #sequence_revision 28-Feb-1990 #text_change 21-Jan-2000
C;Accession: S03876
R;Ferri, G.; Stoppini, M.; Iadarola, P.; Bellotti, V.; Merlini, G.
Biochim. Biophys. Acta 995, 103-108, 1989
A;Title: Structural characterization of kappa II Inc, a new amyloid immunoglobulin.
A;Reference number: S03876; MUID:89194238; PMID:2495028
A;Accession: S03876
A;Molecule type: protein
A;Residues: 1-124 <FER>
```

A;Cross-references: UNIPARC:UPI000017679D
C;Superfamily: immunoglobulin V region; immunoglobulin homology
C;Keywords: heterotetramer; immunoglobulin
F;16-95/Domain: immunoglobulin homology <IMM>

Query Match 81.9%; Score 483.5; DB 2; Length 124;
Best Local Similarity 83.2%; Pred. No. 4.8e-37;
Matches 94; Conservative 10; Mismatches 8; Indels 1; Gaps 1;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||:||||||||||||||||||:|||||:||:| ||||||||||||||::||||||||
Db          1 DIVLTQSPLSLPVTPGEPASISCKSSQSLMHSSGDNYLDWYLQKPGQSPQIVIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||| |||||||||||| || | |:||||||||||||:   :||||||: ||
Db         61 SGVPDTFSGSGSGTDFTLLISSVGAEDVGVYYCMQALQT-PWTFGQGTKVGIK 112
```

Search completed: April 25, 2007, 04:06:40
Job time : 9.61864 secs

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 03:58:23 ; Search time 77 Seconds
(without alignments)
1574.822 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 3281787 seqs, 1072124677 residues

Total number of hits satisfying chosen parameters: 3281787

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : UniProt_8.4:*
1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	533.5	90.4	117	1	KV2E_HUMAN	P06309 homo sapien
2	532.5	90.3	239	2	Q8NEK0_HUMAN	Q8nek0 homo sapien
3	532	90.2	240	2	Q6PIH6_HUMAN	Q6pih6 homo sapien
4	508.5	86.2	113	1	KV2D_HUMAN	P01617 homo sapien
5	481	81.5	112	1	KV2C_HUMAN	P01616 homo sapien
6	456	77.3	115	1	KV2A_HUMAN	P01614 homo sapien
7	450.5	76.4	113	1	KV2B_HUMAN	P01615 homo sapien
8	436.5	74.0	133	1	KV2F_HUMAN	P06310 homo sapien
9	436.5	74.0	248	2	Q65ZQ7_9MURI	Q65zq7 mus sp. b3(
10	436	73.9	115	2	Q5F2I0_MOUSE	Q5f2i0 mus musculu
11	429.5	72.8	239	2	Q8TCD0_HUMAN	Q8tcd0 homo sapien
12	429.5	72.8	239	2	Q58EU8_MOUSE	Q58eu8 mus musculu
13	428.5	72.6	239	2	Q6P491_HUMAN	Q6p491 homo sapien
14	427	72.4	114	2	Q9UL80_HUMAN	Q9ul80 homo sapien
15	426.5	72.3	113	1	KV2G_MOUSE	P01631 mus musculu
16	418.5	70.9	219	2	Q65ZC0_MOUSE	Q65zc0 mus musculu
17	416.5	70.6	113	1	KV2E_MOUSE	P03976 mus musculu
18	415.5	70.4	112	2	Q53VP8_MOUSE	Q53vp8 mus musculu
19	413.5	70.1	234	2	Q5XKG4_MOUSE	Q5xkg4 mus musculu
20	407.5	69.1	113	1	KV2F_MOUSE	P01630 mus musculu
21	406.5	68.9	112	1	KV2D_MOUSE	P01629 mus musculu
22	396.5	67.2	112	2	Q6LEM8_MOUSE	Q6lem8 mus musculu
23	388.5	65.8	113	1	KV2C_MOUSE	P01628 mus musculu
24	388	65.8	108	1	KV1_CANFA	P01618 canis famil
25	386.5	65.5	112	1	KV2A_MOUSE	P01626 mus musculu
26	380	64.4	114	1	KV4A_HUMAN	P01625 homo sapien
27	373	63.2	120	1	KV2B_MOUSE	P01627 mus musculu
28	372	63.1	134	1	KV4C_HUMAN	P06314 homo sapien
29	365.5	61.9	133	1	KV4B_HUMAN	P06313 homo sapien
30	361	61.2	255	2	Q6KB05_MOUSE	Q6kb05 mus musculu
31	355.5	60.3	109	1	KV3E_HUMAN	P01623 homo sapien
32	354	60.0	240	2	Q52L64_MOUSE	Q52l64 mus musculu
33	352.5	59.7	109	1	KV3B_HUMAN	P01620 homo sapien
34	352.5	59.7	109	1	KV3D_HUMAN	P01622 homo sapien
35	349	59.2	236	2	Q6PIL8_HUMAN	Q6pil8 homo sapien
36	348.5	59.1	129	1	KV3L_HUMAN	P18135 homo sapien
37	347.5	58.9	129	1	KV3M_HUMAN	P18136 homo sapien
38	345.5	58.6	109	2	Q9UL78_HUMAN	Q9ul78 homo sapien
39	345	58.5	111	1	KV3S_MOUSE	P01671 mus musculu
40	345	58.5	111	2	Q920E9_MOUSE	Q920e9 mus musculu
41	344	58.3	111	1	KV3R_MOUSE	P01670 mus musculu
42	344	58.3	111	1	KV3U_MOUSE	P01673 mus musculu
43	342.5	58.1	109	1	KV3G_HUMAN	P04206 homo sapien
44	340.5	57.7	235	2	Q6GMW0_HUMAN	Q6gmw0 homo sapien
45	338.5	57.4	108	1	KV3A_HUMAN	P01619 homo sapien

ALIGNMENTS

RESULT 1
KV2E_HUMAN
ID KV2E_HUMAN STANDARD; PRT; 117 AA.
AC P06309;
DT 01-JAN-1988, integrated into UniProtKB/Swiss-Prot.
DT 01-JAN-1988, sequence version 1.
DT 27-JUN-2006, entry version 47.
DE Ig kappa chain V-II region GM607 precursor (Fragment).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX MEDLINE=84191506; PubMed=6325927; DOI=10.1038/309073a0;
RA Klobeck H.G., Solomon A., Zachau H.G.;
RT "Contribution of human V kappa II germ-line genes to light-chain
RT diversity.";
RL Nature 309:73-76(1984).
CC ---
CC Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC Distributed under the Creative Commons Attribution-NoDerivs License
CC ---
DR EMBL; Z00009; -; NOT_ANNOTATED_CDS; Genomic_DNA.
DR PIR; A01889; K2HUGM.
DR HSSP; Q99M37; 1I9I.
DR SMR; P06309; 5-115.
DR LinkHub; P06309; -.
DR GO; GO:0005576; C:extracellular region; NAS.
DR GO; GO:0003823; F:antigen binding; NAS.
DR GO; GO:0006955; P:immune response; NAS.
DR InterPro; IPR007110; Ig-like.
DR InterPro; IPR003599; Ig_sub.
DR InterPro; IPR013106; Ig_V-set.
DR InterPro; IPR003596; Ig_V-set_sub.
DR Pfam; PF07686; V-set; 1.
DR SMART; SM00409; IG; 1.
DR SMART; SM00406; IGv; 1.
DR PROSITE; PS50835; IG_LIKE; 1.
KW Immunoglobulin domain; Immunoglobulin V region; Signal.

FT	SIGNAL	<1	4
FT	CHAIN	5	117 Ig kappa chain V-II region GM607.
FT			/FTId=PRO_0000015172.
FT	REGION	5	27 Framework-1.
FT	REGION	28	43 Complementarity-determining-1.
FT	REGION	44	58 Framework-2.
FT	REGION	59	65 Complementarity-determining-2.
FT	REGION	66	97 Framework-3.
FT	REGION	98	106 Complementarity-determining-3.
FT	REGION	107	116 Framework-4.
FT	DISULFID	27	97 By similarity.
FT	NON_TER	1	1
FT	NON_TER	117	117

```
SQ   SEQUENCE   117 AA;  12664 MW;  92C57DC719E558B1 CRC64;

  Query Match             90.4%;  Score 533.5;  DB 1;  Length 117;
  Best Local Similarity   92.0%;  Pred. No. 2.7e-49;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          5 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 64

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||| ||:   :|||||:|||
Db         65 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 116


RESULT 2
Q8NEK0_HUMAN
ID   Q8NEK0_HUMAN   PRELIMINARY;   PRT;   239 AA.
AC   Q8NEK0;
DT   01-OCT-2002, integrated into UniProtKB/TrEMBL.
DT   01-OCT-2002, sequence version 1.
DT   27-JUN-2006, entry version 30.
DE   IGKV1-5 protein.
GN   Name=IGKV1-5;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Prostate;
RA   Director MGC Project;
RL   Submitted (JUN-2002) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92289816; PubMed=1601042;
RA   Huber C., Klobeck H.G., Zachau H.G.;
RT   "Ongoing V kappa-J kappa recombination after formation of a productive
RT   V kappa-J kappa coding joint.";
RL   Eur. J. Immunol. 22:1561-1565(1992).
RN   [4]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
RN   [5]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=94080891; PubMed=8258341;
RA   Klein R., Jaenichen R., Zachau H.G.;
RT   "Expressed human immunoglobulin kappa genes and their hypermutation.";
RL   Eur. J. Immunol. 23:3248-3262(1993).
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC030814; AAH30814.1; -; mRNA.
DR   PIR; S23638; S23638.
DR   PIR; S34091; S34091.
DR   PIR; S40342; S40342.
DR   PIR; S40357; S40357.
DR   HSSP; P01834; 1I7Z.
DR   SMR; Q8NEK0; 21-237.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   239 AA;  26024 MW;  F5E20AD3B0552C0A CRC64;

  Query Match             90.3%;  Score 532.5;  DB 2;  Length 239;
  Best Local Similarity   90.3%;  Pred. No. 8.5e-49;
  Matches  102;  Conservative    7;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||
Db         21 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSDGYNYLDWYLQKPGQSPQLLIYLGSNRA 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||:|||:|||:||||| ||:   :|||||:|||
Db         81 SGVPDRFSGSGSGTDFTLKISKVEAEDVGIYYCMQGLQTPQ-TFGQGTKVEIK 132


RESULT 3
Q6PIH6_HUMAN
ID   Q6PIH6_HUMAN   PRELIMINARY;   PRT;   240 AA.
AC   Q6PIH6;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 21.
DE   IGKV1-5 protein.
GN   Name=IGKV1-5;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
```

```
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RA   Director MGC Project;
RL   Submitted (JUL-2002) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC034142; AAH34142.1; -; mRNA.
DR   HSSP; P01837; 1KB5.
DR   SMR; Q6PIH6; 23-240.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin domain; Membrane; Repeat; Transmembrane.
SQ   SEQUENCE   240 AA;  26234 MW;  188D4DD8BB781EC4 CRC64;

  Query Match           90.2%;  Score 532;  DB 2;  Length 240;
  Best Local Similarity   91.2%;  Pred. No. 9.7e-49;
  Matches  103;  Conservative    3;  Mismatches    7;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||| |||||| ||||||||||||||||||||||| ||||||||||||||| |||||
Db         21 DIVMAQSPLSLSVTPGEPASISCRSSQSLLHSNGYNYFDWYLQKPGQSPQLLIYWGSNRA 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPYTFGQGTKLEIK 133


RESULT 4
KV2D_HUMAN
ID   KV2D_HUMAN     STANDARD;      PRT;   113 AA.
AC   P01617;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 47.
DE   Ig kappa chain V-II region TEW.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE (BENCE-JONES PROTEIN TEW).
RX   MEDLINE=74148480; PubMed=4596149;
RA   Putnam F.W., Whitley E.J. Jr., Paul C., Davidson J.N.;
RT   "Amino acid sequence of a kappa Bence Jones protein from a case of
RT   primary amyloidosis.";
RL   Biochemistry 12:3763-3780(1973).
RN   [2]
RP   PROTEIN SEQUENCE OF 1-27 (AMYLOID PROTEIN TEW).
RX   MEDLINE=73166638; PubMed=4700495;
RA   Terry W.D., Page D.L., Kimura S., Isobe T., Osserman E.F.,
RA   Glenner G.G.;
RT   "Structural identity of Bence Jones and amyloid fibril proteins in a
RT   patient with plasma cell dyscrasia and amyloidosis.";
RL   J. Clin. Invest. 52:1276-1281(1973).
CC   -!- MISCELLANEOUS: The major amyloid protein appears to be identical
CC       with the Bence Jones protein isolated from the same patient.
CC   -!- MISCELLANEOUS: This protein was isolated from the urine of a
CC       patient with plasma cell dyscrasia and amyloidosis.
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (1,2)
CC       marker.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A90370; K2HUTW.
DR   HSSP; Q99M37; 1I9I.
DR   SMR; P01617; 1-111.
DR   LinkHub; P01617; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Amyloid; Bence-Jones protein; Direct protein sequencing;
KW   Immunoglobulin domain; Immunoglobulin V region.
FT   CHAIN         1    >113       Ig kappa chain V-II region TEW.
FT                                 /FTId=PRO_0000059761.
FT   REGION        1      23       Framework-1.
FT   REGION       24      39       Complementarity-determining-1.
FT   REGION       40      54       Framework-2.
FT   REGION       55      61       Complementarity-determining-2.
FT   REGION       62      93       Framework-3.
FT   REGION       94     102       Complementarity-determining-3.
FT   REGION      103     112       Framework-4.
FT   DISULFID     23      93       By similarity.
FT   NON_TER     113     113
SQ   SEQUENCE   113 AA;  12316 MW;  0C3C38F81F1843CA CRC64;

  Query Match           86.2%;  Score 508.5;  DB 1;  Length 113;
  Best Local Similarity   86.7%;  Pred. No. 1.3e-46;
  Matches   98;  Conservative   11;  Mismatches    3;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||:|::||:||||||||||:||||  ||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSDGFDYLNWYLQKPGQSPZLLIYALSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||:||||||||:|||: : :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMZALQAPI-TFGQGTRLEIK 112
```

```
RESULT 5
KV2C_HUMAN
ID   KV2C_HUMAN     STANDARD;      PRT;   112 AA.
AC   P01616;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 41.
DE   Ig kappa chain V-II region MIL.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RA   Dreyer W.J., Gray W.R., Hood L.E.;
RT   "The genetic, molecular, and cellular basis of antibody formation:
RT   some facts and a unifying hypothesis.";
RL   Cold Spring Harb. Symp. Quant. Biol. 32:353-367(1967).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; A01887; K2HUML.
DR   HSSP; Q99M37; 1I9I.
DR   SMR; P01616; 1-110.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >112       Ig kappa chain V-II region MIL.
FT                                 /FTId=PRO_0000059760.
FT   REGION        1     23       Framework-1.
FT   REGION       24     38       Complementarity-determining-1.
FT   REGION       39     53       Framework-2.
FT   REGION       54     60       Complementarity-determining-2.
FT   REGION       61     92       Framework-3.
FT   REGION       93    101       Complementarity-determining-3.
FT   REGION      102    111       Framework-4.
FT   DISULFID     23     92       By similarity.
FT   NON_TER     112    112
SQ   SEQUENCE   112 AA;  12057 MW;  E5B22E2FA7ABE481 CRC64;

  Query Match             81.5%;  Score 481;  DB 1;  Length 112;
  Best Local Similarity   80.5%;  Pred. No. 1.2e-43;
  Matches   91;  Conservative   16;  Mismatches    4;  Indels    2;  Gaps    2;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||:|||||||||||||||||||||:|| |:| :||||||:|||:||:||||||||||
Db          1 DIVLTQSPLSLPVTPGEPASISCRSSQNLLZSBG-BYLDWYLZKPGZSPZLLIYLGSNRA 59

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||:||||||||:||||||||:|::||||||||||: : :|| || :|||
Db         60 SGVPNRFSGSGSGTBFTLKISRVZAZBVGVYYCMQALQTPL-TFGGGTNVEIK 111


RESULT 6
KV2A_HUMAN
ID   KV2A_HUMAN     STANDARD;      PRT;   115 AA.
AC   P01614;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 45.
DE   Ig kappa chain V-II region Cum.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=68242259; PubMed=5586923;
RA   Hilschmann N.;
RT   "The complete amino acid sequence of Bence Jones protein Cum (kappa-
RT   type).";
RL   Hoppe-Seyler's Z. Physiol. Chem. 348:1718-1722(1967).
RN   [2]
RP   SEQUENCE REVISION TO 50; 52; 96 AND 97.
RX   MEDLINE=70063440; PubMed=4188189;
RA   Hilschmann N.;
RT   "Molecular basis of antibody formation.";
RL   Naturwissenschaften 56:195-205(1969).
CC   -!- MISCELLANEOUS: The C region of this chain has the INV (3) marker.
CC   -!- MISCELLANEOUS: This is a Bence-Jones protein.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   PIR; B91639; K2HUCM.
DR   HSSP; P01751; 1NQB.
DR   SMR; P01614; 2-115.
DR   LinkHub; P01614; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Bence-Jones protein; Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >115       Ig kappa chain V-II region Cum.
FT                                 /FTId=PRO_0000059758.
FT   DISULFID     24     95       By similarity.
FT   NON_TER     115    115
SQ   SEQUENCE   115 AA;  12676 MW;  59E9F90A379569EC CRC64;

  Query Match             77.3%;  Score 456;  DB 1;  Length 115;
  Best Local Similarity   81.6%;  Pred. No. 6.2e-41;
  Matches   93;  Conservative    9;  Mismatches   10;  Indels    2;  Gaps    2;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHS-NGYNYLDWYLQKPGQSPQLLIYLGSNR 59
              ||||||:|||||||||||||||||||||||| | :|  ||:||||| |||||||||  | |
Db          2 DIVMTQTPLSLPVTPGEPASISCRSSQSLLDSGDGNTYLNWYLQKAGQSPQLLIYTLSYR 61

Qy         60 ASGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||:|:|||||||| |: :  :|||||||||:
Db         62 ASGVPDRFSGSGSGTDFTLKISRVQAEDVGVYYCMQRLE-IPYTFGQGTKLEIR 114


RESULT 7
KV2B_HUMAN
ID   KV2B_HUMAN     STANDARD;      PRT;   113 AA.
AC   P01615;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig kappa chain V-II region FR.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
```

```
RN   [1]
RP   PROTEIN SEQUENCE.
RX   MEDLINE=76253627; PubMed=821524;
RA   Riesen W.F., Jaton J.-C.;
RT   "Variable region sequence of the light chain from a Waldenstroms IgM
RT   with specificity for phosphorylcholine.";
RL   Biochemistry 15:3829-3833(1976).
CC   -!- MISCELLANEOUS: This chain was isolated from a Waldenstrom's
CC       macroglobulin that binds phosphorylcholine.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01886; K2HUFR.
DR   HSSP; Q99M37; 1I9I.
DR   SMR; P01615; 1-109.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Immunoglobulin domain;
KW   Immunoglobulin V region.
FT   CHAIN         1   >113       Ig kappa chain V-II region FR.
FT                                 /FTId=PRO_0000059759.
FT   REGION        1     23       Framework-1.
FT   REGION       24     39       Complementarity-determining-1.
FT   REGION       40     54       Framework-2.
FT   REGION       55     61       Complementarity-determining-2.
FT   REGION       62     93       Framework-3.
FT   REGION       94    102       Complementarity-determining-3.
FT   REGION      103    112       Framework-4.
FT   DISULFID     23     93       By similarity.
FT   NON_TER     113    113
SQ   SEQUENCE   113 AA;  12660 MW;  0C0DA39E46DB96BE CRC64;

  Query Match             76.4%;  Score 450.5;  DB 1;  Length 113;
  Best Local Similarity   77.0%;  Pred. No. 2.4e-40;
  Matches   87;  Conservative   12;  Mismatches   13;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:|||||| |||| |||||| |||||||:: :|  ||:||||||||||:||||| | |
Db          1 DVVMTQSPLFLPVTLGEPASIQCRSSQSLVYRBGBTYLBWYLQKPGQSPELLIYLSSYRD 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||| |||||||||||:||:|:|||||||||| :|   :|||||||:||
Db         61 SGVPDRFSDSGSGTDFTLKITRVQAEDVGVYYCMQATZS-PYTFGQGTKLZIK 112


RESULT 8
KV2F_HUMAN
ID   KV2F_HUMAN     STANDARD;      PRT;   133 AA.
AC   P06310;
DT   01-JAN-1988, integrated into UniProtKB/Swiss-Prot.
DT   01-JAN-1988, sequence version 1.
DT   30-MAY-2006, entry version 43.
DE   Ig kappa chain V-II region RPMI 6410 precursor.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE [GENOMIC DNA].
RX   MEDLINE=86041852; PubMed=2997711;
RA   Klobeck H.G., Meindl A., Combriato G., Solomon A., Zachau H.G.;
RT   "Human immunoglobulin kappa light chain genes of subgroups II and
RT   III.";
RL   Nucleic Acids Res. 13:6499-6513(1985).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; Z00020; CAA77315.1; -; Genomic_DNA.
DR   PIR; A01890; K2HURP.
DR   HSSP; Q99M37; 1I9I.
DR   SMR; P06310; 21-133.
DR   Ensembl; ENSG00000173758; Homo sapiens.
DR   LinkHub; P06310; -.
DR   GO; GO:0005576; C:extracellular region; NAS.
DR   GO; GO:0003823; F:antigen binding; NAS.
DR   GO; GO:0006955; P:immune response; NAS.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain; Immunoglobulin V region; Signal.
FT   SIGNAL        1     20
FT   CHAIN        21    133       Ig kappa chain V-II region RPMI 6410.
FT                                 /FTId=PRO_0000015173.
FT   REGION       21     43       Framework-1.
FT   REGION       44     59       Complementarity-determining-1.
FT   REGION       60     74       Framework-2.
FT   REGION       75     81       Complementarity-determining-2.
FT   REGION       82    113       Framework-3.
FT   REGION      114    122       Complementarity-determining-3.
FT   REGION      123    132       Framework-4.
FT   DISULFID     43    113       By similarity.
FT   NON_TER     133    133
SQ   SEQUENCE   133 AA;  14707 MW;  513CCAF3673009EE CRC64;

  Query Match             74.0%;  Score 436.5;  DB 1;  Length 133;
  Best Local Similarity   76.1%;  Pred. No. 9.4e-39;
  Matches   86;  Conservative   12;  Mismatches   14;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:|||||||||| |:||||||||||::|:|  ||:|: |:|||||: |||  |||
Db         21 DVVMTQSPLSLPVTLGQPASISCRSSQSLVYSDGNTYLNWFQQRPGQSPRRLIYKVSNRD 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|||||||||      :||||||:|||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGTH-WSWTFGQGTKVEIK 132


RESULT 9
Q65ZQ7_9MURI
ID   Q65ZQ7_9MURI   PRELIMINARY;   PRT;   248 AA.
AC   Q65ZQ7;
DT   11-OCT-2004, integrated into UniProtKB/TrEMBL.
DT   11-OCT-2004, sequence version 1.
DT   18-APR-2006, entry version 11.
DE   B3(Fv)-PE40 (Fragment).
GN   Name=B3(Fv)-PE40;
OS   Mus sp.
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10095;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92020904; PubMed=1924323;
RA   Brinkmann U., Pai L.H., FitzGerald D.J., Willingham M., Pastan I.;
RT   "B3(Fv)-PE38KDEL, a single-chain immunotoxin that causes complete
RT   regression of a human carcinoma in mice.";
RL   Proc. Natl. Acad. Sci. U.S.A. 88:8616-8620(1991).
CC   ---------------------------------------------------------------------
```

```
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   EMBL; S57990; AAB19971.2; -; mRNA.
DR   SMR; Q65ZQ7; 4-247.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 2.
DR   SMART; SM00409; IG; 2.
DR   SMART; SM00406; IGv; 2.
DR   PROSITE; PS50835; IG_LIKE; 2.
KW   Immunoglobulin domain.
FT   NON_TER     248    248
SQ   SEQUENCE   248 AA;  26634 MW;  7A3759B43E570950 CRC64;

  Query Match             74.0%;  Score 436.5;  DB 2;  Length 248;
  Best Local Similarity   75.2%;  Pred. No. 2e-38;
  Matches   85;  Conservative   12;  Mismatches   15;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |::||||||||||: |: |||||||| ::|||  ||:||||||||||:||||  |||
Db        136 DVLMTQSPLSLPVSLGDQASISCRSSQIIVHSNGNTYLEWYLQKPGQSPKLLIYKVSNRF 195

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|:|||||  |    :  :|| |||||||
Db        196 SGVPDRFSGSGSGTDFTLKISRVEAEDLGVYYCFQG-SHVPFTFGSGTKLEIK 247


RESULT 10
Q5F2I0_MOUSE
ID   Q5F2I0_MOUSE   PRELIMINARY;   PRT;   115 AA.
AC   Q5F2I0;
DT   15-MAR-2005, integrated into UniProtKB/TrEMBL.
DT   15-MAR-2005, sequence version 1.
DT   11-JUL-2006, entry version 8.
DE   Kappa light chain variable region (Fragment).
GN   Name=IgG1 anti-TS1 VL;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=22716456; PubMed=12833571; DOI=10.1002/jmr.617;
RA   Erlandsson A., Holm P., Ullen A., Stigbrand T., Sundstrom B.E.;
RT   "Studies of the interactions between the anticytokeratin 8 monoclonal
RT   antibody TS1, its antigen and its anti-idiotypic antibody alphaTS1.";
RL   J. Mol. Recognit. 16:157-163(2003).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RA   Erlandsson A.;
RL   Submitted (FEB-2005) to the EMBL/GenBank/DDBJ databases.
CC   ----------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ----------------------------------------------------------------------
DR   EMBL; AJ884575; CAI56337.1; -; mRNA.
DR   SMR; Q5F2I0; 1-115.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     115    115
SQ   SEQUENCE   115 AA;  12560 MW;  E4D3BF3D63E88007 CRC64;

  Query Match             73.9%;  Score 436;  DB 2;  Length 115;
  Best Local Similarity   75.2%;  Pred. No. 8.9e-39;
  Matches   85;  Conservative   11;  Mismatches   17;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||:||||||: |: |||||||||||:||||  || |||||||||:||||  |||
Db          1 DVVMTQTPLSLPVSLGDQASISCRSSQSLVHSNGNTYLHWYLQKPGQSPKLLIYKVSNRF 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|:|||:| |       :|| |||||:|
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDLGVYFCSQTTHVPPYTFGGGTKLEMK 113


RESULT 11
Q8TCD0_HUMAN
ID   Q8TCD0_HUMAN   PRELIMINARY;   PRT;   239 AA.
AC   Q8TCD0;
DT   01-JUN-2002, integrated into UniProtKB/TrEMBL.
DT   01-JUN-2002, sequence version 1.
DT   27-JUN-2006, entry version 29.
DE   Hypothetical protein.
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Lung;
RA   Strausberg R.;
RL   Submitted (FEB-2002) to the EMBL/GenBank/DDBJ databases.
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92285150; PubMed=1598223;
RA   Hirabayashi Y., Munakata Y., Sasaki T., Sano H.;
RT   "Variable regions of a human anti-DNA antibody O-81 possessing lupus
RT   nephritis-associated idiotype.";
RL   Nucleic Acids Res. 20:2601-0(1992).
RN   [4]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92201291; PubMed=1551402;
RA   Lautner-Rieske A., Huber C., Meindl A., Pargent W., Schable K.F.,
RA   Thiebe R., Zocher I., Zachau H.G.;
RT   "The human immunoglobulin kappa locus. Characterization of the
RT   duplicated A regions.";
RL   Eur. J. Immunol. 22:1023-1029(1992).
RN   [5]
RP   NUCLEOTIDE SEQUENCE.
```

```
RX   MEDLINE=94080891; PubMed=8258341;
RA   Klein R., Jaenichen R., Zachau H.G.;
RT   "Expressed human immunoglobulin kappa genes and their hypermutation.";
RL   Eur. J. Immunol. 23:3248-3262(1993).
RN   [6]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC022362; AAH22362.1; -; mRNA.
DR   PIR; S22658; S22658.
DR   PIR; S34095; S34095.
DR   PIR; S40324; S40324.
DR   PIR; S40374; S40374.
DR   PIR; S42267; S42267.
DR   PIR; S42268; S42268.
DR   HSSP; P01834; 1I7Z.
DR   SMR; Q8TCD0; 21-237.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   239 AA;  26235 MW;  FACEDC3A3B03871D CRC64;

  Query Match             72.8%;  Score 429.5;  DB 2;  Length 239;
  Best Local Similarity   74.3%;  Pred. No. 1.1e-37;
  Matches   84;  Conservative   14;  Mismatches   14;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:|||||||||||| |:||||||||:|||::|:|  ||:|: |:|||||: |||  |||
Db         21 DVVMTQSPLSLPVTLGQPASISCRSTQSLVYSDGNTYLNWFQQRPGQSPRRLIYKVSNRD 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||:||||:|||||:|||       :||||||||||
Db         81 SGVPDRFSGSGSGTDFTLKITRVEAEDVGVYFCMQGTH-WPSTFGQGTKLEIK 132


RESULT 12
Q58EU8_MOUSE
ID   Q58EU8_MOUSE   PRELIMINARY;   PRT;   239 AA.
AC   Q58EU8;
DT   26-APR-2005, integrated into UniProtKB/TrEMBL.
DT   26-APR-2005, sequence version 1.
DT   25-JUL-2006, entry version 19.
DE   Igk-C protein.
GN   Name=Igk-C;
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=CZECH II; TISSUE=Mammary tumor metastatized to lung.
RC   MMTV-LTR/Wnt1 model. Expression driven by an MMTV-LTR enhancer.;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   STRAIN=CZECH II; TISSUE=Mammary tumor metastatized to lung.
RC   MMTV-LTR/Wnt1 model. Expression driven by an MMTV-LTR enhancer.;
RG   NIH MGC Project;
RL   Submitted (MAR-2005) to the EMBL/GenBank/DDBJ databases.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC091750; AAH91750.1; -; mRNA.
DR   MGI; MGI:96495; Igk-C.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Immunoglobulin C region; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   239 AA;  26302 MW;  98FC4BA8EB404215 CRC64;

  Query Match             72.8%;  Score 429.5;  DB 2;  Length 239;
  Best Local Similarity   75.2%;  Pred. No. 1.1e-37;
  Matches   85;  Conservative   12;  Mismatches   15;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||:||:| || |:||||||:|||||||||  ||:| ||:|||||:||||| |
Db         21 DVVMTQTPLTLSVTIGQPASISCKSSQSLLHSNGKTYLNWLLQRPGQSPKLLIYLVSKLE 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||:|:|||||:||       :|| |||||||
Db         81 SGVPDRFSGSGSGTDFTLKISRVEAEDLGVYYCLQATH-FPRTFGGGTKLEIK 132
```

```
RESULT 13
Q6P491_HUMAN
ID   Q6P491_HUMAN   PRELIMINARY;   PRT;   239 AA.
AC   Q6P491;
DT   05-JUL-2004, integrated into UniProtKB/TrEMBL.
DT   05-JUL-2004, sequence version 1.
DT   27-JUN-2006, entry version 22.
DE   Hypothetical protein LOC651928.
GN   Name=LOC651928;
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Skin;
RX   MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
RT   "Generation and initial analysis of more than 15,000 full-length human
RT   and mouse cDNA sequences.";
RL   Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RC   TISSUE=Skin;
RG   NIH MGC Project;
RL   Submitted (DEC-2003) to the EMBL/GenBank/DDBJ databases.
CC   -!- FUNCTION: Beta-2-microglobulin is the beta-chain of major
CC       histocompatibility complex class I molecules (By similarity).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; BC063599; AAH63599.1; -; mRNA.
DR   HSSP; P01837; 1KCU.
DR   SMR; Q6P491; 21-237.
DR   GO; GO:0016021; C:integral to membrane; IEA.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0030106; F:MHC class I receptor activity; IEA.
DR   GO; GO:0019883; P:antigen presentation, endogenous antigen; IEA.
DR   GO; GO:0019885; P:antigen processing, endogenous antigen via . . .; IEA.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003597; Ig_C1-set.
DR   InterPro; IPR003006; Ig_MHC.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07654; C1-set; 1.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00407; IGc1; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 2.
DR   PROSITE; PS00290; IG_MHC; UNKNOWN_1.
KW   Hypothetical protein; Immunoglobulin domain; Membrane; Repeat;
KW   Transmembrane.
SQ   SEQUENCE   239 AA;  26246 MW;  CD7313DDFFD358B3 CRC64;

  Query Match             72.6%;  Score 428.5;  DB 2;  Length 239;
  Best Local Similarity   75.2%;  Pred. No. 1.4e-37;
  Matches   85;  Conservative   11;  Mismatches   16;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||:||| ||| |:|||||||||:|||||||  || |  |:||| |:|||| |||
Db         21 DIVMTQTPLSSPVTLGQPASISCRSSESLLHSNGNTYLSWLHQRPGQPPRLLIYKISNRF 80

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||:|||||||||||||:||||||||  :     :||||::|||
Db         81 SGVPDRFSGSGAGTDFTLKISRVEAEDVGVYYCMQ-VSHFPRTFGQGTRVEIK 132


RESULT 14
Q9UL80_HUMAN
ID   Q9UL80_HUMAN   PRELIMINARY;   PRT;   114 AA.
AC   Q9UL80;
DT   01-MAY-2000, integrated into UniProtKB/TrEMBL.
DT   01-MAY-2000, sequence version 1.
DT   18-APR-2006, entry version 22.
DE   Myosin-reactive immunoglobulin light chain variable region (Fragment).
OS   Homo sapiens (Human).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
OC   Catarrhini; Hominidae; Homo.
OX   NCBI_TaxID=9606;
RN   [1]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=98277139; PubMed=9614934; DOI=10.1006/clin.1998.4531;
RA   Wu X., Liu B., Van der Merwe P.L., Kalis N.N., Berney S.M.,
RA   Young D.C.;
RT   "Myosin-reactive autoantibodies in rheumatic carditis and normal
RT   fetus.";
RL   Clin. Immunol. Immunopathol. 87:184-192(1998).
RN   [2]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92352481; PubMed=1322670;
RA   Stuber F., Lee S.K., Bridges S.L. Jr, Koopman W.J., Schroeder H.W. Jr,
RA   Gaskin F., Fu S.M.;
RT   "A rheumatoid factor from a normal individual encoded by VH2 and V
RT   kappa II gene segments.";
RL   Arthritis Rheum. 35:900-904(1992).
RN   [3]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=93170387; PubMed=8436174;
RA   Wagner S.D., Luzzatto L.;
RT   "V kappa gene segments rearranged in chronic lymphocytic leukemia are
RT   distributed over a large portion of the V kappa locus and do not show
RT   somatic mutation.";
RL   Eur. J. Immunol. 23:391-397(1993).
RN   [4]
RP   NUCLEOTIDE SEQUENCE.
RX   MEDLINE=92289816; PubMed=1601042;
RA   Huber C., Klobeck H.G., Zachau H.G.;
RT   "Ongoing V kappa-J kappa recombination after formation of a productive
RT   V kappa-J kappa coding joint.";
RL   Eur. J. Immunol. 22:1561-1565(1992).
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   EMBL; AF035034; AAD56270.1; -; mRNA.
DR   PIR; B49002; B49002.
DR   PIR; S23638; S23638.
DR   PIR; S34094; S34094.
DR   PIR; S34095; S34095.
DR   HSSP; P01625; 1LVE.
DR   SMR; Q9UL80; 1-114.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub;
```

```
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Immunoglobulin domain.
FT   NON_TER       1      1
FT   NON_TER     114    114
SQ   SEQUENCE   114 AA;  12775 MW;  070E31E210D1CB01 CRC64;

  Query Match             72.4%;  Score 427;  DB 2;  Length 114;
  Best Local Similarity   74.3%;  Pred. No. 8.2e-38;
  Matches   84;  Conservative   12;  Mismatches   17;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:|||||||||||| :|||||||||| ::|:|  ||:|: |:|||||: ||| |||
Db          1 DVVMTQSPLSLPVTLRQPASISCRSSQSPVYSDGNTYLNWFQQRPGQSPRRLIYKVSNRD 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|||||||||       :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGTHWPPWTFGQGTKVEIK 113


RESULT 15
KV2G_MOUSE
ID   KV2G_MOUSE     STANDARD;      PRT;   113 AA.
AC   P01631;
DT   21-JUL-1986, integrated into UniProtKB/Swiss-Prot.
DT   21-JUL-1986, sequence version 1.
DT   30-MAY-2006, entry version 40.
DE   Ig kappa chain V-II region 26-10.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi;
OC   Muroidea; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   PROTEIN SEQUENCE.
RC   STRAIN=A/J;
RX   MEDLINE=83178921; PubMed=6404298;
RA   Novotny J., Margolies M.N.;
RT   "Amino acid sequence of the light chain variable region from a mouse
RT   anti-digoxin hybridoma antibody.";
RL   Biochemistry 22:1153-1158(1983).
CC   -!- MISCELLANEOUS: This chain was isolated from an IgG2a hybridoma
CC       protein that binds digoxin.
CC   ---------------------------------------------------------------------
CC   Copyrighted by the UniProt Consortium, see http://www.uniprot.org/terms
CC   Distributed under the Creative Commons Attribution-NoDerivs License
CC   ---------------------------------------------------------------------
DR   PIR; A01914; KVMS26.
DR   HSSP; Q99M37; 1I9I.
DR   Ensembl; ENSMUSG00000055315; Mus musculus.
DR   InterPro; IPR007110; Ig-like.
DR   InterPro; IPR003599; Ig_sub.
DR   InterPro; IPR013106; Ig_V-set.
DR   InterPro; IPR003596; Ig_V-set_sub.
DR   Pfam; PF07686; V-set; 1.
DR   SMART; SM00409; IG; 1.
DR   SMART; SM00406; IGv; 1.
DR   PROSITE; PS50835; IG_LIKE; 1.
KW   Direct protein sequencing; Hybridoma; Immunoglobulin domain;
KW   Immunoglobulin V region; Monoclonal antibody.
FT   CHAIN         1   >113       Ig kappa chain V-II region 26-10.
FT                                 /FTId=PRO_0000059776.
FT   REGION        1     23       Framework-1.
FT   REGION       24     39       Complementarity-determining-1.
FT   REGION       40     54       Framework-2.
FT   REGION       55     61       Complementarity-determining-2.
FT   REGION       62     93       Framework-3.
FT   REGION       94    102       Complementarity-determining-3.
FT   REGION      103    112       Framework-4.
FT   DISULFID     23     93       By similarity.
FT   NON_TER     113    113
SQ   SEQUENCE   113 AA;  12273 MW;  F9F39CE949A84C2A CRC64;

  Query Match             72.3%;  Score 426.5;  DB 1;  Length 113;
  Best Local Similarity   74.3%;  Pred. No. 9.2e-38;
  Matches   84;  Conservative   13;  Mismatches   15;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||:||||||: |: |||||||||||:||||  ||:||||| ||||:|||| |||
Db          1 DVVMTQTPLSLPVSLGDQASISCRSSQSLVHSNGNTYLNWYLQKAGQSPKLLIYKVSNRF 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|:|:|:| |    :  :|| |||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDLGIYFCSQTTH-VPPTFGGGTKLEIK 112


Search completed: April 25, 2007, 04:06:36
Job time : 77.9294 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:06:51 ; Search time 14 Seconds
(without alignments)
696.311 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 650591 seqs, 87530628 residues

Total number of hits satisfying chosen parameters: 650591

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /EMC_Celerra_SIDS3/ptodata/2/iaa/5_COMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/iaa/6_COMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/iaa/7_COMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/iaa/H_COMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/iaa/RE_COMB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	547.5	92.8	113	2	US-09-025-769B-15	Sequence 15, Appl
2	547.5	92.8	113	2	US-09-490-070A-15	Sequence 15, Appl
3	547.5	92.8	113	2	US-09-490-153-15	Sequence 15, Appl
4	547.5	92.8	113	2	US-09-490-324-15	Sequence 15, Appl
5	544.5	92.3	112	2	US-09-254-180C-9	Sequence 9, Appli
6	533.5	90.4	112	1	US-08-331-398A-49	Sequence 49, Appl
7	533.5	90.4	112	1	US-08-331-397B-49	Sequence 49, Appl
8	533.5	90.4	112	1	US-08-759-804A-49	Sequence 49, Appl
9	533.5	90.4	112	2	US-09-227-693-49	Sequence 49, Appl
10	530.5	89.9	112	2	US-10-330-613A-2	Sequence 2, Appli
11	521.5	88.4	114	2	US-09-025-769B-29	Sequence 29, Appl
12	521.5	88.4	114	2	US-09-025-769B-45	Sequence 45, Appl
13	521.5	88.4	114	2	US-09-490-070A-29	Sequence 29, Appl
14	521.5	88.4	114	2	US-09-490-070A-45	Sequence 45, Appl
15	521.5	88.4	114	2	US-09-490-153-29	Sequence 29, Appl
16	521.5	88.4	114	2	US-09-490-153-45	Sequence 45, Appl
17	521.5	88.4	114	2	US-09-490-324-29	Sequence 29, Appl
18	521.5	88.4	114	2	US-09-490-324-45	Sequence 45, Appl
19	521.5	88.4	281	2	US-09-025-769B-178	Sequence 178, App
20	521.5	88.4	281	2	US-09-490-070A-178	Sequence 178, App
21	521.5	88.4	281	2	US-09-490-153-178	Sequence 178, App
22	521.5	88.4	281	2	US-09-490-324-178	Sequence 178, App
23	520.5	88.2	113	1	US-08-082-623-4	Sequence 4, Appli
24	519.5	88.1	112	2	US-10-330-613A-38	Sequence 38, Appl
25	512.5	86.9	112	1	US-08-053-171-16	Sequence 16, Appl
26	510	86.4	100	2	US-09-472-087-115	Sequence 115, App
27	510	86.4	100	2	US-10-194-975-79	Sequence 79, Appl
28	510	86.4	100	2	US-10-194-975-80	Sequence 80, Appl
29	510	86.4	100	2	US-10-330-613A-71	Sequence 71, Appl
30	505.5	85.7	112	2	US-09-000-088-2	Sequence 2, Appli
31	502.5	85.2	112	2	US-09-240-274-30	Sequence 30, Appl
32	502.5	85.2	112	2	US-09-848-798-30	Sequence 30, Appl
33	499.5	84.7	112	1	US-08-478-039-88	Sequence 88, Appl
34	499.5	84.7	112	1	US-08-476-349A-88	Sequence 88, Appl
35	499.5	84.7	239	2	US-10-000-489-8	Sequence 8, Appli
36	499.5	84.7	239	2	US-09-992-095B-8	Sequence 8, Appli
37	499.5	84.7	239	3	US-10-000-986A-8	Sequence 8, Appli
38	494.5	83.8	108	1	US-08-488-113B-151	Sequence 151, App
39	494.5	83.8	108	1	US-08-477-484B-151	Sequence 151, App
40	494.5	83.8	108	1	US-08-107-669D-15	Sequence 15, Appl
41	494.5	83.8	108	1	US-08-472-788A-15	Sequence 15, Appl
42	494.5	83.8	108	1	US-08-477-531B-15	Sequence 15, Appl
43	494.5	83.8	108	1	US-08-646-360-151	Sequence 151, App
44	494.5	83.8	108	1	US-08-082-842A-15	Sequence 15, Appl
45	494.5	83.8	108	2	US-08-839-765-151	Sequence 151, App

ALIGNMENTS

RESULT 1
US-09-025-769B-15
; Sequence 15, Application US/09025769B
; Patent No. 6300064
; GENERAL INFORMATION:
; APPLICANT: Knappik, Achim
; APPLICANT: Pack, Peter
; APPLICANT: Ilag, Vic
; APPLICANT: Ge, Liming
; APPLICANT: Moroney, Simon
; APPLICANT: Plueckthun, Andreas
; TITLE OF INVENTION: Protein/(Poly)peptide libraries
; NUMBER OF SEQUENCES: 373
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
; STREET: 1251 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10021
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/025,769B
; FILING DATE: 18-FEB-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: EP 95 11 3021.0
; FILING DATE: 18-AUG-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: James F. Haley, Jr., Esq.
; REGISTRATION NUMBER: 27,794
; REFERENCE/DOCKET NUMBER: MORPHO/5
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212)596-9000
; TELEFAX: (212)596-9090
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 113 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-025-769B-15

Query Match 92.8%; Score 547.5; DB 2; Length 113;
Best Local Similarity 94.7%; Pred. No. 1.3e-46;

```
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 2
US-09-490-070A-15
; Sequence 15, Application US/09490070A
; Patent No. 6696248
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                        White & McAuliffe
;             STREET: 1666 K Street, N.W., Suite 300
;             CITY: Washington
;             STATE: D.C.
;             COUNTRY: USA
;             ZIP: 20006
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,070A
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: Colin G. Sandercock, Esq.
;             REGISTRATION NUMBER: 31,298
;             REFERENCE/DOCKET NUMBER: 37629-0005
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (202) 912-2000
;             TELEFAX: (202) 912-2020
;    INFORMATION FOR SEQ ID NO: 15:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 113 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-09-490-070A-15

  Query Match             92.8%;  Score 547.5;  DB 2;  Length 113;
  Best Local Similarity   94.7%;  Pred. No. 1.3e-46;
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 3
US-09-490-153-15
; Sequence 15, Application US/09490153
; Patent No. 6706484
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,153
;             FILING DATE: 24-Jan-2000
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/025,769B
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;    INFORMATION FOR SEQ ID NO: 15:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 113 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-09-490-153-15

  Query Match             92.8%;  Score 547.5;  DB 2;  Length 113;
  Best Local Similarity   94.7%;  Pred. No. 1.3e-46;
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 4
US-09-490-324-15
; Sequence 15, Application US/09490324
; Patent No. 6828422
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
```

```
;                 Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,324
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 15:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 113 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-09-490-324-15

  Query Match            92.8%;  Score 547.5;  DB 2;  Length 113;
  Best Local Similarity  94.7%;  Pred. No. 1.3e-46;
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 5
US-09-254-180C-9
; Sequence 9, Application US/09254180C
; Patent No. 6777540
; GENERAL INFORMATION:
;  APPLICANT: OKUMURA, Ko
;  APPLICANT:  EDA, Yasuyuki
;  APPLICANT:  MAEDA, Hiroaki
;  APPLICANT:  USHIO, Yoshitaka
;  APPLICANT:  HIGUCHI, Hirofumi
;  APPLICANT:  NAKATA, Motomi
;  TITLE OF INVENTION: Humanized Immunoglobulins Specifically Reactive to Fas Ligand or
;  TITLE OF INVENTION:  Fragments Thereof, and Apoptosis-Induced Site From Fas Ligand
;  FILE REFERENCE: 050006-0055
;  CURRENT APPLICATION NUMBER: US/09/254,180C
;  CURRENT FILING DATE:  1999-04-15
;  PRIOR APPLICATION NUMBER: PCT/JP97/02983
;  PRIOR FILING DATE: 1997-08-27
;  PRIOR APPLICATION NUMBER: 271546/1996
;  PRIOR FILING DATE: 1996-09-20
;  PRIOR APPLICATION NUMBER: 231472/1996
;  PRIOR FILING DATE: 1996-09-02
;  NUMBER OF SEQ ID NOS: 183
;  SOFTWARE: PatentIn version 3.1
; SEQ ID NO 9
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-09-254-180C-9

  Query Match            92.3%;  Score 544.5;  DB 2;  Length 112;
  Best Local Similarity  93.8%;  Pred. No. 2.6e-46;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||:||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHNNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 6
US-08-331-398A-49
; Sequence 49, Application US/08331398A
; Patent No. 5608039
;  GENERAL INFORMATION:
;    APPLICANT:  Pastan, Ira
;    APPLICANT:  Willingham, Mark
;    APPLICANT:  FitzGerald, David
;    APPLICANT:  Brinkmann, Ulrich
;    APPLICANT:  Pai, Lee
;    TITLE OF INVENTION:  Single Chain B3 Antibody Fusion Proteins
;    TITLE OF INVENTION:  and Their Uses (as amended)
;    NUMBER OF SEQUENCES:  68
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend and Crew
;      STREET:  One Market Plaza, Steuart Street Plaza
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94105-1492
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/331,398A
;      FILING DATE:  28-OCT-1994
;      CLASSIFICATION:  435
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/767,331
;      FILING DATE:  30-SEP-1991
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/596,289
;      FILING DATE:  12-OCT-1990
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Hunter, Tom
;      REGISTRATION NUMBER:  38,498
;      REFERENCE/DOCKET NUMBER:  015280-126110US
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 543-9600
;      TELEFAX:  (415) 543-5043
;  INFORMATION FOR SEQ ID NO:  49:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  112 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
;    FEATURE:
```

```
;      NAME/KEY:  Protein
;      LOCATION:  1..112
;      OTHER INFORMATION:  /note= "Human IgM antibody GM607
;      OTHER INFORMATION:  Variable Light chain (V-L)"
US-08-331-398A-49

  Query Match             90.4%;  Score 533.5;  DB 1;  Length 112;
  Best Local Similarity   92.0%;  Pred. No. 3.1e-45;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| ||:   :|||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 112


RESULT 7
US-08-331-397B-49
; Sequence 49, Application US/08331397B
; Patent No. 5981726
;  GENERAL INFORMATION:
;    APPLICANT:  Pastan, Ira
;    APPLICANT:  Benhar, Itai
;    TITLE OF INVENTION:  Chimeric and Mutationally Stabilized Tumor-
;    TITLE OF INVENTION:  Specific Antibody Fragments, Fusion Proteins, and Uses
;    TITLE OF INVENTION:  Thereof
;    NUMBER OF SEQUENCES:  68
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend and Crew
;      STREET:  One Market Plaza, Steuart Street Plaza
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94105-1492
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/331,397B
;      FILING DATE:  28-OCT-1994
;      CLASSIFICATION:  435
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/767,331
;      FILING DATE:  30-SEP-1991
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/596,289
;      FILING DATE:  12-OCT-1990
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Hunter, Tom
;      REGISTRATION NUMBER:  38,498
;      REFERENCE/DOCKET NUMBER:  015280-126120US
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 543-9600
;      TELEFAX:  (415) 543-5043
;  INFORMATION FOR SEQ ID NO:  49:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  112 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
;    FEATURE:
;      NAME/KEY:  Protein
;      LOCATION:  1..112
;      OTHER INFORMATION:  /note= "Human IgM antibody GM607
;      OTHER INFORMATION:  Variable Light chain (V-L)"
US-08-331-397B-49

  Query Match             90.4%;  Score 533.5;  DB 1;  Length 112;
  Best Local Similarity   92.0%;  Pred. No. 3.1e-45;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| ||:   :|||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 112


RESULT 8
US-08-759-804A-49
; Sequence 49, Application US/08759804A
; Patent No. 5990296
;  GENERAL INFORMATION:
;    APPLICANT:  Pastan, Ira
;    APPLICANT:  Willingham, Mark
;    APPLICANT:  FitzGerald, David J.
;    APPLICANT:  Brinkmann, Ulrich
;    APPLICANT:  Pai, Lee
;    TITLE OF INVENTION:  Tumor-Specific Antibody Fragments,
;    TITLE OF INVENTION:  Fusion Proteins, and Uses Thereof
;    NUMBER OF SEQUENCES:  68
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend and Crew LLP
;      STREET:  Two Embarcadero Center, Eighth Floor
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  USA
;      ZIP:  94111-3834
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/759,804A
;      FILING DATE:  03-DEC-1996
;      CLASSIFICATION:  536
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 08/331,398
;      FILING DATE:  28-OCT-1994
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/767,331
;      FILING DATE:  30-SEP-1991
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/596,289
;      FILING DATE:  12-OCT-1990
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Weber, Ellen L.
;      REGISTRATION NUMBER:  32,762
;      REFERENCE/DOCKET NUMBER:  015280-126140US
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 576-0200
;      TELEFAX:  (415) 576-0300
;  INFORMATION FOR SEQ ID NO:  49:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  112 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
;    FEATURE:
;      NAME/KEY:  Protein
;      LOCATION:  1..112
;      OTHER INFORMATION:  /note= "Human IgM antibody GM607
;      OTHER INFORMATION:  Variable Light chain (V-L)"
US-08-759-804A-49

  Query Match             90.4%;  Score 533.5;  DB 1;  Length 112;
```

```
  Best Local Similarity   92.0%;  Pred. No. 3.1e-45;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| ||:   :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 112


RESULT 9
US-09-227-693-49
; Sequence 49, Application US/09227693
; Patent No. 6287562
;  GENERAL INFORMATION:
;    APPLICANT:  PASTAN, Ira
;    APPLICANT:  BENHAR, Itai
;    APPLICANT:  PADLAN, Eduardo A.
;    APPLICANT:  JUNG, Sun-Hee
;    APPLICANT:  LEE, Byungkook
;    TITLE OF INVENTION:  HUMANIZED TUMOR-SPECIFIC ANTIBODY
;    TITLE OF INVENTION:  FRAGMENTS, FUSION PROTEINS, AND USES THEREOF
;    NUMBER OF SEQUENCES:  50
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  Townsend and Townsend Khourie and Crew
;      STREET:  Steuart Street Tower, One Market Plaza
;      CITY:  San Francisco
;      STATE:  California
;      COUNTRY:  US
;      ZIP:  94105-1493
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.25
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/227,693
;      FILING DATE:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  08/331,396
;      FILING DATE:
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/767,331
;      FILING DATE:  30-SEP-1991
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  US 07/596,289
;      FILING DATE:  12-OCT-1990
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  Weber, Ellen Lauver
;      REGISTRATION NUMBER:  32,762
;      REFERENCE/DOCKET NUMBER:  15280-126-1-3
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (415) 543-9600
;      TELEFAX:  (415) 543-5043
;  INFORMATION FOR SEQ ID NO:  49:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  112 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:  single
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  peptide
;    FEATURE:
;      NAME/KEY:  Protein
;      LOCATION:  1..112
;      OTHER INFORMATION:  /note= "Human IgM GM607 VL region"
US-09-227-693-49

  Query Match             90.4%;  Score 533.5;  DB 2;  Length 112;
  Best Local Similarity   92.0%;  Pred. No. 3.1e-45;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPQQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| ||:   :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQGLQTPQ-TFGQGTKVEIK 112


RESULT 10
US-10-330-613A-2
; Sequence 2, Application US/10330613A
; Patent No. 6924360
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  TITLE OF INVENTION: ANTIBODIES AGAINST THE MUC18 ANTIGEN
;  FILE REFERENCE: ABGENIX.022A
;  CURRENT APPLICATION NUMBER: US/10/330,613A
;  CURRENT FILING DATE:  2002-12-26
;  PRIOR APPLICATION NUMBER: 60/346299
;  PRIOR FILING DATE: 2001-12-18
;  NUMBER OF SEQ ID NOS: 90
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo Sapiens
US-10-330-613A-2

  Query Match             89.9%;  Score 530.5;  DB 2;  Length 112;
  Best Local Similarity   92.0%;  Pred. No. 6.2e-45;
  Matches  104;  Conservative    4;  Mismatches    4;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||| ||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLRSNGYNYLDWYLQKPGQSPHLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||||||||| || : :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQAQQSPI-TFGQGTRLEIK 112


RESULT 11
US-09-025-769B-29
; Sequence 29, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
```

```
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  29:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  114 amino acids
;      TYPE:  amino acid
;      STRANDEDNESS:
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-29

  Query Match             88.4%;  Score 521.5;  DB 2;  Length 114;
  Best Local Similarity   90.3%;  Pred. No. 4.8e-44;
  Matches  102;  Conservative    4;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||:|   :   :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCQQH-YTTPPTFGQGTKVEIK 112


RESULT 12
US-09-025-769B-45
; Sequence 45, Application US/09025769B
; Patent No. 6300064
;  GENERAL INFORMATION:
;    APPLICANT:  Knappik, Achim
;    APPLICANT:  Pack, Peter
;    APPLICANT:  Ilag, Vic
;    APPLICANT:  Ge, Liming
;    APPLICANT:  Moroney, Simon
;    APPLICANT:  Plueckthun, Andreas
;    TITLE OF INVENTION:  Protein/(Poly)peptide libraries
;    NUMBER OF SEQUENCES:  373
;    CORRESPONDENCE ADDRESS:
;      ADDRESSEE:  James F. Haley, Jr., Esq. c/o Fish & Neave
;      STREET:  1251 Avenue of the Americas
;      CITY:  New York
;      STATE:  New York
;      COUNTRY:  USA
;      ZIP:  10021
;    COMPUTER READABLE FORM:
;      MEDIUM TYPE:  Floppy disk
;      COMPUTER:  IBM PC compatible
;      OPERATING SYSTEM:  PC-DOS/MS-DOS
;      SOFTWARE:  PatentIn Release #1.0, Version #1.30 (EPO)
;    CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/09/025,769B
;      FILING DATE:  18-FEB-1998
;    PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:  EP 95 11 3021.0
;      FILING DATE:  18-AUG-1995
;    ATTORNEY/AGENT INFORMATION:
;      NAME:  James F. Haley, Jr., Esq.
;      REGISTRATION NUMBER:  27,794
;      REFERENCE/DOCKET NUMBER:  MORPHO/5
;    TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (212)596-9000
;      TELEFAX:  (212)596-9090
;  INFORMATION FOR SEQ ID NO:  45:
;    SEQUENCE CHARACTERISTICS:
;      LENGTH:  114 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
;    MOLECULE TYPE:  protein
US-09-025-769B-45

  Query Match             88.4%;  Score 521.5;  DB 2;  Length 114;
  Best Local Similarity   90.3%;  Pred. No. 4.8e-44;
  Matches  102;  Conservative    4;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||:|   :   :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCQQH-YTTPPTFGQGTKVEIK 112


RESULT 13
US-09-490-070A-29
; Sequence 29, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;  INFORMATION FOR SEQ ID NO: 29:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 114 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 29:
US-09-490-070A-29

  Query Match             88.4%;  Score 521.5;  DB 2;  Length 114;
  Best Local Similarity   90.3%;  Pred. No. 4.8e-44;
  Matches  102;  Conservative    4;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
```

```
                     ||||||||||||||||||||||||||:|||||||  |    :    :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCQQH-YTTPPTFGQGTKVEIK 112


RESULT 14
US-09-490-070A-45
; Sequence 45, Application US/09490070A
; Patent No. 6696248
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: Colin G. Sandercock, Esq. c/o Heller Ehrman
;                       White & McAuliffe
;            STREET: 1666 K Street, N.W., Suite 300
;            CITY: Washington
;            STATE: D.C.
;            COUNTRY: USA
;            ZIP: 20006
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,070A
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: Colin G. Sandercock, Esq.
;            REGISTRATION NUMBER: 31,298
;            REFERENCE/DOCKET NUMBER: 37629-0005
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (202) 912-2000
;            TELEFAX: (202) 912-2020
;   INFORMATION FOR SEQ ID NO: 45:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 114 amino acids
;            TYPE: amino acid
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 45:
US-09-490-070A-45

  Query Match             88.4%;  Score 521.5;  DB 2;  Length 114;
  Best Local Similarity   90.3%;  Pred. No. 4.8e-44;
  Matches  102;  Conservative    4;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:|||||||  |    :    :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCQQH-YTTPPTFGQGTKVEIK 112


RESULT 15
US-09-490-153-29
; Sequence 29, Application US/09490153
; Patent No. 6706484
;  GENERAL INFORMATION:
;       APPLICANT: Knappik, Achim
;                  Pack, Peter
;                  Ilag, Vic
;                  Ge, Liming
;                  Moroney, Simon
;                  Plueckthun, Andreas
;       TITLE OF INVENTION: Protein/(Poly)peptide libraries
;       NUMBER OF SEQUENCES: 373
;       CORRESPONDENCE ADDRESS:
;            ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;            STREET: 1251 Avenue of the Americas
;            CITY: New York
;            STATE: New York
;            COUNTRY: USA
;            ZIP: 10021
;       COMPUTER READABLE FORM:
;            MEDIUM TYPE: Floppy disk
;            COMPUTER: IBM PC compatible
;            OPERATING SYSTEM: PC-DOS/MS-DOS
;            SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;       CURRENT APPLICATION DATA:
;            APPLICATION NUMBER: US/09/490,153
;            FILING DATE: 24-Jan-2000
;       PRIOR APPLICATION DATA:
;            APPLICATION NUMBER: US/09/025,769B
;            FILING DATE: 18-FEB-1998
;            APPLICATION NUMBER: EP 95 11 3021.0
;            FILING DATE: 18-AUG-1995
;       ATTORNEY/AGENT INFORMATION:
;            NAME: James F. Haley, Jr., Esq.
;            REGISTRATION NUMBER: 27,794
;            REFERENCE/DOCKET NUMBER: MORPHO/5
;       TELECOMMUNICATION INFORMATION:
;            TELEPHONE: (212)596-9000
;            TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 29:
;       SEQUENCE CHARACTERISTICS:
;            LENGTH: 114 amino acids
;            TYPE: amino acid
;            STRANDEDNESS: <Unknown>
;            TOPOLOGY: linear
;       MOLECULE TYPE: protein
;       SEQUENCE DESCRIPTION: SEQ ID NO: 29:
US-09-490-153-29

  Query Match             88.4%;  Score 521.5;  DB 2;  Length 114;
  Best Local Similarity   90.3%;  Pred. No. 4.8e-44;
  Matches  102;  Conservative    4;  Mismatches    6;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:|||||||  |    :    :||||||:|||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCQQH-YTTPPTFGQGTKVEIK 112


Search completed: April 25, 2007, 04:08:32
Job time : 15.2048 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:18:18 ; Search time 42 Seconds
(without alignments)
1251.741 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 2097797 seqs, 463214858 residues

Total number of hits satisfying chosen parameters: 2097797

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_Main:*
1: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US09_PUBCOMB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/2/pubpaa/US11_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	590	100.0	113	4	US-10-041-860-30	Sequence 30, Appl
2	590	100.0	113	4	US-10-041-860-221	Sequence 221, App
3	590	100.0	113	4	US-10-041-860-255	Sequence 255, App
4	590	100.0	113	4	US-10-665-383-40	Sequence 40, Appl
5	576.5	97.7	114	4	US-10-041-860-322	Sequence 322, App
6	554	93.9	113	6	US-11-021-715-89	Sequence 89, Appl
7	550	93.2	112	5	US-10-726-332-215	Sequence 215, App
8	549	93.1	113	6	US-11-021-715-88	Sequence 88, Appl
9	548.5	93.0	110	4	US-10-309-762-165	Sequence 165, App
10	548.5	93.0	112	6	US-11-021-715-74	Sequence 74, Appl
11	547.5	92.8	112	4	US-10-292-088-104	Sequence 104, App
12	547.5	92.8	112	6	US-11-021-715-75	Sequence 75, Appl
13	547.5	92.8	112	6	US-11-021-715-92	Sequence 92, Appl
14	547.5	92.8	113	5	US-10-834-397-15	Sequence 15, Appl
15	547	92.7	112	5	US-10-726-332-24	Sequence 24, Appl
16	546.5	92.6	112	6	US-11-021-715-77	Sequence 77, Appl
17	546.5	92.6	134	5	US-10-858-855-8	Sequence 8, Appli
18	546	92.5	111	5	US-10-727-155-276	Sequence 276, App
19	546	92.5	112	5	US-10-725-962-42	Sequence 42, Appl
20	545.5	92.5	112	5	US-10-735-916A-58	Sequence 58, Appl
21	545.5	92.5	112	6	US-11-012-353-58	Sequence 58, Appl
22	545.5	92.5	113	4	US-10-308-817-177	Sequence 177, App
23	545.5	92.5	113	4	US-10-453-698-177	Sequence 177, App
24	544.5	92.3	112	4	US-10-292-088-103	Sequence 103, App
25	544.5	92.3	112	4	US-10-292-088-111	Sequence 111, App
26	544.5	92.3	112	5	US-10-877-773-30	Sequence 30, Appl
27	544.5	92.3	112	5	US-10-877-774-30	Sequence 30, Appl
28	544.5	92.3	125	4	US-10-010-942B-6	Sequence 6, Appli
29	544.5	92.3	125	4	US-10-388-389-6	Sequence 6, Appli
30	544.5	92.3	125	4	US-10-703-713-6	Sequence 6, Appli
31	544.5	92.3	125	4	US-10-704-070-6	Sequence 6, Appli
32	544.5	92.3	125	5	US-10-232-030-6	Sequence 6, Appli
33	544.5	92.3	125	5	US-10-789-273-6	Sequence 6, Appli
34	543.5	92.1	112	4	US-10-292-088-28	Sequence 28, Appl
35	543.5	92.1	113	5	US-10-726-332-212	Sequence 212, App
36	543.5	92.1	239	4	US-10-292-088-32	Sequence 32, Appl
37	542.5	91.9	112	5	US-10-982-440-210	Sequence 210, App
38	542	91.9	111	6	US-11-039-767-4	Sequence 4, Appli
39	542	91.9	112	6	US-11-031-485-123	Sequence 123, App
40	542	91.9	238	6	US-11-031-485-4	Sequence 4, Appli
41	541.5	91.8	112	4	US-10-663-244-63	Sequence 63, Appl
42	541.5	91.8	238	4	US-10-663-244-145	Sequence 145, App
43	541	91.7	112	6	US-11-031-485-131	Sequence 131, App
44	541	91.7	238	6	US-11-031-485-40	Sequence 40, Appl
45	540.5	91.6	110	4	US-10-309-762-157	Sequence 157, App

ALIGNMENTS

RESULT 1
US-10-041-860-30
; Sequence 30, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/10/041,860
; CURRENT FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 30
; LENGTH: 113
; TYPE: PRT
; ORGANISM: homo sapiens
US-10-041-860-30

Query Match 100.0%; Score 590; DB 4; Length 113;
Best Local Similarity 100.0%; Pred. No. 4.3e-46;
Matches 113; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
```

RESULT 2
US-10-041-860-221
; Sequence 221, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi

```
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 221
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-221

  Query Match             100.0%;  Score 590;  DB 4;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 4.3e-46;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 3
US-10-041-860-255
; Sequence 255, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 255
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-255

  Query Match             100.0%;  Score 590;  DB 4;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 4.3e-46;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 4
US-10-665-383-40
; Sequence 40, Application US/10665383
; Publication No. US20040141969A1
; GENERAL INFORMATION:
;  APPLICANT: Ploege, Juergen
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Keyt, Bruce
;  APPLICANT:  LaRochelle, William
;  APPLICANT:  Lichenstein, Henri
;  TITLE OF INVENTION: METHOD FOR THE TREATMENT OF NEPHRITIS
;  TITLE OF INVENTION:  USING ANTI-PDGF-DD ANTIBODIES
;  FILE REFERENCE: ABGENIX.052A
;  CURRENT APPLICATION NUMBER: US/10/665,383
;  CURRENT FILING DATE:  2003-09-16
;  PRIOR APPLICATION NUMBER: 60/411,137
;  PRIOR FILING DATE: 2002-09-16
;  NUMBER OF SEQ ID NOS: 97
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 40
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-665-383-40

  Query Match             100.0%;  Score 590;  DB 4;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 4.3e-46;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 5
US-10-041-860-322
; Sequence 322, Application US/10041860
; Publication No. US20030157109A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/10/041,860
;  CURRENT FILING DATE:  2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 322
;   LENGTH: 114
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-10-041-860-322

  Query Match             97.7%;  Score 576.5;  DB 4;  Length 114;
  Best Local Similarity   98.2%;  Pred. No. 7.4e-45;
  Matches  112;  Conservative    1;  Mismatches    0;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQS-LMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||: ||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQTPLMCSFGQGTKLEIK 114


RESULT 6
US-11-021-715-89
```

```
; Sequence 89, Application US/11021715
; Publication No. US20050208596A1
; GENERAL INFORMATION:
;  APPLICANT: Siegel, Donald L.
;  TITLE OF INVENTION: COMPOSITIONS, METHODS AND KITS RELATING TO ANTI-PLATELET
;  TITLE OF INVENTION:  AUTOANTIBODIES AND INHIBITORS THEREOF
;  FILE REFERENCE: 053893-5050
;  CURRENT APPLICATION NUMBER: US/11/021,715
;  CURRENT FILING DATE:  2004-12-23
;  PRIOR APPLICATION NUMBER: PCT/US03/21304
;  PRIOR FILING DATE: 2003-07-03
;  PRIOR APPLICATION NUMBER: 60/394,352
;  PRIOR FILING DATE: 2002-07-03
;  PRIOR APPLICATION NUMBER: 60/411,694
;  PRIOR FILING DATE: 2002-09-18
;  NUMBER OF SEQ ID NOS: 153
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 89
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-021-715-89

  Query Match           93.9%;  Score 554;  DB 6;  Length 113;
  Best Local Similarity  93.8%;  Pred. No. 8.2e-43;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:|||||||||||||:   :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTRPVTFGQGTRLEIK 113


RESULT 7
US-10-726-332-215
; Sequence 215, Application US/10726332
; Publication No. US20050058649A1
; GENERAL INFORMATION:
;  APPLICANT: Gregory M. Landes
;  APPLICANT:  Mary Haak-Frendscho
;  APPLICANT:  Ling Chen
;  APPLICANT:  Yen-Wah R. Lee
;  APPLICANT:  Meina Liang
;  APPLICANT:  Xiao Feng
;  APPLICANT:  Xiao-Chi Jia
;  APPLICANT:  Mark R. Nocerini
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PHOSPHOLIPASE A2
;  TITLE OF INVENTION:  AND USES THEREOF
;  FILE REFERENCE: ABGENIX.072A
;  CURRENT APPLICATION NUMBER: US/10/726,332
;  CURRENT FILING DATE:  2003-12-02
;  PRIOR APPLICATION NUMBER: n/a
;  PRIOR FILING DATE:
;  NUMBER OF SEQ ID NOS: 222
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 215
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-726-332-215

  Query Match           93.2%;  Score 550;  DB 5;  Length 112;
  Best Local Similarity  93.8%;  Pred. No. 1.9e-42;
  Matches  106;  Conservative    5;  Mismatches    0;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||||||||:|||||||||||||::  :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 111


RESULT 8
US-11-021-715-88
; Sequence 88, Application US/11021715
; Publication No. US20050208596A1
; GENERAL INFORMATION:
;  APPLICANT: Siegel, Donald L.
;  TITLE OF INVENTION: COMPOSITIONS, METHODS AND KITS RELATING TO ANTI-PLATELET
;  TITLE OF INVENTION:  AUTOANTIBODIES AND INHIBITORS THEREOF
;  FILE REFERENCE: 053893-5050
;  CURRENT APPLICATION NUMBER: US/11/021,715
;  CURRENT FILING DATE:  2004-12-23
;  PRIOR APPLICATION NUMBER: PCT/US03/21304
;  PRIOR FILING DATE: 2003-07-03
;  PRIOR APPLICATION NUMBER: 60/394,352
;  PRIOR FILING DATE: 2002-07-03
;  PRIOR APPLICATION NUMBER: 60/411,694
;  PRIOR FILING DATE: 2002-09-18
;  NUMBER OF SEQ ID NOS: 153
;  SOFTWARE: PatentIn version 3.2
; SEQ ID NO 88
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-021-715-88

  Query Match           93.1%;  Score 549;  DB 6;  Length 113;
  Best Local Similarity  92.9%;  Pred. No. 2.4e-42;
  Matches  105;  Conservative    5;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              ||||||||||||||||||:||||||:||||||||||||:   :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLEISRVEAEDVGVYYCMQALQTPPVTFGQGTRLEIK 113


RESULT 9
US-10-309-762-165
; Sequence 165, Application US/10309762
; Publication No. US20040018198A1
; GENERAL INFORMATION:
;  APPLICANT: Gudas, Jean
;  APPLICANT:  Foltz, Ian
;  APPLICANT:  Handa, Masahisa
;  APPLICANT:  Gallo, Michael
;  TITLE OF INVENTION: ANTIBODIES AGAINST CARBOXIC ANHYDRASE IX
;  TITLE OF INVENTION:  (CA IX) TUMOR ANTIGEN
;  FILE REFERENCE: ABGENIX.027A
;  CURRENT APPLICATION NUMBER: US/10/309,762
;  CURRENT FILING DATE:  2002-12-02
;  PRIOR APPLICATION NUMBER: 60/337275
;  PRIOR FILING DATE: 2001-12-03
;  NUMBER OF SEQ ID NOS: 246
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 165
;   LENGTH: 110
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-309-762-165

  Query Match           93.0%;  Score 548.5;  DB 4;  Length 110;
  Best Local Similarity  94.7%;  Pred. No. 2.5e-42;
  Matches  107;  Conservative    2;  Mismatches    1;  Indels    3;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
```

```
Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:    ||||||||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT---PFGQGTKLEIK 110
```

RESULT 10
US-11-021-715-74
; Sequence 74, Application US/11021715
; Publication No. US20050208596A1
; GENERAL INFORMATION:
; APPLICANT: Siegel, Donald L.
; TITLE OF INVENTION: COMPOSITIONS, METHODS AND KITS RELATING TO ANTI-PLATELET
; TITLE OF INVENTION: AUTOANTIBODIES AND INHIBITORS THEREOF
; FILE REFERENCE: 053893-5050
; CURRENT APPLICATION NUMBER: US/11/021,715
; CURRENT FILING DATE: 2004-12-23
; PRIOR APPLICATION NUMBER: PCT/US03/21304
; PRIOR FILING DATE: 2003-07-03
; PRIOR APPLICATION NUMBER: 60/394,352
; PRIOR FILING DATE: 2002-07-03
; PRIOR APPLICATION NUMBER: 60/411,694
; PRIOR FILING DATE: 2002-09-18
; NUMBER OF SEQ ID NOS: 153
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 74
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-11-021-715-74

Query Match 93.0%; Score 548.5; DB 6; Length 112;
Best Local Similarity 94.7%; Pred. No. 2.6e-42;
Matches 107; Conservative 3; Mismatches 2; Indels 1; Gaps 1;

```
Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:    ||||||||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PSTFGQGTKLEIK 112
```

RESULT 11
US-10-292-088-104
; Sequence 104, Application US/10292088
; Publication No. US20030211100A1
; GENERAL INFORMATION:
; APPLICANT: BEDIAN, VAHE
; APPLICANT: GLADUE, RONALD P.
; APPLICANT: CORVALAN, JOSE
; APPLICANT: JIA, XIAO-CHI
; APPLICANT: FENG, XIAO
; TITLE OF INVENTION: ANTIBODIES TO CD40
; FILE REFERENCE: ABX-PF/3 US
; CURRENT APPLICATION NUMBER: US/10/292,088
; CURRENT FILING DATE: 2003-03-14
; PRIOR APPLICATION NUMBER: 60/348,980
; PRIOR FILING DATE: 2001-11-09
; NUMBER OF SEQ ID NOS: 147
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 104
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-292-088-104

Query Match 92.8%; Score 547.5; DB 4; Length 112;
Best Local Similarity 94.7%; Pred. No. 3.2e-42;
Matches 107; Conservative 3; Mismatches 2; Indels 1; Gaps 1;

```
Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:    ||||||||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112
```

RESULT 12
US-11-021-715-75
; Sequence 75, Application US/11021715
; Publication No. US20050208596A1
; GENERAL INFORMATION:
; APPLICANT: Siegel, Donald L.
; TITLE OF INVENTION: COMPOSITIONS, METHODS AND KITS RELATING TO ANTI-PLATELET
; TITLE OF INVENTION: AUTOANTIBODIES AND INHIBITORS THEREOF
; FILE REFERENCE: 053893-5050
; CURRENT APPLICATION NUMBER: US/11/021,715
; CURRENT FILING DATE: 2004-12-23
; PRIOR APPLICATION NUMBER: PCT/US03/21304
; PRIOR FILING DATE: 2003-07-03
; PRIOR APPLICATION NUMBER: 60/394,352
; PRIOR FILING DATE: 2002-07-03
; PRIOR APPLICATION NUMBER: 60/411,694
; PRIOR FILING DATE: 2002-09-18
; NUMBER OF SEQ ID NOS: 153
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 75
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-11-021-715-75

Query Match 92.8%; Score 547.5; DB 6; Length 112;
Best Local Similarity 94.7%; Pred. No. 3.2e-42;
Matches 107; Conservative 3; Mismatches 2; Indels 1; Gaps 1;

```
Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:    ||||||||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112
```

RESULT 13
US-11-021-715-92
; Sequence 92, Application US/11021715
; Publication No. US20050208596A1
; GENERAL INFORMATION:
; APPLICANT: Siegel, Donald L.
; TITLE OF INVENTION: COMPOSITIONS, METHODS AND KITS RELATING TO ANTI-PLATELET
; TITLE OF INVENTION: AUTOANTIBODIES AND INHIBITORS THEREOF
; FILE REFERENCE: 053893-5050
; CURRENT APPLICATION NUMBER: US/11/021,715
; CURRENT FILING DATE: 2004-12-23
; PRIOR APPLICATION NUMBER: PCT/US03/21304
; PRIOR FILING DATE: 2003-07-03
; PRIOR APPLICATION NUMBER: 60/394,352
; PRIOR FILING DATE: 2002-07-03
; PRIOR APPLICATION NUMBER: 60/411,694
; PRIOR FILING DATE: 2002-09-18
; NUMBER OF SEQ ID NOS: 153
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 92
; LENGTH: 112
; TYPE: PRT
; ORGANISM: Homo sapiens
US-11-021-715-92

Query Match 92.8%; Score 547.5; DB 6; Length 112;
Best Local Similarity 92.9%; Pred. No. 3.2e-42;

```
  Matches  105;  Conservative    7;  Mismatches    0;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||:|||||||||:||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHTNGYNYLDWYVQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:||||||||||||:|: :|||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTLI-TFGQGTRLEIK 112


RESULT 14
US-10-834-397-15
; Sequence 15, Application US/10834397
; Publication No. US20060003334A1
;   GENERAL INFORMATION:
;        APPLICANT: Knappik, Achim
;                   Pack, Peter
;                   Ilag, Vic
;                   Ge, Liming
;                   Moroney, Simon
;                   Plueckthun, Andreas
;        TITLE OF INVENTION: Protein/(Poly)peptide libraries
;        NUMBER OF SEQUENCES: 373
;        CORRESPONDENCE ADDRESS:
;             ADDRESSEE: James F. Haley, Jr., Esq. c/o Fish & Neave
;             STREET: 1251 Avenue of the Americas
;             CITY: New York
;             STATE: New York
;             COUNTRY: USA
;             ZIP: 10021
;        COMPUTER READABLE FORM:
;             MEDIUM TYPE: Floppy disk
;             COMPUTER: IBM PC compatible
;             OPERATING SYSTEM: PC-DOS/MS-DOS
;             SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
;        CURRENT APPLICATION DATA:
;             APPLICATION NUMBER: US/10/834,397
;             FILING DATE: 29-Apr-2004
;        PRIOR APPLICATION DATA:
;             APPLICATION NUMBER: US/09/490,324
;             FILING DATE: 24-Jan-2000
;             APPLICATION NUMBER: US/09/025,769
;             FILING DATE: 18-FEB-1998
;             APPLICATION NUMBER: EP 95 11 3021.0
;             FILING DATE: 18-AUG-1995
;        ATTORNEY/AGENT INFORMATION:
;             NAME: James F. Haley, Jr., Esq.
;             REGISTRATION NUMBER: 27,794
;             REFERENCE/DOCKET NUMBER: MORPHO/5
;        TELECOMMUNICATION INFORMATION:
;             TELEPHONE: (212)596-9000
;             TELEFAX: (212)596-9090
;   INFORMATION FOR SEQ ID NO: 15:
;        SEQUENCE CHARACTERISTICS:
;             LENGTH: 113 amino acids
;             TYPE: amino acid
;             STRANDEDNESS: <Unknown>
;             TOPOLOGY: linear
;        MOLECULE TYPE: protein
;        SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-10-834-397-15

  Query Match             92.8%;  Score 547.5;  DB 5;  Length 113;
  Best Local Similarity   94.7%;  Pred. No. 3.2e-42;
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 15
US-10-726-332-24
; Sequence 24, Application US/10726332
; Publication No. US20050058649A1
; GENERAL INFORMATION:
;  APPLICANT: Gregory M. Landes
;  APPLICANT:  Mary Haak-Frendscho
;  APPLICANT:  Ling Chen
;  APPLICANT:  Yen-Wah R. Lee
;  APPLICANT:  Meina Liang
;  APPLICANT:  Xiao Feng
;  APPLICANT:  Xiao-Chi Jia
;  APPLICANT:  Mark R. Nocerini
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PHOSPHOLIPASE A2
;  TITLE OF INVENTION:  AND USES THEREOF
;  FILE REFERENCE: ABGENIX.072A
;  CURRENT APPLICATION NUMBER: US/10/726,332
;  CURRENT FILING DATE:  2003-12-02
;  PRIOR APPLICATION NUMBER: n/a
;  PRIOR FILING DATE:
;  NUMBER OF SEQ ID NOS: 222
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 24
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-726-332-24

  Query Match             92.7%;  Score 547;  DB 5;  Length 112;
  Best Local Similarity   92.9%;  Pred. No. 3.5e-42;
  Matches  105;  Conservative    6;  Mismatches    0;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:||:||||||||||||::  :||||||:||||
Db         61 SGVPDRFSGSGSGTDFTLKISRMEAEDVGVYYCMQALQTI--TFGQGTRLEIK 111


Search completed: April 25, 2007, 04:22:50
Job time : 41.8164 secs
```

GenCore version 6.2.1
Copyright (c) 1993 - 2007 Biocceleration Ltd.

OM protein - protein search, using sw model

Run on: April 25, 2007, 04:23:02 ; Search time 44 Seconds
(without alignments)
533.620 Million cell updates/sec

Title: US-10-665-383-40
Perfect score: 590
Sequence: 1 DIVMTQSPLSLPVTPGEPAS.....MQALQSLMCSFGQGTKLEIK 113

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 947558 seqs, 205760075 residues

Total number of hits satisfying chosen parameters: 947558

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA_New:*
1: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
2: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
3: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
4: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
5: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
6: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
7: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US11_NEW_PUB.pep:*
8: /EMC_Celerra_SIDS3/ptodata/1/pubpaa/US60_NEW_PUB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	590	100.0	113	7	US-11-109-181-30	Sequence 30, Appl
2	590	100.0	113	7	US-11-109-181-221	Sequence 221, App
3	590	100.0	113	7	US-11-109-181-255	Sequence 255, App
4	576.5	97.7	114	7	US-11-109-181-322	Sequence 322, App
5	554	93.9	114	7	US-11-428-895-19	Sequence 19, Appl
6	554	93.9	131	7	US-11-428-895-25	Sequence 25, Appl
7	550	93.2	111	7	US-11-433-924-268	Sequence 268, App
8	550	93.2	223	7	US-11-396-178-98	Sequence 98, Appl
9	550	93.2	223	7	US-11-396-178-156	Sequence 156, App
10	548	92.9	112	7	US-11-428-895-20	Sequence 20, Appl
11	547.5	92.8	112	7	US-11-211-917-104	Sequence 104, App
12	546.5	92.6	112	7	US-11-256-332-128	Sequence 128, App
13	546.5	92.6	112	7	US-11-369-641-4	Sequence 4, Appli
14	546.5	92.6	113	7	US-11-256-332-118	Sequence 118, App
15	546.5	92.6	113	7	US-11-311-939-639	Sequence 639, App
16	546.5	92.6	115	7	US-11-256-332-73	Sequence 73, Appl
17	546.5	92.6	115	7	US-11-256-332-81	Sequence 81, Appl
18	546.5	92.6	115	7	US-11-256-332-89	Sequence 89, Appl
19	546.5	92.6	115	7	US-11-256-332-97	Sequence 97, Appl
20	546.5	92.6	134	7	US-11-303-478-8	Sequence 8, Appli
21	546.5	92.6	134	7	US-11-305-899-68	Sequence 68, Appl
22	545.5	92.5	112	7	US-11-511-164-8	Sequence 8, Appli
23	544.5	92.3	111	7	US-11-311-939-646	Sequence 646, App
24	544.5	92.3	112	7	US-11-239-308-16	Sequence 16, Appl
25	544.5	92.3	112	7	US-11-211-917-103	Sequence 103, App
26	544.5	92.3	112	7	US-11-211-917-111	Sequence 111, App
27	544.5	92.3	112	7	US-11-305-899-60	Sequence 60, Appl
28	544.5	92.3	113	7	US-11-311-939-215	Sequence 215, App
29	544.5	92.3	113	7	US-11-311-939-647	Sequence 647, App
30	544.5	92.3	125	7	US-11-413-638A-6	Sequence 6, Appli
31	543.5	92.1	112	7	US-11-211-917-28	Sequence 28, Appl
32	543.5	92.1	239	7	US-11-211-917-32	Sequence 32, Appl
33	542.5	91.9	113	7	US-11-311-939-445	Sequence 445, App
34	542	91.9	111	7	US-11-593-280-4	Sequence 4, Appli
35	542	91.9	111	7	US-11-593-279-4	Sequence 4, Appli
36	540.5	91.6	113	7	US-11-311-939-641	Sequence 641, App
37	539.5	91.4	112	7	US-11-433-924-392	Sequence 392, App
38	539.5	91.4	115	7	US-11-337-300-437	Sequence 437, App
39	539.5	91.4	256	7	US-11-337-300-278	Sequence 278, App
40	537.5	91.1	113	7	US-11-311-939-483	Sequence 483, App
41	537	91.0	111	7	US-11-109-181-16	Sequence 16, Appl
42	537	91.0	111	7	US-11-109-181-220	Sequence 220, App
43	537	91.0	111	7	US-11-109-181-254	Sequence 254, App
44	537	91.0	111	7	US-11-109-181-279	Sequence 279, App
45	536.5	90.9	112	7	US-11-211-917-112	Sequence 112, App

ALIGNMENTS

RESULT 1
US-11-109-181-30
; Sequence 30, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi
; APPLICANT: Feng, Xiao
; APPLICANT: Yang, Xiao-Dong
; APPLICANT: Chen, Francine
; APPLICANT: Gazit, Gadi
; APPLICANT: Weber, Richard
; APPLICANT: Bezabeh, Binyam
; TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: ABGENIX.051A
; CURRENT APPLICATION NUMBER: US/11/109,181
; CURRENT FILING DATE: 2005-04-18
; PRIOR APPLICATION NUMBER: US/10/041,860
; PRIOR FILING DATE: 2002-01-07
; NUMBER OF SEQ ID NOS: 377
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 30
; LENGTH: 113
; TYPE: PRT
; ORGANISM: homo sapiens
US-11-109-181-30

Query Match 100.0%; Score 590; DB 7; Length 113;
Best Local Similarity 100.0%; Pred. No. 5e-48;
Matches 113; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
```

RESULT 2
US-11-109-181-221
; Sequence 221, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
; APPLICANT: Corvalan, Jose R.F.
; APPLICANT: Jia, Xiao-Chi

```
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 221
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-221

  Query Match             100.0%;  Score 590;  DB 7;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 5e-48;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 3
US-11-109-181-255
; Sequence 255, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 255
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-255

  Query Match             100.0%;  Score 590;  DB 7;  Length 113;
  Best Local Similarity   100.0%;  Pred. No. 5e-48;
  Matches  113;  Conservative    0;  Mismatches    0;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113


RESULT 4
US-11-109-181-322
; Sequence 322, Application US/11109181
; Publication No. US20060293506A1
; GENERAL INFORMATION:
;  APPLICANT: Corvalan, Jose R.F.
;  APPLICANT:  Jia, Xiao-Chi
;  APPLICANT:  Feng, Xiao
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Chen, Francine
;  APPLICANT:  Gazit, Gadi
;  APPLICANT:  Weber, Richard
;  APPLICANT:  Bezabeh, Binyam
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO PDGFD AND USES
;  TITLE OF INVENTION:  THEREOF
;  FILE REFERENCE: ABGENIX.051A
;  CURRENT APPLICATION NUMBER: US/11/109,181
;  CURRENT FILING DATE:  2005-04-18
;  PRIOR APPLICATION NUMBER: US/10/041,860
;  PRIOR FILING DATE: 2002-01-07
;  NUMBER OF SEQ ID NOS: 377
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 322
;   LENGTH: 114
;   TYPE: PRT
;   ORGANISM: homo sapiens
US-11-109-181-322

  Query Match             97.7%;  Score 576.5;  DB 7;  Length 114;
  Best Local Similarity   98.2%;  Pred. No. 9.3e-47;
  Matches  112;  Conservative    1;  Mismatches    0;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQS-LMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||||||||||||||||: |||||||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQTPLMCSFGQGTKLEIK 114


RESULT 5
US-11-428-895-19
; Sequence 19, Application US/11428895
; Publication No. US20070003554A1
; GENERAL INFORMATION:
;  APPLICANT: Miller, Jonathan L
;  TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
;  TITLE OF INVENTION:  of Antibodies to Human Platelet Glycoprotein Ib Alpha
;  FILE REFERENCE: 011.00231
;  CURRENT APPLICATION NUMBER: US/11/428,895
;  CURRENT FILING DATE:  2006-07-06
;  PRIOR APPLICATION NUMBER: US/09/430,048
;  PRIOR FILING DATE: 1999-10-29
;  PRIOR APPLICATION NUMBER: US 60/106,275
;  PRIOR FILING DATE: 1998-10-30
;  NUMBER OF SEQ ID NOS: 62
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 19
;   LENGTH: 114
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-428-895-19

  Query Match             93.9%;  Score 554;  DB 7;  Length 114;
  Best Local Similarity   93.8%;  Pred. No. 1.2e-44;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              .|:|||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
```

```
Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPFTFGQGTKLEIK 113


RESULT 6
US-11-428-895-25
; Sequence 25, Application US/11428895
; Publication No. US20070003554A1
; GENERAL INFORMATION:
;  APPLICANT: Miller, Jonathan L
;  TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
;  TITLE OF INVENTION:  of Antibodies to Human Platelet Glycoprotein Ib Alpha
;  FILE REFERENCE: 011.00231
;  CURRENT APPLICATION NUMBER: US/11/428,895
;  CURRENT FILING DATE:  2006-07-06
;  PRIOR APPLICATION NUMBER: US/09/430,048
;  PRIOR FILING DATE: 1999-10-29
;  PRIOR APPLICATION NUMBER: US 60/106,275
;  PRIOR FILING DATE: 1998-10-30
;  NUMBER OF SEQ ID NOS: 62
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 25
;   LENGTH: 131
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-428-895-25

  Query Match            93.9%;  Score 554;  DB 7;  Length 131;
  Best Local Similarity   93.8%;  Pred. No. 1.4e-44;
  Matches  106;  Conservative    4;  Mismatches    3;  Indels    0;  Gaps    0;

Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          18 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 77

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db          78 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPPFTFGQGTKLEIK 130


RESULT 7
US-11-433-924-268
; Sequence 268, Application US/11433924
; Publication No. US20060286112A1
; GENERAL INFORMATION:
;  APPLICANT: Kellermann, Sirid-Aimee
;  APPLICANT:  Foord, Orit
;  APPLICANT:  Belouski, Shelley Sims
;  APPLICANT:  Green, Larry L.
;  TITLE OF INVENTION: HUMAN MONOCLONAL ANTIBODIES THAT BIND TO
;  TITLE OF INVENTION:  VERY LATE ANTIGEN-1 FOR THE TREATMENT OF INFLAMMATION AND
;  TITLE OF INVENTION:  OTHER DISORDERS
;  FILE REFERENCE: ABGENIX.120A
;  CURRENT APPLICATION NUMBER: US/11/433,924
;  CURRENT FILING DATE:  2006-05-12
;  PRIOR APPLICATION NUMBER: US 60/681,846
;  PRIOR FILING DATE: 2005-05-16
;  NUMBER OF SEQ ID NOS: 419
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 268
;   LENGTH: 111
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-433-924-268

  Query Match            93.2%;  Score 550;  DB 7;  Length 111;
  Best Local Similarity   93.8%;  Pred. No. 2.8e-44;
  Matches  106;  Conservative    5;  Mismatches    0;  Indels    2;  Gaps    1;

Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Db           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||::  :|||||:||||
Db          61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 111


RESULT 8
US-11-396-178-98
; Sequence 98, Application US/11396178
; Publication No. US20060275211A1
; GENERAL INFORMATION:
;  APPLICANT: JAKOBOVITS, Aya
;  APPLICANT:  KANNER, Steven B.
;  APPLICANT:  CHALLITA-EID, Pia M.
;  APPLICANT:  PEREZ-VILLAR, Juan
;  APPLICANT:  SATPAEV, Daulet
;  APPLICANT:  RAITANO, Arthur B.
;  APPLICANT:  MORRISON, Robert Kendall
;  APPLICANT:  MORRISON, Karen Jane Meyrick
;  APPLICANT:  JIA, Xiao-Chi
;  APPLICANT:  GUDAS, Jean
;  TITLE OF INVENTION: ANTIBODIES AND RELATED MOLECULES THAT
;  TITLE OF INVENTION:  BIND TO 161P2F10B PROTEINS
;  FILE REFERENCE: 511582006221
;  CURRENT APPLICATION NUMBER: US/11/396,178
;  CURRENT FILING DATE:  2006-03-31
;  PRIOR APPLICATION NUMBER: 10/291,241
;  PRIOR FILING DATE: 2002-11-07
;  PRIOR APPLICATION NUMBER: 10/005,480
;  PRIOR FILING DATE: 2001-11-07
;  PRIOR APPLICATION NUMBER: 60/667,588
;  PRIOR FILING DATE: 2005-03-31
;  PRIOR APPLICATION NUMBER: 60/700,975
;  PRIOR FILING DATE: 2005-07-20
;  NUMBER OF SEQ ID NOS: 177
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 98
;   LENGTH: 223
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: VARIANT
;   LOCATION: 211
;   OTHER INFORMATION: Xaa = Any amino acid.
US-11-396-178-98

  Query Match            93.2%;  Score 550;  DB 7;  Length 223;
  Best Local Similarity   93.8%;  Pred. No. 5.8e-44;
  Matches  106;  Conservative    5;  Mismatches    0;  Indels    2;  Gaps    1;

Qy           1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
               ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db           8 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 67

Qy          61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
               ||||||||||||||||||||||||||:||||||||||||::  :|||||:||||
Db          68 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 118


RESULT 9
US-11-396-178-156
; Sequence 156, Application US/11396178
; Publication No. US20060275211A1
; GENERAL INFORMATION:
;  APPLICANT: JAKOBOVITS, Aya
;  APPLICANT:  KANNER, Steven B.
;  APPLICANT:  CHALLITA-EID, Pia M.
;  APPLICANT:  PEREZ-VILLAR, Juan
;  APPLICANT:  SATPAEV, Daulet
;  APPLICANT:  RAITANO, Arthur B.
;  APPLICANT:  MORRISON, Robert Kendall
;  APPLICANT:  MORRISON, Karen Jane Meyrick
```

```
;  APPLICANT:  JIA, Xiao-Chi
;  APPLICANT:  GUDAS, Jean
;  TITLE OF INVENTION: ANTIBODIES AND RELATED MOLECULES THAT
;  TITLE OF INVENTION:  BIND TO 161P2F10B PROTEINS
;  FILE REFERENCE: 511582006221
;  CURRENT APPLICATION NUMBER: US/11/396,178
;  CURRENT FILING DATE:  2006-03-31
;  PRIOR APPLICATION NUMBER: 10/291,241
;  PRIOR FILING DATE: 2002-11-07
;  PRIOR APPLICATION NUMBER: 10/005,480
;  PRIOR FILING DATE: 2001-11-07
;  PRIOR APPLICATION NUMBER: 60/667,588
;  PRIOR FILING DATE: 2005-03-31
;  PRIOR APPLICATION NUMBER: 60/700,975
;  PRIOR FILING DATE: 2005-07-20
;  NUMBER OF SEQ ID NOS: 177
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 156
;   LENGTH: 223
;   TYPE: PRT
;   ORGANISM: Homo sapiens
;   FEATURE:
;   NAME/KEY: VARIANT
;   LOCATION: 211
;   OTHER INFORMATION: Xaa = Any amino acid.
US-11-396-178-156

  Query Match             93.2%;  Score 550;  DB 7;  Length 223;
  Best Local Similarity   93.8%;  Pred. No. 5.8e-44;
  Matches  106;  Conservative    5;  Mismatches    0;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          8 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 67

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||::  :|||||:||||
Db         68 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTI--TFGQGTRLEIK 118


RESULT 10
US-11-428-895-20
; Sequence 20, Application US/11428895
; Publication No. US20070003554A1
; GENERAL INFORMATION:
;  APPLICANT: Miller, Jonathan L
;  TITLE OF INVENTION: Variable Heavy Chain and Variable Light Chain Regions
;  TITLE OF INVENTION:  of Antibodies to Human Platelet Glycoprotein Ib Alpha
;  FILE REFERENCE: 011.00231
;  CURRENT APPLICATION NUMBER: US/11/428,895
;  CURRENT FILING DATE:  2006-07-06
;  PRIOR APPLICATION NUMBER: US/09/430,048
;  PRIOR FILING DATE: 1999-10-29
;  PRIOR APPLICATION NUMBER: US 60/106,275
;  PRIOR FILING DATE: 1998-10-30
;  NUMBER OF SEQ ID NOS: 62
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 20
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-428-895-20

  Query Match             92.9%;  Score 548;  DB 7;  Length 112;
  Best Local Similarity   94.7%;  Pred. No. 4.4e-44;
  Matches  107;  Conservative    3;  Mismatches    1;  Indels    2;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT--PTFGQGTKLEIK 111


RESULT 11
US-11-211-917-104
; Sequence 104, Application US/11211917
; Publication No. US20060093600A1
; GENERAL INFORMATION:
;  APPLICANT: BEDIAN, VAHE
;  APPLICANT:  GLADUE, RONALD P.
;  APPLICANT:  CORVALAN, JOSE
;  APPLICANT:  JIA, XIAO-CHI
;  APPLICANT:  FENG, XIAO
;  TITLE OF INVENTION: ANTIBODIES TO CD40
;  FILE REFERENCE: ABX-PF/3 US
;  CURRENT APPLICATION NUMBER: US/11/211,917
;  CURRENT FILING DATE:  2005-08-25
;  PRIOR APPLICATION NUMBER: US/10/292,088
;  PRIOR FILING DATE: 2002-11-08
;  PRIOR APPLICATION NUMBER: 60/348,980
;  PRIOR FILING DATE: 2001-11-09
;  NUMBER OF SEQ ID NOS: 147
;  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 104
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-211-917-104

  Query Match             92.8%;  Score 547.5;  DB 7;  Length 112;
  Best Local Similarity   94.7%;  Pred. No. 4.8e-44;
  Matches  107;  Conservative    3;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||:|||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 12
US-11-256-332-128
; Sequence 128, Application US/11256332
; Publication No. US20060228349A1
; GENERAL INFORMATION:
;  APPLICANT: Acton, Paul
;  APPLICANT:  An, Zhiqiang
;  APPLICANT:  Bett, Andrew J.
;  APPLICANT:  Breese, Robert
;  APPLICANT:  Chen Dodson, Elizabeth
;  APPLICANT:  Kinney, Gene
;  APPLICANT:  Klein , William  R.
;  APPLICANT:  Krafft , Grant  A.
;  APPLICANT:  Lambert , Mary  P.
;  APPLICANT:  Liang, Xiaoping
;  APPLICANT:  Pray, Todd  R.
;  APPLICANT:  Shughrue, Paul
;  APPLICANT:  Strohl , William  R.
;  APPLICANT:  Wang, Fubao
;  TITLE OF INVENTION: ANTI-ADDL ANTIBODIES AND USES THEREOF
;  FILE REFERENCE: MRK0002US
;  CURRENT APPLICATION NUMBER: US/11/256,332
;  CURRENT FILING DATE:  2005-10-21
;  PRIOR APPLICATION NUMBER: US 60/621,776
;  PRIOR FILING DATE: 2004-10-25
;  PRIOR APPLICATION NUMBER: US 60/652,538
;  PRIOR FILING DATE: 2005-02-14
;  PRIOR APPLICATION NUMBER: US 60/695,528
;  PRIOR FILING DATE: 2005-06-30
;  PRIOR APPLICATION NUMBER: US 60/695,526
;  PRIOR FILING DATE: 2005-06-30
```

```
;  NUMBER OF SEQ ID NOS: 322
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 128
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-256-332-128

  Query Match             92.6%;  Score 546.5;  DB 7;  Length 112;
  Best Local Similarity   93.8%;  Pred. No. 6e-44;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 13
US-11-369-641-4
; Sequence 4, Application US/11369641
; Publication No. US20060258852A1
; GENERAL INFORMATION:
;  APPLICANT: Lugovskoy, Alexey Alexandrovich et al.
;  TITLE OF INVENTION: METHODS OF HUMANIZING IMMUNOGLOBULIN VARIABLE REGIONS
;  TITLE OF INVENTION:  THROUGH RATIONAL MODIFICATION OF COMPLEMENTARITY
;  TITLE OF INVENTION:  DETERMINING REGIONS
;  FILE REFERENCE: BGN-A230
;  CURRENT APPLICATION NUMBER: US/11/369,641
;  CURRENT FILING DATE:  2006-03-06
;  PRIOR APPLICATION NUMBER: 60/658,987
;  PRIOR FILING DATE: 2005-03-04
;  NUMBER OF SEQ ID NOS: 32
;  SOFTWARE: PatentIn Ver. 3.3
; SEQ ID NO 4
;   LENGTH: 112
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-369-641-4

  Query Match             92.6%;  Score 546.5;  DB 7;  Length 112;
  Best Local Similarity   93.8%;  Pred. No. 6e-44;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 14
US-11-256-332-118
; Sequence 118, Application US/11256332
; Publication No. US20060228349A1
; GENERAL INFORMATION:
;  APPLICANT: Acton, Paul
;  APPLICANT:  An, Zhiqiang
;  APPLICANT:  Bett, Andrew J.
;  APPLICANT:  Breese, Robert
;  APPLICANT:  Chen Dodson, Elizabeth
;  APPLICANT:  Kinney, Gene
;  APPLICANT:  Klein , William  R.
;  APPLICANT:  Krafft , Grant  A.
;  APPLICANT:  Lambert , Mary  P.
;  APPLICANT:  Liang, Xiaoping
;  APPLICANT:  Pray, Todd  R.
;  APPLICANT:  Shughrue, Paul
;  APPLICANT:  Strohl , William  R.
;  APPLICANT:  Wang, Fubao
;  TITLE OF INVENTION: ANTI-ADDL ANTIBODIES AND USES THEREOF
;  FILE REFERENCE: MRK0002US
;  CURRENT APPLICATION NUMBER: US/11/256,332
;  CURRENT FILING DATE:  2005-10-21
;  PRIOR APPLICATION NUMBER: US 60/621,776
;  PRIOR FILING DATE: 2004-10-25
;  PRIOR APPLICATION NUMBER: US 60/652,538
;  PRIOR FILING DATE: 2005-02-14
;  PRIOR APPLICATION NUMBER: US 60/695,528
;  PRIOR FILING DATE: 2005-06-30
;  PRIOR APPLICATION NUMBER: US 60/695,526
;  PRIOR FILING DATE: 2005-06-30
;  NUMBER OF SEQ ID NOS: 322
;  SOFTWARE: PatentIn version 3.3
; SEQ ID NO 118
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-256-332-118

  Query Match             92.6%;  Score 546.5;  DB 7;  Length 113;
  Best Local Similarity   93.8%;  Pred. No. 6.1e-44;
  Matches  106;  Conservative    4;  Mismatches    2;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              |:||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DVVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:||||||||||||:   :||||||||||
Db         61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQT-PYTFGQGTKLEIK 112


RESULT 15
US-11-311-939-639
; Sequence 639, Application US/11311939
; Publication No. US20060246071A1
; GENERAL INFORMATION:
;  APPLICANT: Green, Larry L.
;  APPLICANT:  Zhou, Qing
;  APPLICANT:  Keyt, Bruce A.
;  APPLICANT:  Yang, Xiao-Dong
;  APPLICANT:  Emery, Stephen
;  APPLICANT:  Blakey, David C.
;  TITLE OF INVENTION: ANTIBODIES DIRECTED TO ANGIOPOIETIN-2
;  TITLE OF INVENTION:  AND USES THEREOF
;  FILE REFERENCE: ABXAZ.002A
;  CURRENT APPLICATION NUMBER: US/11/311,939
;  CURRENT FILING DATE:  2005-12-19
;  PRIOR APPLICATION NUMBER: US 60/638,354
;  PRIOR FILING DATE: 2004-12-21
;  PRIOR APPLICATION NUMBER: US 60/711,289
;  PRIOR FILING DATE: 2005-08-25
;  NUMBER OF SEQ ID NOS: 662
;  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 639
;   LENGTH: 113
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-11-311-939-639

  Query Match             92.6%;  Score 546.5;  DB 7;  Length 113;
  Best Local Similarity   93.8%;  Pred. No. 6.1e-44;
  Matches  106;  Conservative    5;  Mismatches    1;  Indels    1;  Gaps    1;

Qy          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60
              ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db          1 DIVMTQSPLSLPVTPGEPASISCRSSQSLLHSNGYNYLDWYLQKPGQSPQLLIYLGSNRA 60

Qy         61 SGVPDRFSGSGSGTDFTLKISRVEADDVGVYYCMQALQSLMCSFGQGTKLEIK 113
              |||||||||||||||||||||||||:|||||||||||||: : :||||||:||||
```

Db 61 SGVPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQALQTPI-TFGQGTRLEIK 112

Search completed: April 25, 2007, 04:27:43
Job time : 43.572 secs